

FARRELL

Equipment & Supply Co., Inc.

A-B-B-C & A BOOK

**Anchors,
Blades, Bits,
Caulks &
Adhesives**



www.FarrellEquipment.com

***Your Jobsite
Supply Resource!***

Anchors, Blades, Bits, Caulks, & Adhesives

WEDGE-BOLT® ANCHORS



The Wedge-Bolt® anchor is a one piece, heavy duty anchor with either a finished hex head or countersunk Phillips flat head. It is easy to identify, removable and vibration resistant.


Base Material: Concrete, Block, Brick, Stone.

Size range: 3/16" x 1-1/4" to 3/4" x 8".

Anchor material: Heat Treated, High Strength Carbon Steel.

The Wedge-Bolt anchor is versatile and can be used in a variety of base materials. This reduces the need to stock assorted anchor types and learn a variety of installation procedures.

- Removable, Reusable.
- Easy to read length identification.
- Safer, more attractive finished appearance.



RA7214	1/2" x 6" Wedge-Bolt Anchor
RA7215	1/4" x 3" Wedge-Bolt Anchor
RA7216	3/8" x 4" Wedge-Bolt Anchor
RA7217	1/2" x 4" Wedge-Bolt Anchor
RA7218	1/2" x 5" Wedge-Bolt Anchor
RA7219	5/8" x 4" Wedge-Bolt Anchor
RA7220	3/8" x 1 3/4" Wedge-Bolt Anchor
RA7221	5/8" x 5" Wedge-Bolt Anchor
RA7227	5/8" x 6" Wedge-Bolt Anchor
RA7229	5/8" x 7" Wedge-Bolt Anchor
RA7231	3/4" x 6" Wedge-Bolt Anchors
RA7232	3/4" x 8" Wedge-Bolt Anchor
RA7233	1/2" x 6 1/2" Wedge-Bolt Anchor



Additional Sizes and Styles available!

FARRELL

Equipment & Supply Co., Inc.

**ASK ABOUT OUR
OTHER CATALOGS!**



POWER-STUD™ ANCHORS



Wedge Type Expansion Anchor

The Power-Stud Anchor is a one piece, wedge style anchor.


Manufactured from carbon steel which is plated with commercial bright zinc and supplementary chromate in accordance with ASTM specification B633, SC1, Type III.

RA7400	1/4" x 1-3/4" Stud
RA7402	1/4" x 2-1/4" Stud (7402SD1)
RA7404	1/4" x 3-1/4" Stud
RA7410	3/8" x 2-1/4" Stud (7410SD1)
RA7412	3/8" x 2-3/4" Stud (7412SD1)
RA7414	3/8" x 3 1/2" Stud (7414SD1)
RA7416	3/8" x 5" Stud (7416SD1)
RA7420	1/2" x 2-3/4" Stud
RA7422	1/2" x 3-3/4" Stud
RA7423	1/2" x 4-1/2" Stud
RA7424	1/2" x 5-1/2" Stud (7424SD1)
RA7426	1/2" x 7" Stud (7426SD1)
RA7430	5/8" x 3-1/2" Stud (7430SD1)
RA7432	5/8" x 4-1/2" Stud
RA7433	5/8" x 5" Stud
RA7434	5/8" x 6" Stud
RA7438	5/8" x 8-1/2" Stud (7438SD1)
RA7440	3/4" x 4-1/4" Stud
RA7442	3/4" x 5-1/2" Stud
RA7446	3/4" x 7" Stud
RA7448	3/4" x 8-1/2" Stud
RA7461	1" x 6" Stud

TAPPER™ SCREW ANCHORS



The TAPPER Anchoring System is a family of screw anchors, specially designed drill bits and installation tools designed to meet the needs of most light to medium duty applications in concrete, block and brick.



RA2700	100 Pc. Box 3/16" x 1-1/4" Hex Head Tapcon
RA2702	100 Pc. Box 3/16" x 1-3/4" Hex Head Tapcon
RA2704	100 Pc. Box 3/16" x 2-1/4" Hex Head Tapcon
RA2706	100 Pc. Box 3/16" x 2-3/4" Hex Head Tapcon
RA2708	100 Pc. Box 3/16" x 3-1/4" Hex Head Tapcon
RA2720	100 Pc. Box 1/4" x 1-1/4" Hex Head Tapcon
RA2722	100 Pc. Box 1/4" x 1-3/4" Hex Head Tapcon
RA2724	100 Pc. Box 1/4" x 2-1/4" Hex Head Tapcon
RA2726	100 Pc. Box 1/4" x 2-3/4" Hex Head Tapcon
RA2728	100 Pc. Box 1/4" x 3-1/4" Hex Head Tapcon
RA2730	100 Pc. Box 1/4" x 3-3/4" Hex Head Tapcon
RA2732	100 Pc. Box 1/4" x 4" Hex Head Tapcon
RA2740	100 Pc. Box 3/16" x 1-1/4" Phillips Head Tapcon
RA2742	100 Pc. Box 3/16" x 1-3/4" Phillips Head Tapcon
RA2744	100 Pc. Box 3/16" x 2-1/4" Phillips Head Tapcon
RA2746	100 Pc. Box 3/16" x 2-3/4" Phillips Head Tapcon
RA2748	100 Pc. Box 3/16" x 3-1/4" Phillips Head Tapcon
RA2750	100 Pc. Box 3/16" x 3-3/4" Phillips Head Tapcon
RA2752	100 Pc. Box 3/16" x 4" Phillips Head Tapcon
RA2760	100 Pc. Box 1/4" x 1-1/4" Phillips Head Tapcon
RA2762	100 Pc. Box 1/4" x 1-3/4" Phillips Head Tapcon
RA2764	100 Pc. Box 1/4" x 2-1/4" Phillips Head Tapcon
RA2766	100 Pc. Box 1/4" x 2-3/4" Phillips Head Tapcon
RA2768	100 Pc. Box 1/4" x 3-1/4" Phillips Head Tapcon
RA2770	100 Pc. Box 1/4" x 3-3/4" Phillips Head Tapcon
RA2772	100 Pc. Box 1/4" x 4" Phillips Head Tapcon
RA2774	100 Pc. Box 1/4" x 5" Phillips Head Tapcon

Anchors, Blades, Bits, Caulks, & Adhesives

LOK-BOLT™ ANCHORS




Sleeve Type Expansion Anchor

The Lok-Bolt is a pre-assembled single unit sleeve anchor available in carbon steel and stainless steel which can be used in concrete, block, brick and stone. The Lok-Bolt is designed to draw the fixture into full bearing against the base material through the action of its unique, flexible, compression ring.

RA5015	3/8" x 1-7/8" Lok Bolt (5015S)
RA5020	3/8" x 3" Lok Bolt
RA5025	1/2" x 2-1/4" Lok Bolt
RA5030	1/2" x 3" Lok Bolt
RA5033	1/2" x 5-1/4" Lok Bolt
RA5034	1/2" x 4" Lok Bolt
RA5500	100 Pc. Box 1/4" x 2" Flathead Threshold Bolt

Available in a wide variety of head styles



SPIKE® ANCHORS




The SPIKE is a patented, one-piece, vibration resistant anchor for use in concrete, block, brick or stone. Several head styles and anchor materials are available.

RA5504	3/16" x 1-1/2" Spike Mushroom Head
RA5506	3/16" x 2" Spike Mushroom Head
RA5508	3/16" x 2-1/2" Spike Mushroom Head
RA5510	3/16" x 3" Spike Mushroom Head
RA5511	3/16" x 3-1/2" Spike Mushroom Head
RA5512	3/16" x 4" Spike Mushroom Head
RA5524	1/4" x 1-1/2" Spike Mushroom Head
RA5526	1/4" x 2" Spike Mushroom Head
RA5530	1/4" x 3" Spike Mushroom Head

RA5628	1/4" x 2-1/2" Spike Flat Head
RA5630	1/4" x 3" Spike Flat Head
RA5632	1/4" x 4" Spike Flat Head

RA3794	1/4" x 2-3/4" Forming Spikes
RA3797	3/16" x 2-3/4" Forming Spikes

Other Styles Available:



RAWL DRIVE®



The Drive® is a one piece tamper-proof, pre-expanded anchor available in carbon steel for use in concrete and stone. The flat head (counter-sunk) style is particularly suited for wood-to-concrete anchoring.

RA3092	3/16" x 1 1/2" Flat Head Drive
RA3122	3/16" x 2" Flat Head Drive
RA3152	3/16" x 2 1/2" Flat Head Drive
RA3162	3/16" x 3" Flat Head Drive
RA3242	1/2" x 1 1/2" Flat Head Drive
RA3272	1/4" x 2" Flat Head Drive
RA3302	1/4" x 2-1/2" Flat Head Drive
RA3332	1/4" x 3" Flat Head Drive
RA3362	1/4" x 3-1/2" Flat Head Drive
RA3392	1/4" x 4" Flat Head Drive

STEEL DROP-IN ANCHORS



The Steel Drop-In is an all steel, machine bolt anchor available in carbon steel. It can be used in solid concrete, hard stone, and solid block.

RA6306	3/8" X 1-1/2" Steel Drop-Ins w/ No Lip (Mad.)
RA6308	1/2" X 2" Steel Drop-Ins w/ No Lip (Mad.)
RA6312	3/4" X 3" Steel Drop-Ins w/ No Lip (Mad.)
RA6320	5/8" Steel Drop-Ins
RA6322	3/8" Mini Steel Drop-Ins (Mad.)
RA6326	3/8" Flanged Drop-Ins
RA6328	1/2" Flanged Drop-Ins

Drop in Setting Tool For Steel Drop-In Anchors



RA6307	Setting Tool for 3/8" Drop-Ins
RA6309	Setting Tool for 1/2" Drop-Ins
RA6311	Setting Tool for 5/8" Drop-Ins

POWER-BOLT®



The Power-Bolt™ anchor is a heavy duty sleeve style anchor which is vibration resistant and removable. It is available with a finished hex head or flat head with a hex key insert and can be used in concrete, block, brick, or stone

RA6902	1/4" x 1 3/4" Rawl Bolt
RA6932	1/2" x 3 3/4" Rawl Bolt

Anchors, Blades, Bits, Caulks, & Adhesives

ZAMAC NAILIN® ANCHORS



The Zamac Nailin is a nail drive anchor which has a body formed from Zamac alloy. The anchor can be used in concrete, block, brick or stone.

RA2802	3/16" x 7/8" Zamac Nailin
RA2803	3/16" x 7/8" Zamac Nailin (1,000 Pc. Bulk Box)
RA2806	1/4" x 3/4" Zamac Nailin
RA2808	1/4" x 1" Zamac Nailin
RA2809	1/4" x 1" Zamac Nailin (1,000 Pc. Bulk Box)
RA2814	1/4" x 1-1/4" Zamac Nailin
RA2815	1/4" x 1-1/4" Zamac Nailin (1,000 Pc. Bulk Box)
RA2820	1/4" x 1-1/2" Zamac Nailin
RA2821	1/4" x 1-1/2" Zamac Nailin (1,000 Pc. Bulk Box)
RA2826	1/4" x 2" Zamac Nailin
RA2827	1/4" x 2" Zamac Nailin (1,000 Pc. Bulk Box)

NYLON NAILIN® ANCHORS



The Nylon Nailin is a pin drive anchor with a body formed from engineered nylon and nails available in carbon and stainless steel.

RA2528	100 Pc. Box 1/4" x 1" Nylon Nailin - SS
RA2543	1/4" x 1-1/2" Nylon Nailins
RA2548	100 Pc. Box 1/4 x 1 1/2" Nylon Nailin - SS
RA2563	1/4" x 2" Nylon Nailins
RA2573	1/4" x 3" Nylon Nailins
RA2583	1/4" x 4" Nylon Nailins

ZAMAC HAMMER-SCREW®



The Zamac Hammer-Screw® is a unique, one-step drive anchor featuring a Phillips type head and a screw thread for use in concrete, block, brick or stone. With a body formed from corrosion resistant Zamac alloy and a carbon or stainless steel drive screw, this anchor has been developed by Powers as an improvement over standard nailin anchors.

RA2844	1/4" x 1-1/2" Zamac Hammer Screw
RA2846	1/4" x 2" Zamac Hammer Screw
RA2850	1/4" x 3" Zamac's w/ Mushroom Head

SCREWS

Hex Head Screws



SQ9150	Box #10 x 1-1/2 Self Drill Screw for Steel
SQ9175	Box #10 x 1-1/2" Screw for Wood

*If you don't see the anchor you need...
Give us a call. We'll find it for you!*

THE BANTAM PLUG™



RA7579 100 Pc. Box Bantam Plug 10-12 x 1"

A plastic anchor designed for use with lightweight fixtures with a sheet metal or wood screw. The anchor is recommended for light duty static applications where holding power is not a critical factor. It should not be used overhead.

POLY-TOGGLE



RA2305 5/8" Poly Toggle

A screw actuated hollow wall anchor for use in paneling, wallboard and solid masonry available in 6 sizes to match the most common wall thicknesses. In solid base materials, the anchor can be used by removing the outer wings. The anchor is recommended for light duty static applications.

THE WALL-DOG™




RA2316

100 Pc. Box Wall-Dog Chrome Anchor

An all steel, one piece, threaded fastener, which is used to fasten various fixtures directly to drywall. It is installed directly through the fixture into the drywall. 3/16" x 1-1/4".

ZIP-IT® ANCHORS



RA2346 Zinc Zip-It

A one piece self drilling anchor designed for use in hollow gypsum wallboard for light duty loads. It is available in both engineered nylon and Zamac alloy.

DRYWALL SCREWS



Coarse Thread

Original and primary application of drywall to wood studs. Also used in many interior wood and fixture applications.

SQCS114	8M Box 1 1/4" Drywall Screws - Coarse
SQCS158	5M Box 1 5/8" Drywall Screws - Coarse
SQCS212	2.5M Box 2 1/2" Drywall Screws - Coarse
SQCS300	2M Box 3" Drywall Screws - Coarse
SQCS400	1M Box 4" Drywall Screws - Coarse
SQCS500	1M Box 5" Drywall Screws - Coarse
SQCS600	1M Box 6" Drywall Screws - Coarse
SQCS6200	3.5M Box 2" Drywall Screws - Coarse

Anchors, Blades, Bits, Caulks, & Adhesives

ANCHOR BOLTS

"L" Shaped Low Carbon Anchor Bolts with Washers & Nuts



AN1008	50 Pc. Box 3/8" x 8" "L" Shape Anchor Bolts
AN2006	50 Pc. Box 1/2" x 6" "L" Shape Anchor Bolts
AN2008	50 Pc. Box 1/2" x 8" "L" Shape Anchor Bolts
AN2010	50 Pc. Box 1/2" x 10" "L" Shape Anchor Bolts
AN2012	50 Pc. Box 1/2" x 12" "L" Shape Anchor Bolts
AN3012	3/4" x 12" "L" Shape Anchor Bolts w/ Nut & Washer
AN3018	3/4" x 18" "L" Shape Anchor Bolts w/ Nut & Washer
ANG1000	50 Pc. Box 1/2" X 2" X 2" Galv. Square Anchor Bolt Washer
ANG2006	Galv. 50 Pc. Box 1/2" X 6" "L" Shaped Anchor Bolts
ANG2008	Galv. 50 Pc. Box 1/2" x 8" "L" Shape Anchor Bolts
ANG2010	Galv. 50 Pc. Box 1/2" x 10" "L" Shape Anchor Bolts
ANG2015	Galv. 50 Pc. Box 1/2" X 10" "L" Anchor Bolt w/Square Washers

Additional Sizes Available

CONCRETE ANCHOR

SIMPSON



The STHD is an embedded strap tie holdown with high load capacity and a staggered nail pattern to help minimize splitting. The STHD strap tie holdown incorporates many features that improve installation and function.

SIMSTHD14 Simpson Strap Tie Hold Down Anchor

ANCHOR CLIPS




18 gauge. Galvanized. BOCA Research Report 92-30. Holds wood sill to masonry foundation, both poured and block construction.



MUDSILL ANCHORS

The LMA offers a higher lateral load capacity in a lighter gauge. Two sizes provide an economical replacement for 1/2" diameter sill plate bolts.



SIMPSON

SIMLA6Z 6" Anchors - 100 pc. box

WIRE REEL

KRGG309
Lightweight Reeler of sturdy, safety yellow Lexan for fast, easy dispensing of tie wire from the workers utility belt.



METAL WIRE REEL

KLEIN TOOLS
For Professionals... Since 1857

KL27400 Rugged, lightweight reel feeds pre-coiled wire smoothly, easily, and quickly. Saves time and reduces waste. Made of smooth aluminum alloy with wear parts made of steel.



REBAR TIER

MAX
MAX USA CORP.

CASE INCLUDED



MAXRB397 Rebar Tier

14.4V Li-Ion Battery-operated rebar tying tool allows for high-speed tying at less than a one-second tying speed. One-hand operation. Three wraps per tie (21-gauge wire). Handles #3 x #3 to #5 to #6 rebar. Weighs just 5.2 lbs.

MAX02-TW897A 50 Roll Box Tie Wire for RB397

MAX02-TW897APC 50 Roll Box Poly Coated Tie Wire for RB397

MAX05-JPL914 14.4V Li-Ion Battery for RB397

REBAR TIER

MAX
MAX USA CORP.

CASE INCLUDED



MAXRB517 Rebar Tier

Reduces tying time, by working 5 times faster than manual tying. With a long-life 14.4V Li-Ion battery the RB517 gives you 1,800 ties per charge and charges in 30 minutes. Ties up to #7 x #8 rebar. Weighs only 5.3lbs.

REBAR TIER

MAX
MAX USA CORP.

CASE INCLUDED



MAXRB655 Rebar Tier

The RB655 battery-operated rebar tying tool is capable of tying up to #9 by #8 rebar. Wraps 16-gauge TW1525 wire around the tying area, then cuts and twists in approximately one second. Simple to use and ergonomically designed. Weighs 7.2lbs.

MAXTW1525 50 Roll Box Tie Wire for RB650

MAXJP509 9.6 Volt Battery For RB655



WIRE TWISTERS

GG310 Tie Wire Twister Designed to twist wire bar ties with a minimum of effort. Lets you do the job right, quickly and safely.



WIRE TWISTERS



AMBPT Blitz P Automatic Tool (Plastic Handle)

The Blitz automatic wire tying tool makes quick work of tying mainline. Just bring the two loops of the wire tie together under the mainline, insert the hook and pull down with the tool. All aluminum construction will hold up in the harshest conditions and the ergonomic handle helps with hand fatigue.

Anchors, Blades, Bits, Caulks, & Adhesives

POWDER GUN



RAT52000 P3500 .27 Cal. Strip Load Powder Gun

The P3500™ is a low velocity, semi-automatic .27 caliber tool which can be used to install .300 head drive pins, 8mm head drive pins and 1/4"-20 threaded studs, up to 3" in total length. The P3500™ is designed for high speed and repetitive volume applications.

POWDER LOADS



Powers Rawl offers the high quality powder loads, produced by the largest manufacturer in the United States, with unsurpassed quality and reliability.



.27 Caliber 10 Load Strip

For Powers P3500, PA3500, PA351, P3600, Ramset® SA270, Viper, Hilti® DX350, DX36M, DX451 and DX460.

RA50626 100 Pc. Box 27 Caliber Yellow Strip Load

RA50630 100 Pc. Box 27 Caliber Red Strip Load

MAX USA PINNER ACCESSORIES



FOR GS865 GUN:

MAX04-CP713W1-K(G) 800 Pc. Box 1/2" Knurled Pins w/ Fuel Cell

MAX04-CP-719V6(G) 800 Pc. Box 3/4" Pins w/ Fuel Cell

MAX04-CP-725W7(G) 800 Pc. Box 1" Pins w/ Fuel Cell

MAX04-CP-765W5-TP(G) 800 Pc. Box 2 9/16" Pins w/ Fuel Cell

MAX04-CP-W765W7(G) 800 Pc. Box 2 1/2" Pins w/ Fuel Cell

FOR HN25C GUN:

MAX04-CP-C619V6-ICC 1000 Pc. Box Coiled 3/4" Pins

FOR HN120 GUN:

MAX04-CP-C838W7-ICC 1000 Pc. Box Coiled 1 1/2" Pins

MAX04-CP-C850W7-ICC 1000 Pc. Box Coiled 2" Pins

MAX04-CP-C865W7-ICC 1000 Pc. Box Coiled 2 1/2" Pins

MAX04-CP-W850W4 1000 Pc. Box Coiled 2" Concrete Nails

MAX04-ZC99970 100 Pc. Box 7/8" Washers

MAX04-ZC90945 800 Pc. Box 1" Square Sill Plate Washer

DRIVE PINS



Drive pins with a .300 diameter head are designed for permanently fastening a fixture to concrete, some types of concrete block and A36 structural steel. Drive pins are formed with a .300" diameter head on one end, and a 0.143 diameter shank in various lengths.

Cat. No.	Shank Length	Std. Box	Head Dia.	Shank Dia.
50012	1/2" (knurled)	100	.300	.143
50016	5/8" (knurled)	100	.300	.143
50022	3/4"	100	.300	.143
50026	1"	100	.300	.143
50030	1-1/8"	100	.300	.143
50032	1-1/4"	100	.300	.143
50034	1-1/2"	100	.300	.143
50036	1-3/4"	100	.300	.143
50038	2"	100	.300	.143
50040	2-1/4"	100	.300	.143
50042	2-3/8"	100	.300	.143
50044	2-1/2"	100	.300	.143
50046	2-3/4"	100	.300	.143
50048	3"	100	.300	.143

DRIVE PINS WITH WASHER



To provide resistance to pullover, these pins are available with preassembled 14 gauge metal washers.

Cat. No.	Shank Length	Std. Box	Head Dia.	Washer Dia.
RA50090	1"	100	.300	7/8"
RA50092	1-1/4"	100	.300	7/8"
50108	1-1/4"	100	.300	1"
50110	1-1/2"	100	.300	1"
50112	2"	100	.300	1"
50114	2-1/2"	100	.300	1"
RA50116	3"	100	.300	1"

DRIVE PINS WITH TOP HAT

The pins listed below are used primarily for applications fastening drywall track to concrete or steel. they are assembled with a metal top hat to provide extra bearing surface against the drywall track.



Cat. No.	Shank Length	Std. Box	Head Dia.	Shank Dia.
50136	1/2" (knurled)	100	.300	.143
50138	5/8" (knurled)	100	.300	.143
50140	3/4"	100	.300	.143
50144	1"	100	.300	.143



Many Specialty Pins and Accessories are Available- Give us a call!



Anchors, Blades, Bits, Caulks, & Adhesives

GAS FASTENING SYSTEM



RAT55112 C4 Trak-It® Gun

A gas-powered fastening system used for light-duty static applications including drywall track to concrete, block or steel, lath to concrete or block, furring strips to concrete or block, and plywood to concrete or block base materials. Designed for speed, efficiency and consistency. A fuel cell contains enough gas to install up to 800 or 1,200 fasteners depending on the tool. Useable nail length 3/4" to 2-9/16".

TRAK-IT® ACCESSORIES



Genuine Powers Trak-It Accessories

Keep your Trak-It Gun up and running with Batteries, Fuel Cells and Pins from Powers.

- RA55010** Trak-It Fuel Cell (For C-3 Gun)
- RA55020** 1,000 Pc. Box 1/2" Trak-It Pins w/ Fuel Cell (for C3 Gun)
- RA55022** 1,000 Pc. Box 3/4" Trak-It Pins w/ Fuel Cell (for C-3 Gun)
- RA55024** 1,000 Pc. Box 1" Trak-It Pins w/ Fuel Cell (For C-3 Gun)
- RA55026** 1,000 Pc. Box 1-1/4" Trak-It Pins w/ Fuel Cell (For C-3 Gun)
- RA55028** 1,000 Pc. Box 1-1/2" Trak-It Pins w/ Fuel Cell (For C-3 Gun)
- RA55080** 1,000 Pc Box 7/8" Knurl Step Shank Trak Pin (For C-3 Gun)
- RA55115** 2 Pack Green Fuel Cell (For C-4 Gun)
- RA55130** 800 Pc. Box 3/4" Pins w/ Fuel Cell (For C4 Gun)
- RA55138** 800 Pc. Box 2-3/8" Pins w/ Fuel Cell (For C4 Gun)
- RA55145** 800 Pc. Box 2-9/16" Pins w/ Fuel Cell (For C4 Gun)
- RA55167** 800 Pc. Box 1" Knurled Pins w / Fuel Cell (For C4 Gun)
- RA55174** 800 Pc. Box 2" Knurled Steel Pins w/ Fuel Cell (for C4 Gun)

WASHERS



RA55040 100 Pc. Box Stick-E 1" Lathing Washer

For Trak-It C3-ST And C5-ST. For attaching wire lathe to wood, steel, concrete or block for the purpose of troweling stucco in exterior applications or plaster in interior applications. Can also be used as a general purpose washer.

RA55042 100 Pc. Box Insulation Washers

Foam to Foundations. 1-7/16" Insulation Stick-E Washer for Trakit.



CONCRETE/STEEL PINNER



MAX03-GS865E Cordless SuperPinner™ For Concrete & Steel

- Super-Powerful gas tool
- No licensing required
- Low recoil, less operation fatigue
- Drivers wide range of pins - from 3/4" x .102" pins up to 2-1/2" x .145" pins.



CONCRETE PINNER

MAX03-HN120 PowerLite™ High Pressure Coil Concrete Pinner

- Powered by 400 psi high pressure system
- Extremely powerful-186 Ft.lbs. driving energy
- Unique tangle free swivel fitting
- Lightweight 6.4lbs.
- Drives from 1" to 2-1/2" concrete/steel pins (.145"/.133" shank)



CONCRETE PINNER

MAX03-HN25C PowerLite™ High Pressure Coil Concrete Pinner

- Powered by 400psi high pressure system
- Dial adjustable depth of drive control
- Slim body and slim nose
- Side exhaust with built-in silencer
- Ultra light weight only 4.4lbs
- Drives from 3/4" to 1" (.102" shank) plastic sheet collated concrete pins



COMPRESSOR



MAX03-AKHL1230E High Pressure Air Compressor 400 psi

Extremely lightweight at only 46.30 lbs. this compressor can easily be moved around the jobsite. Uses an oil less direct drive pump. The DC brush less motor is more powerful with 2 HP and quieter only producing 65 db.



AIR HOSE

MAX05-KH100FT-H Air Hose MAX USA 100' 400 psi High Pressure Hose



Anchors, Blades, Bits, Caulks, & Adhesives

ROOFING NAILER



MAX03-CN445R

SuperRoofing™ Roofing Coil Nailer

- Rapid fire trigger valve
- Dial adjustable depth control
- Powerful, fast and light weight
- Maintenance free end cap filter
- Removable contact foot
- Full round driver
- Nose magnet holds the last nail in the coil
- Drives from 3/4" x .120" up to 1-3/4" x .120" roofing coil nails



SIDING NAILER



MAX03-CN565S

SuperSiding™ Coil Siding Nailer

- Well balanced with the lightest weight in its class.
- Anti-double fire mechanism
- Accepts both flat wire welded and plastic sheet collated nail.
- Dial adjustable depth control.
- No-mar contact tip included.
- Drives from 1-3/4"x.092"-2-1/2"x.099" flat wire welded nails Drives from 1-1/4" x .092" - 2-1/2" x .099" flat plastic sheet collated nails



FRAMING NAILER



MAX03-SN883CH34

SuperFraming™ 34° Clipped Head Framing Nailer

- Compact design only 12-1/4" in height
- Selective trigger system
- Open Nose for easy jam clearance
- Dial adjustable depth control
- Pointy teeth on contact arm
- Maintenance free end cap filter (US Patent 5637125)
- Drives 2" x .113" up to 3-1/4" x .131" 34 degree plastic collated and paper tape collated clipped head stick nails



BRAD NAILER



MAX03-NF255F

SuperFinishing™ 18 Ga. Brad Nailer

- High durable parts
- Reliable thread style driver unit- Durable high composite bumper
- Switchable fire mechanism. The tool can be contact or single fired with switch lever.
- Lightweight-only 2.5 lbs & Slim body- Compact and well balanced body. Easily reaches tight spot.
- Drives 5/8" to 2-1/8" brad nails



*If you don't see what your looking for...
Give us a call, We'll find it for you!*

CROWN STAPLER



MAX03-TA238A

18 Ga. Narrow Crown Stapler

- Reliable thread style driver unit
- Durable high composite bumper
- Lightweight-only 2.7 lbs.
- Compact and well balanced body. Easily reaches tight spot.
- Switchable fire mechanism- The tool can be contact or single fired with switch lever.
- Drives 1/2" to 1-1/2" narrow crown staples



CROWN STAPLER



MAX03-TA551A

SuperStapling™ 16 Ga. Medium Crown Stapler

- Rapid fire trigger valve
- Adjustable depth control
- New design click lever
- Comfortable rubber grip
- Durable aluminum frame and cylinder cap
- Lightweight-only 4.9lbs
- Drives from 1" to 2", 16 Ga. medium crown (7/16") staples



Anchors, Blades, Bits, Caulks, & Adhesives

PNEUMATIC FRAMING STRIP NAILER



PF-350S

PowerMaster Plus™ Nailer

- Unmatched Power-to-Weight Ratio - The best in the industry! All the power needed to drive into engineered lumber, yet still is comfortable to use.
- The Lightest 3-1/2" Nailer - Reduce arm fatigue with the lightest nailer in its class.
- Ergonomic Design - Center of gravity is closer to the trigger, providing better balance. Also offers the lowest recoil for a tool of its size.
- Durable and Reliable - Rugged design will stand up to the demands of the job in any kind of weather.



PNEUMATIC FINISH NAILER



T250-F16

16 Gauge Straight Finish Nailer

- Powerful - Drives 3/4" to 2-1/2" 16 gauge finish nails into hard woods.
- Tool-free Adjustable Depth of Drive - Provides precise control of nail depth in hard or soft wood - No wrenches needed.
- Lightweight and Well Balanced - Only 4.3 lbs. Reduces user fatigue and increases productivity.



PNEUMATIC ROOFING COIL NAILER



PAS405000

R175-C

Roofing Coil Nailer

- Heavy-Duty Wear Plates - Minimize damage to tool casing.
- Shingle Guide - Allows for accurate nail placement.
- Single-Door Magazine - Provides fast and easy loading.



PNEUMATIC STAPLER

EAGZTOOLFIB5016

FIB-5016 Fasco Pneumatic Stapler

Automatic long magazine tacker. Uses the duo-fast 50 type staple. Greater surface area with 1/2" width and a full .050 wire width for additional pull through resistance compared to thinner wire staples commonly used.



HAMMER TACKER



EAGZGUNHT550H Hammer Tacker

Hammer Tacker Model # R50 Staple Sizes 1/4" 5/16" 3/8" Features lightweight powerful rugged fast comfort handle. Portable uses: insulation carpeting roofing tar paper poly and much more.

PNEUMATIC CONSTRUCTION STAPLER



S200-S16

16 Gauge Framing Stapler

- Extend Bumper Life- tested to over 600,000 cycles without failure. More than three times the life of ordinary bumpers.
- Distinct Bumper Geometry- for consistent low pressure return during rapid fire. Drive up to 12 fasteners per second.
- Improved Upper Piston Valve- virtually eliminates valve seizure even under adverse environmental conditions such as dust, high heat and humidity.
- Top Load- For fast, easy loading, holds two strips
- Durable- For everyday use and long tool life
- Versatile- Drives 3/4" to 2" standard crown staples
- Lightweight- Decrease fatigue and increase productivity



TUBING STAPLER

The Reddi-Strip® System

Utilizes flexible strips of PEX staples that are manufactured in unitized strips of 50, rather than separately or taped together.

WILPETSTAPLER Reddi Strip Stapler
WILPETSTAPLESS5RE13 200 Pc.Box S5RE-13 Staples
WILPETSTAPLESS5RE16 200 Pc.Box S5RE-16 Staples



RADIANT HEATING TUBING



Integrated hydronic radiant technology for the controllable, dependable, energy-efficient heating.



WIL1011602 Roll 1/2" x 300' Orange Kitec Tubing

Anchors, Blades, Bits, Caulks, & Adhesives

CORDLESS FINISH NAILER



PAS900600 TrimMaster® Cordless Angled Finish Nailer (IM250A)

- Fast Set-Up - No hoses, no compressors.
- Angled Magazine - Easy access to corners. Perfect for overhead use. Very maneuverable. Fits into tight spots.
- Light Touch - Easy to operate. Depress tool only 3/4" to drive a nail.
- Versatile - Drives 1-1/4" to 2 1/2" angled finish nails.
- Depth-of-Drive Wheel with Probe Position Indicator - Provides precise control of nail depth in hard or soft wood. No wrenches needed.

Use this tool for: Door Jambs, Door Stop, Base Shoe, Baseboard Molding, Chair Rails, Paneling, Window Casings, Crown Molding, Cabinetry, Pick-Up and Service Work.




CORDLESS FRAMING NAILER



PAS902600 CF325 Li-Ion Cordless Framing Nailer

- NEW Li-ion battery technology drives 50% more nails per charge (up to 6,000 nails)
- Portable, freedom on the jobsite without hoses or compressors
- 2X faster charge time; 2 minute quick charge drives up to 200 nails
- Powerful enough to drive 3 1/4" nails in the toughest lumber with PowerBoost™ Black Tip Coated nails (available only with Fuel + Nail Combo Packs)
- Compact size fits between 16" o.c. studs, joists and roof trusses



NAILS, FUEL CELLS & ACCESSORIES

Genuine Paslode® brand quality.



FUEL CELLS & NAILS:

- PAS816000** 2 Pack Red Fuel Cell
- PAS816001** 2 Pack Yellow Fuel Cell
- PAS650039** 4 Pack Yellow Fuel - Finish
- PAS816005** Fuel Cell For #CF325 Nailer
- PAS650522** 1M Box 2-3/8" x .113 Smooth Brite Nails for CF-325 w/ Fuel Cell
- PAS650523** 1M Box 2-3/8" x .113 Ring Shank Brite Nails for CF-325 w/ Fuel Cell
- PAS650525** 1M Box 3" x .131 Smooth Brite Nails for CF-325 w/ Fuel Cell
- PAS650566** 3M Box 3" x .131 Smooth Brite Nails For CF-325 w/ 3 Ea. Fuel Cells
- PAS097394** 5M Box 2-3/8" Smooth Nails
- PAS097397** 5M Box 2-3/8" x .113 Ring Shank Nails
- PAS097975** 2.5M Box 3-1/4"x .131 Collated Frame Nails
- PAS401838** 2.5M Box 3" x .131 Collated Frame Nails
- PAS650026** 3M Box 1-1/2" x .148 Positive Placement Nails
- PAS650027** 2.5M Box 2-1/2" x .148 Positive Placement Nails
- PAS650046** 2M Box 1-3/4" Angled Finish Nails
- PAS650047** 2M Box 2" Angled Finish Nails
- PAS650230** 2M Box 1-1/4" Angled Finish Nails
- PAS650231** 2M Box 1-1/2" Angled Finish Nails
- PAS650232** 2M Box 2-1/2" Angled Finish Nails

ACCESSORIES:


- PAS219086** Cordless Tool Cleaner
- PAS219090** 8 Oz. Bottle Pneumatic Tool Oil w/ Antifreeze
- PAS401482** Impulse Tool Oil
- PAS403720** Paslode Air Tool Oil
- PAS404717** Oval Battery
- PAS900200** Battery Charger

CORDLESS FINISH NAILER



PAS901000 TrimMaster 18™ 18 Gauge Finish Nailer (IM200-F-18)

- Cordless - Featuring Impulse® Technology. No hoses or compressors needed.
- Adjustable Work Contact Element - Provides control of nail setting depth.
- Powerful Motor - Drives 5/8" to 2" fasteners into the hardest woods.
- Drives 18 Gauge Finish Nails - Leaves small hole.
- Long Narrow Nose - Precise placement of fasteners in tight spots.



FLOORING NAILER

EAGZTOOLFS-50 LFN-50 Hardwood Flooring Nailer


High speed mallet actuated pneumatic operation increases productivity. Extra wide composite base plate for added stability. Strong, light weight, only 8.8 lbs.



Anchors, Blades, Bits, Caulks, & Adhesives

COIL NAILS

Wire - Flat Coil



15°

For use with:

ATRO ROLL 85	HITACHI NV83A	PASLODE F-325C/P350C
BOSTITCH N100C	HITACHI NV83A2	PASLODE F275C/P27SC
BOSTITCH N70C	MAKITA AN621	PORTER CABLE COIL250
BOSTITCH N80C	MAKITA AN901	PORTER CABLE COIL350
BOSTITCH N80CB-1	MAX CN70	SENCO SCN300
BOSTITCH N86C	MAX CN80F	SENCO SCN65
DUO-FAST CNW-75	MAX CN80II	STAN-TECH SDCN12B-1
DUO-FAST DCN-325/85L	MAX CN890S	
FASCO R5C CN15W-90CT	MAX HN90	
HITACHI NV65AC	PASLODE 4275/CN70	
HITACHI NV75AG	PASLODE 5325/CN80	
	PASLODE F-275C/P275C	

Part#	Description	Qty/Box
238x099C	2 3/8" x.099 Smooth	3.0M
3x120C	3" x.120 Smooth	2.5M
3x131C	3" x.131 Smooth	2.5M
314x120C	3 1/4" x.120 Smooth	2.5M
314x131C	3 1/4" x.131 Smooth	2.5M
238x099RC	2 3/8" x.099 Ring	3.0M
2x099HDCR	2" x.099 Hot Dip Galvanized Ring	3.0M
238x099HDCR	2 3/8" x.099 Hot Dip Galvanized Ring	3.0M
3x120HDCR	3" x.120 Hot Dip Galvanized Ring	2.5M
314x120HDCR	3 1/4" x.120 Hot Dip Galvanized Ring	2.5M
2x099SC	2" x.099 Screw	9.0M
214x099SC	2 1/4" x.099 Screw	9.0M

MINI COIL NAILS

Wire/Plastic - Flat Coil



15°

For use with:

BOSTITCH N55C	DUO-FAST CNP-65Y	MAKITA AN611
BOSTITCH N63CP	DUO-FAST RCN-60/225ADJ	MAX CN565D
BOSTITCH N64C	FASCO F45C CN15W	MAX CN890S
BOSTITCH N65CP	HITACHI NV50A1	PASLODE 3225/CN55
BOSTITCH N66C	HITACHI NV50AG	PORTER CABLE COIL250
BOSTITCH N75C-1	HITACHI NV65AH	SENCO SCN55S
DUO-FAST CNP-60Y	HITACHI NV75AG	SENCO SCN56

Part#	Description	Qty/Box
134x090HDCR	1 3/4" x.090 Wire Hot Dip Ring Galvanized	5.4M
2x090HDCR	2" x.090 Wire Hot Dip Ring Galvanized	5.4M
2316x090HDCR	2 3/16" x.090 Wire Hot Dip Ring Galvanized	5.4M
212x090HDCR	2 1/2" x.090 Wire Hot Dip Ring Galvanized	5.4M
112x092HDCR	1 1/2" x.092 Plastic Band Hot Dip Ring Galvanized	6.0M
134x092HDCR	1 3/4" x.092 Plastic Band Hot Dip Ring Galvanized	6.0M
2x092HDCR	2" x.092 Plastic Band Hot Dip Ring Galvanized	6.0M
238x092HDCR	2 3/8" x.092 Plastic Band Hot Dip Ring Galvanized	4.8M
112x092R5SPC	1 1/2" x.092 Plastic Band Ring Stainless Steel Plastic Coil	6.0M
134x092R5SPC	1 3/4" x.092 Plastic Band Ring Stainless Steel Plastic Coil	6.0M
2x092R5SPC	2" x.092 Plastic Band Ring Stainless Steel Plastic Coil	6.0M
238x092R5SPC	2 3/8" x.092 Plastic Band Ring Stainless Steel Plastic Coil	4.8M
3x113HDCR	3" x.113 Hot Dipped Plastic Coil	4.8M
214x092HDCR	2 1/4" x.092 Hot Dipped Plastic Coil	4.8M
112x092HDCR	1 1/2" x.092 Hot Dipped Plastic Coil	6.0M
134x092HDCR	1 3/4" x.092 Hot Dipped Plastic Coil	6.0M
214x092HDCR	2 1/4" x.092 Plastic Band Hot Dip Ring Galvanized	4.8M
212x092HDCR	2 1/2" x.092 Hot Dipped Plastic Coil	4.8M
212x092HDCR	2 1/2" x.092 Plastic Band Hot Dip Ring Galvanized	4.8M
3X113HDCR	3" x .113 Hot Dipped Plastic Coil	4.8M
2X092HDCR	2" x .092 Hot Dipped Plastic Coil	6.0M

COIL NAILS

Roofing Coil Nails



15°

For use with:

ATRO ROOFING ROLL	HITACHI NV45AB	PASLODE F-275C/P275C
BOSTITCH N12B	HITACHI NV45AB2	PORTER CABLE RN175
BOSTITCH RN45B	HITACHI NV45AB2S	PORTER CABLE RN175A
BOSTITCH RN46	HITACHI NV45AC	RIDGID R175RNA
CAMPBELL HAUSFELD	MAKITA AN451	SENCO ROOFPRO 450
NC1545	MAX CN450R	SENCO ROOFPRO 455XP
CRAFTSMAN 154500	MILWAUKEE 7120-21	SENCO SCN40R
DEWALT D51321	PALMGREN 91211	STAN-TECH SDCN10-1
DUO-FAST DRN-45	PASLODE 3175/44RCU	WEN 61782
DUO-FAST RN-175A	PASLODE 3175RCU	

Part#	Description	Qty/Box
CR-1	1" x.120 Coil Roofing Galvanized	7.2M
CR-114	1 1/4" x.120 Coil Roofing Galvanized	7.2M
CR-112	1 1/2" x.120 Coil Roofing Galvanized	7.2M
CR-134	1 3/4" x.120 Coil Roofing Galvanized	7.2M

ANGLE FINISH NAILS

15 Gauge -

Senco Angle Finish

4.0M Quantity per Box



31°-35°

For use with:

ACCUSET A250FN	GRIZZLEY H6144	RIDGID R250AFA
AIRY 0565T	HITACHI NT65AA	SENCO AIRFREE 41
CAMPBELL NB356500AV	HITACHI NT65MA	SENCO FINISHPRO 35
CAMPBELL NB356599AV	HITACHI NT65MA2	SENCO FINISHPRO 41XP
CRAFTSMAN 18432	JAMERCO JTAFFN1464	SENCO SFN2 SENCO
DEWALT D51275K	MAKITA AF633	SNF30
DUO-FAST DAFN-6480	MAX NF550/15-65	SENCO SFN40
FASCO R3C-BA-50	MILWAUKEE 7140-21	WEN 61760
FASCO R4-BA-50	PALMGREN 91251	
GRIZZLEY G6049	PORTER CABLE DA250B	

DA13G	1" Length Galvanized	DA23G	2 1/4" Length Galvanized
DA15G	1 1/4" Length Galvanized	DA25G	2 1/2" Length Galvanized
DA17G	1 1/2" Length Galvanized	DA17SS	1 1/2" Length Stainless Steel
DA19G	1 3/4" Length Galvanized	DA21SS	2" Length Stainless Steel
DA21G	2" Length Galvanized	DA25SS	2 1/2" Length Stainless Steel

15 Gauge - Bostitch Angle Finish

3.5M Quantity per Box

25°



For use with:

ATRO MONZA 64 DB 18	BOSTITCH N60FN
BOSTITCH N62FNK-2	MAKITA AF631
MAKITA AF632	MAX NF510/15-50
STAN-TECH SDN-15BR	

BFN-114G	1 1/4" Length Galvanized
BFN-112G	1 1/2" Length Galvanized
BFN-134G	1 3/4" Length Galvanized
BFN-2G	2" Length Galvanized
BFN-214G	2 1/4" Length Galvanized
BFN-212G	2 1/2" Length Galvanized

16 Gauge - Paslode Angle Finish

2.0M Quantity per Box



For use with:

DEWALT DC614KA	DEWALT DC618KA
DEWALT DC614KN	DEWALT DC618KN
DEWALT DC615KA	PASLODE IM250A

AF16-114	1 1/4" Length
AF16-112	1 1/2" Length
AF16-2	2" Length
AF16-212	2 1/2" Length

Anchors, Blades, Bits, Caulks, & Adhesives

STRIP NAILS

**Clipped Head -
Paper Tape
Collation**



31°
33°

For use with:

ATRO CHS933	HITACHI NR83AA3	PASLODE F250S-PP
BOSTITCH F33PT **	HITACHI NR90AA	PASLODE IM325
BOSTITCH N90PT	HITACHI NR90AD	PASLODE IM325CT
DEWALT D51822	HITACHI NR90GC	PASLODE IM350
DEWALT D51823	ISM CHN933	PASLODE IMCT
DUO-FAST CN-325B	MAKITA AN942	PORTER CABLE FC350
FASCO F6 HHN 31-90	MAX SN890CH/34	PORTER CABLE FC350A
GRIZZLEY H5571	MILWAUKEE 7110-20	RIDGID R350CHA
GRIZZLEY H6146	PASLODE 5250/65S-PP *	SENCO FRAMEPRO 601
HITACHI NR65AK *	PASLODE 5300	SENCO FRAMEPRO 701XP
HITACHI NR65AKS *	PASLODE 5325	SENCO FRAMEPRO 751XP
HITACHI NR83AA	PASLODE 5350	SENCO SN70
HITACHI NR83AA2	PASLODE F-350S	STAN-TECH SDN11-PT-1

* Shoots metal connector nails only.

** Shoots all regular nails and metal connector nails

Part#

Description

Qty/Box

112x148/33	1 1/2"x.148 Smooth Metal Connect	3.0M
2x120/33	2" x.120 Smooth	5.0M
238x120/33	2 3/8"x.120 Smooth	5.0M
212x162/33	2 1/2" x .162 Smooth Metal Connector	2.0M
3x120/33	3" x.120 Smooth	2.5M
3x131/33	3" x.131 Smooth	2.5M
314x131/33	3 1/4"x.131 Smooth	2.5M
312x131/33	3 1/2"x.131 Smooth	2.5M
238x120R/33	2 3/8"x.120 Ring	5.0M
3x120R/33	3" x.120 Ring	2.5M
112X148HD/33	1 1/2"x.148 Hot Dip Galvanized Metal Connect	3.0M
2x120HDR/33	2" x.120 Hot Dip Galvanized Ring	5.0M
238x120HDR/33	2 3/8"x.120 Hot Dip Galvanized Ring	5.0M
212x162HD/33	2 1/2"x.162 Hot Dip Galvanized Metal Connect	2.0M
3x120HDR/33	3" x.120 Hot Dip Galvanized Ring	2.5M
314x120HDR/33	3 1/4"x.120 Hot Dip Galvanized Ring	2.5M
312x131HD/33	3 1/2"x.131 Hot Dip Galvanized	2.5M
238x113RSS/33	2 3/8"x.113 Ring Stainless Steel	1.0M
314x120RSS/33	3 1/4"x.120 Ring Stainless Steel	1.0M
214x120HT/33	2 1/4"x.120 Heat Treated Smooth	2.5M

STRIP NAILS

**Full Head -
Plastic Collation**



20°
22°

For use with:

BOSTITCH F21PL	MAKITA AN922
BOSTITCH N88RH	MAX SN80
BOSTITCH N88RH-2MCN	MAX SN890RH
BOSTITCH N90RHN	MAX SN90
BOSTITCH N95RHN	MILWAUKEE 7100-20
BOSTITCH RN90	PALMGREN 91232
CAMPBELL HAUSFELD NS209000AV	PASLODE 5325 SRH
DEWALT D51844	PASLODE 5350 SRH-20
DEWALT D51845	PORTER CABLE FR350
DUO-FAST CN-350B	PORTER CABLE FR350A
DUO-FAST NSP-350F1	PORTER CABLE FR350MAG
FASCO F5C RHN 20-90	RIDGID R350RHA
FASCO F6 RHN 20-90	SENCO FRAMEPRO 600 FRH
GRIZZLEY G6050	SENCO FRAMEPRO 602
HITACHI NR83A	SENCO FRAMEPRO 652
HITACHI NR83A2	SENCO FRAMEPRO 702XP
HITACHI NR83A2S	SENCO FRAMEPRO 752XP
HITACHI NR90AC	SENCO SN60
HITACHI NR90AC3	SENCO SN65
HITACHI NR90AE	SENCO SN65C
HITACHI NR90GR	SPOTNAIL NPR90
ISM CHN921	SPOTNAIL YPR90
MAKITA AN8300	WEN 61792

Part#	Description	Qty/Box
112X148/22	1 1/2"x.148 Smooth Metal Connect	6.0M
2X113/22	2" x.113 Smooth	6.0M
238x113/22	2 3/8"x.113 Smooth	5.0M
3x131/22	3" x.131 Smooth	4.0M
314x131/22	3 1/4"x.131 Smooth	4.0M
312x131/22	3 1/2"x.131 Smooth	4.0M
2x113R/22	2" x.113 Ring	6.0M
238x113R/22	2 3/8"x.113 Ring	5.0M
112x148HD/22	1 1/2"x.148 Hot Dip Galvanized Metal Connect	6.0M
2x113HDR/22	2" x.113 Hot Dip Galvanized Ring	6.0M
238x113HDR/22	2 3/8"x.113 Hot Dip Galvanized Ring	5.0M
3x120HDR/22	3" x.120 Hot Dip Galvanized Ring	4.0M
314x120HDR/22	3 1/4"x.120 Hot Dip Galvanized Ring	4.0M
312x131HD/22	3 1/2"x.131 Hot Dip Galvanized	4.0M
238x113RSS/22	2 3/8"x.113 Ring Stainless Steel	1.0M
314x131RSS/22	3 1/4"x.131 Ring Stainless Steel	1.0M
214x120HT/22	2 1/4"x.120 Heat Treated Smooth	5.0M

STRIP NAILS

**Clipped Head -
Wire Collation**



28°

For use with:

BOSTITCH F28WW	CAMPBELL NS2890	MAX SN890CH/28
BOSTITCH N100S	CRAFTSMAN 18320	PORTER CABLE FM350A
BOSTITCH N70S	FASCO F5C HHN 28-90	STAN-TECH 15268
BOSTITCH N80S	FASCO F6 HHN 28-90	
BOSTITCH N80SB	GRIZZLEY H6145	
BOSTITCH N88WWB	ISM CHN928	

Part#

Description

Qty/Box

2x113/28	2" x.113 Smooth	2.0M
238x113/28	2 3/8" x.113 Smooth	2.0M
3x120/28	3" x.120 Smooth	2.0M
3x131/28	3" x.131 Smooth	2.0M
314x120/28	3 1/4"x.120 Smooth	2.0M
314x131/28	3 1/4"x.131 Smooth	2.0M
312x131/28	3 1/2"x.131 Smooth	2.0M
238x113R/28	2 3/8"x.113 Ring	2.0M
2x113HDR/28	2" x.113 Hot Dip Galvanized Ring	2.0M
238x113HDR/28	2 3/8"x.113 Hot Dip Galvanized Ring	2.0M
3x120HDR/28	3" x.120 Hot Dip Galvanized Ring	2.0M
314x120HDR/28	3 1/4"x.120 Hot Dip Galvanized Ring	2.0M
312x131HD/28	3 1/2"x.131 Hot Dip Galvanized	2.0M
238x113RSS/28	2 3/8"x.113 Ring Stainless Steel	1.0M
314x120RSS/28	3 1/4"x.120 Ring Stainless Steel	1.0M

FLOOR CLEATS

Galvanized (L) Cleats

1.0M Quantity per Box



For use with:

BOSTITCH MFN-200	PORTER CABLE FCN-200
BOSTITCH MIIIFN	SENCO SHF-15
EAGLE LFN-50	SENCO SHF-50
PORTA-NAILS 470	WEN 61950
PORTA-NAILS 472	

Part#	Description
LC-112	1 1/2" Length
LC-134	1 3/4" Length
LC-2	2" Length

Anchors, Blades, Bits, Caulks, & Adhesives

7/32" CROWN STAPLES

18 Gauge -
7/32" Bostitch Crown



For use with:

BOSTITCH S32SX	BOSTITCH T28-5
BOSTITCH SB150SX	BOSTITCH T29-30
BOSTITCH SB156SX	BOSTITCH T31
BOSTITCH SX150-BHF	BOSTITCH T35-15
BOSTITCH SX150K-1	BOSTITCH T40SX-CT

Part#	Description	Qty/Box
SX5035-12	1/2" Length	5.0M
SX5035-58	5/8" Length	5.0M
SX5035-34	3/4" Length	5.0M
SX5035-78	7/8" Length	5.0M
SX5035-1	1" Length	5.0M
SX5035-118	1 1/8" Length	5.0M
SX5035-1316	1 3/16" Length	5.0M
SX5035-138	1 3/8" Length	5.0M

7/16" CROWN STAPLES

16 Gauge - 7/16" Senco Crown



For use with:

B&C EAGLE N16-50	PORTER CABLE MS200
DEWALT D51430	SENCO SNS40
DUO-FAST MS-7664E	SENCO SNS41
DUO-FAST SM-7664	SENCO SNS44XP
FASCO F4P-G-50	SENCO SNS45
GRIZZLEY G6044	SENCO SNS45XP
HITACHI N5008AB	SENCO SNS50
HITACHI N5008AC	SPOTNAIL XS6650
MAX TA551/16-11	STAN-TECH SD716-716
MAX TA551/76	

Part#	Description	Qty/Box
SDM-114	1 1/4" Length Galvanized	10.0M
SDM-112	1 1/2" Length Galvanized	10.0M
SDM-134	1 3/4" Length Galvanized	10.0M
SDM-2	2" Length Galvanized	10.0M
SDM-112SS	1 1/2" Length Stainless Steel	10.0M
SDM-134SS	1 3/4" Length Stainless Steel	10.0M

3/16" CROWN STAPLES

18 Gauge -
3/16" Paslode Crown



For use with:

FASCO F3 3830 CT	PASLODE 3150-N18
PASLODE 2125-N18	PASLODE MU112-N18

Part#	Description	Qty/Box
GSN18-58	5/8" Length	10.0M
GSN18-34	3/4" Length	5.0M
GSN18-78	7/8" Length	5.0M
GSN18-1	1" Length	5.0M
GSN18-118	1 1/8" Length	5.0M
GSN18-114	1 1/4" Length	5.0M
GSN18-112	1 1/2" Length	5.0M

1/2" CROWN STAPLES

16 Gauge - 1/2" Paslode Crown



For use with:

DEWALT D51431	PASLODE 3150-S16
PASLODE 3200-S16	PASLODE 3200-S16P
PASLODE IM200-S16	PASLODE PA-200

Part#	Description	Qty/Box
PM-114	1 1/4" Length Galvanized	10.0M
PM-112	1 1/2" Length Galvanized	10.0M
PM-134	1 3/4" Length Galvanized	10.0M
PM-2	2" Length Galvanized	10.0M
PM-112SS	1 1/2" Length Stainless Steel	10.0M
PM-134SS	1 3/4" Length Stainless Steel	10.0M

1/4" CROWN STAPLES

18 Gauge -
1/4" Senco Crown
5.0M Quantity per Box



For use with:

ACCUSET A100LS	HITACHI N3804AB
ACCUSET A150LS	HITACHI N3804AB2
AIRY ASF-0638P	MAKITA AT638
AIRY ASM-0645	MAX TA238/18-6
AIRY AST-0626S	MAXUS MXN103
ATRO MINOR 90/38	MAXUS MXN10499
BEA 90/25-552	MILWAUKEE 7155-21
BEA 90/32-611	PORTA-NAILER 461
BEA 90/38-150	PORTER CABLE NS100A
BEA 90/40-621	PORTER CABLE NS150A
CAMPBELL SN258K	RIDGID R150 FSA
DUO-FAST DNS-1840	SENCO SKS-L
DUO-FAST KB 1836	SENCO SLS18 SENCO
DUO-FAST KN-1848A	SLS20
FASCO F20-40	SENCO SLS25XP
FASCO F20T 90-30 CT	SPOTNAIL FS4825
FASCO F20T 90-40 CT	SPOTNAIL HL3852
FASCO F25A-90/40	SPOTNAIL WS4840
GRIZZLEY G8126	STAN-TECH SDS18-14-26
GRIZZLEY G9248	SUPCO SK-9040
GRIZZLEY H2913	WEN 61710
HITACHI N3804AA	

Part#	Description
9012	1/2" Length
9015	5/8" Length
9018	3/4" Length
9022	7/8" Length
9025	1" Length
9028	1 1/8" Length
9032	1 1/4" Length
9038	1 1/2" Length

16 Gauge - 1/2" Bostitch Crown




For use with:

BOSTITCH 438S4	BOSTITCH T55S4
BOSTITCH 650S4	GRIZZLEY G6772
BOSTITCH T36-1	ISM VULCANO 16NC
BOSTITCH T38	SPOTNAIL HL7616A
BOSTITCH T40-S4	SPOTNAIL HL7616AP
BOSTITCH T50-S4	

Part#	Description	Qty/Box
BSM-114	1 1/4" Length Galvanized	10.0M
BSM-112	1 1/2" Length Galvanized	10.0M
BSM-134	1 3/4" Length Galvanized	10.0M
BSM-2	2" Length Galvanized	10.0M

FLOOR STAPLES

15 Gauge
1/2" Crown Floor Staples



For use with:

BOSTITCH MIIIFS	SPOTNAIL FS7550
EAGLE FS-50	SPOTNAIL MS7564
GRIZZLEY H5977	

Part#	Description	Qty/Box
BCS1512	1 1/2" Length Galvanized	10.0M
BCS1514	1 3/4" Length Galvanized	5.0M
BCS1516	2" Length Galvanized	5.0M

15/16" CROWN STAPLES

16 Gauge - 15/16" Paslode Crown



For use with:

FASCO F3-PSW-38R	PASLODE 3150-W16R
PASLODE 3200-W16	PASLODE MU-112-W16R
PASLODE S150-W16R	PASLODE S200-W16
SPOTNAIL XS2640	

Part#	Description	Qty/Box
PW-78	7/8" Length Galvanized	10.0M
PW-1	1" Length Galvanized	10.0M
PW-114	1 1/4" Length Galvanized	10.0M
PW-112	1 1/2" Length Galvanized	10.0M

Anchors, Blades, Bits, Caulks, & Adhesives

1" CROWN STAPLES

16 Gauge - 1" Bostitch Crown

10.0M Quantity per Box



For use with:

ATRO MINOR38	BOSTITCH 438S2R
BOSTITCH T35-8	BOSTITCH T40S2-CT
BOSTITCH T50S2-1	FASCO R3C-ATW-38
SPOTNAIL HL1612A	SPOTNAIL HL1616A
SPOTNAIL HL1620	SPOTNAIL XS1640
SPOTNAIL XS1650	STAN-TECH SDS16-1QC

Part#	Description
BSW-78	7/8" Length Galvanized
BSW-1	1" Length Galvanized
BSW-114	1 1/4" Length Galvanized
BSW-112	1 1/2" Length Galvanized

16 Gauge - 1" Senco Crown

10.0M Quantity per Box



For use with:

DUO-FAST KW1748	SENCO PW
DUO-FAST RS-1748	SENCO PW150
DUO-FAST SW-1748	SENCO PW150R
FASCO F30-SNW-50R	SENCO PW2
FASCO R3C-SNW-38R	SENCO PW200
HITACHI N3824A	SENCO SPS
HITACHI N5024A	STAN-TECH SDS16-1
SENCO MW	

Part#	Description
SDW-78	7/8" Length Galvanized
SDW-1	1" Length Galvanized
SDW-114	1 1/4" Length Galvanized
SDW-112	1 1/2" Length Galvanized

BRADS 18 Gauge - Galvanized

5.0M Quantity per Box

For use with:

ACCUSET A125BN	GRIZZLEY G6046	MILWAUKEE 7150-21
ACCUSET A200BN	GRIZZLEY G6047	PALMGREN 91181
AIRY 0241NK BOSTITCH	GRIZZLEY G8126	PASLODE 2138-F18II
BT125K	GRIZZLEY G9248	PASLODE IM200-F18
BOSTITCH BT200K-2	GRIZZLEY H2911	PASLODE T125-F18
BOSTITCH BT35B	GRIZZLEY H2912	PASLODE T125/F18
BOSTITCH BT50B	GRIZZLEY H2913	PASLODE T200-F18
BOSTITCH SB-1842BN	GRIZZLEY H5527	PORTER CABLE BN125A
BOSTITCH SB-1850BN	GRIZZLEY H6332	PORTER CABLE BN200A
CAMPBELL HAUSFELD	HITACHI NT32AE	PORTER CABLE BN200V12
NB0030	HITACHI NT50AD	RIDGID R213BNA
CAMPBELL HAUSFELD	HITACHI NT50AE	SENCO AIRFREE 25
NB003099AV CAMPBELL	JAMERCO JTBN 1832	SENCO FINISHPRO 18
HAUSFELD NB004099	JAMERCO JTBN 1850	SENCO FINISHPRO 25XP
CRAFTSMAN 18323	MAKITA AF502	SENCO FINISHPRO 2N1
DEWALT D5123BK	MAKITA AF503	SENCO LS5
DUO-FAST DBN-4440	MAX NF211/18-25	SENCO SLP20
DUO-FAST DBN-4450	MAX NF211/18-50	SPOTNAIL CB 1820
EZ-FASTEN F18/32VM	MAX NF221/18-55	STAN-TECH SDN 18BR
FASCO F20P GN31/40	MAX NF255-ST/18	SUPCO F30/32
FASCO R3C GN50SS	MAXUS MXN10299	WEN 61715
GRIZZLEY G6045	MAXUS MXN10499	WEN 61720

Part#	Description
B18-12	1/2" Length
B18-58	5/8" Length
B18-34	3/4" Length
B18-1	1" Length
B18-1316	1 3/16" Length
B18-114	1 1/4" Length
B18-112	1 1/2" Length
B18-134	1 3/4" Length
B18-2	2" Length



HAMMER TACKER STAPLES

5.0M Quantity per Box



5000 Series- Duo-Fast/Prebena

For use with:

DUO-FAST CS5000	DUO-FAST HT550C
DUO-FAST CT859	EAGLE HT-550H
DUO-FAST HT-550	PREBENA D-10

Part#	Description
5008C	1/4" Length
5010C	5/16" Length
5012C	3/8" Length

STCR2619 Series - Bostitch

For use with:

BOSTITCH H30-6
BOSTITCH P6C-6
BOSTITCH T5-6

Part#	Description
STCR2619-14	1/4" Length
STCR2619-516	5/16" Length
STCR2619-38	3/8" Length

STCR5019 Series- Bostitch

For use with:

BOSTITCH EHS30	BOSTITCH PC4000
BOSTITCH EHS50	BOSTITCH PC5000
BOSTITCH H30-8	BOSTITCH T5-8
BOSTITCH PC1000	

Part#	Description
STCR5019-14	1/4" Length
STCR5019-38	3/8" Length

A-11 T-50 Series- Arrow / Rapid / Prebena

For use with:

ARROW T-50	DUO-FAST	PREBENA PF9
SLAPSHOT		RAPID A-11
EAGLE HT11-H		

Part#	Description
A11-14	1/4" Length
A11-516	5/16" Length
A11-38	3/8" Length

SHCR5019 Series- Bostitch

For use with:

BOSTITCH H2B

Part#	Description
SHCR5019-14	1/4" Length
SHCR5019-38	3/8" Length

BRADS 16 Gauge - Galvanized

2.5M Quantity per Box

For use with:

AIRY ATF-0350	DUO-FAST LFN448	PASLODE 3250-F16
AIRY ATM-0365	GRIZZLEY G7578	PASLODE IM250II
ATRO MINOR 600	GRIZZLEY H2910	PASLODE MU-212F
BOSTITCH FN16250K-2	GRIZZLEY H6143	PASLODE T250-F16
BOSTITCH SB-1664FN	HAUBOLD SKN64A	PORTA-NAILER 462
BOSTITCH T36-50	HITACHI NT65A	PORTER CABLE FN250A
BOSTITCH T40B	HITACHI NT65A2	PORTER CABLE FN250B
CAMPBELL NB00050	HITACHI NT65A3	RIDGID R250SFA
CAMPBELL NB00065	HITACHI NT65M	SENCO FINISHPRO 32
CAMPBELL NB005099AV	HITACHI NT65M2	SPOTNAIL FB1632
CRAFTSMAN 18314	JAMERCO JTFN-1664	SUPCO S-1650
DEWALT D51256K	MAX NF352-ST/16-50	SUPCO S-1664
DEWALT DC612KA	MAXUS MXN064	WEN 61750
DEWALT DC613KA	MAXUS MXN06499	
DEWALT DC616KA	MILWAUKEE 7145-21	
DUO-FAST LFN-764A	PASLODE 3200-F16	

Part#	Description
B16-34	3/4" Length
B16-1	1" Length
B16-114	1 1/4" Length
B16-112	1 1/2" Length
B16-134	1 3/4" Length
B16-2	2" Length
B16-214	2 1/4" Length
B16-212	2 1/2" Length
B16-112SS	1 1/2" Length Stainless Steel
B16-2SS	2" Length Stainless Steel
B16-212SS	2 1/2" Length Stainless Steel



Anchors, Blades, Bits, Caulks, & Adhesives

PERMA-GRIP® NAILS




For use in concrete brick or block. These Hot Dipped Galvanized anchors require no special driving tool. Simply drill the appropriate size hole 1/4" deeper than the anchor, then tap the Perma-grip until securely seated. Anchor is compatible with steel and plastic stress plates.

NORPG0112	100 Pc. Box 1-1/2" Permagrip Nails
NORPG0200	100 Pc. Box 2" Permagrip Nails
NORPG0212	100 Pc. Box 2-1/2" Permagrip Nails
NORPG0300	100 Pc. Box 3" Permagrip Nails
NORPG0312	100 Pc. Box 3-1/2" Permagrip Nails

FLUTED MASONRY NAILS

Flat head. Diamond point. Fluted shank. Temper hardened steel is used to survive powerful hammer blows. Used for nailing lumber to concrete and masonry.


SQ4000	3/4"	9 Gauge	50lb. Box
SQ4001	1"	9 Gauge	50lb. Box
SQ4015	1-1/2"	9 Gauge	50lb. Box
SQ4025	2-1/2"	9 Gauge	50lb. Box



CUT MASONRY NAILS

Hardened Steel. Used to attach lumber to concrete and concrete block. The four sharp edges and sides prevent the nail from rotating and provides greater holding power.

SQ6003	4d	1-1/2"	50lb. Box
SQ6004	4-1/2d	1-5/8"	50lb. Box
SQ6005	5d	1-3/4"	50lb. Box
SQ6006	6d	2"	50lb. Box
SQ6007	7d	2-1/4"	50lb. Box
SQ6008	8d	2-1/2"	50lb. Box
SQ6009	10d	3"	50lb. Box
SQ6010	12d	3-1/4"	50lb. Box
SQ6020	16d	3-1/2"	50lb. Box



MAGNETIC SWEEPER



175 lbs. of magnetic lifting power!!




AKMSM The Terminator is our most powerful push-type sweeper and has the advantage of a Load Release Bar. Just lift the flat bar and the debris falls off. In seconds you're ready to continue with the job site cleanup.

This magnetic assembly is enclosed in a 4" x 5" heavy gauge aluminum housing. The handle is quickly removed without tools for easy storage. Magnet Width: 36", Overall Width: 43".

SINKER NAILS

Flat countersunk head. Diamond point. Smooth shank. Sinkers feature a thin shank to reduce wood splitting and have hundreds of carpentry uses. Vinyl Coated.

SQ3006	50 LB. Box 6 Penny VC Sinker Nails
SQ3008	50 LB. Box 8 Penny VC Sinker Nails
SQ3016	50 LB. Box 16 Penny VC Sinker Nails



DOUBLE HEAD NAILS


Double flat head. Diamond point. Smooth shank. The bottom head acts as a stop to make it easy to remove the nail and dismantle temporary structures. Used for scaffolds, framework & other temporary structures.



SQ5008	30 Lb. Pail 8 Penny Double Head Nails
SQ5016	30 Lb. Pail 16 Penny Double Head Nails
SQ2006	50 LB. Box 6 Penny Double Head Nails
SQ2008	50 LB. Box 8 Penny Double Head Nails
SQ2010	50 LB. Box 10 Penny Double Head Nails
SQ2016	50 LB. Box 16 Penny Double Head Nails

ROOFING NAILS

SSQ4814	50 LB. Box 1-1/4" E.G. Roofing Nails
SQ4815	50 LB. Box 1-1/2" E.G. Roofing Nails
SQ4817	50 LB. Box 1-3/4" E.G. Roofing Nails
SQ4820	50 LB. Box 2" E.G. Roofing Nails
SQ4825	50 LB. Box 2-1/2" E.G. Roofing Nails



RIPPING BAR



KL66384 14" Ripping Bar
Forged spring steel 1/4" thick and 1-1/2" wide.

CLAWBAR



STITICLW12 Titanium Clawbar with Dimpler

Creates a recess around the nail head allowing the claws to slide underneath, reducing the chance of chipping the wood. 11.5" long and weighs only 8 oz.

TIE BREAKER TOOL



BT-10 Tie Breaker

The world's best break-off tool. Snaps off standard residential wall ties

Anchors, Blades, Bits, Caulks, & Adhesives

RIPPING BAR




KLEIN TOOLS
For Professionals... Since 1857™



66380 Carbon-Steel Ripping Bar

Strong, high-carbon forged steel construction. Efficient, double-claw design. Baked-on black finish for rust resistance. Includes one "V" nail puller. Thinner straight claw for ripping has both "V" and keyhole nail pullers. Overall Length: 18"

WRECKING BARS



This Gooseneck Wrecking Bar is made of quality 3/4-inch bar stock. It also has a single curved end and flattened points with a small slot on both ends for removing nails.

AS11716	36" Gooseneck Wrecking Bar
AS11730	48" Gooseneck Wrecking Bar

WRECKING BARS

This bar has a push/pull action making even the toughest job simple. Made of extra heavy duty hex stock, this guaranteed for life product is a great all around tool. 7/8" hex shank.



36WB	36" Wrecking Bar
48WB	48" Wrecking Bar

PRY BAR

Heavy Duty Little John Pry Bar

Ideal all purpose tool for prying forms and other construction jobs. Specially designed 3" wide blade angle and hardened steel claw.

KRGG630	56" Heavy Duty Big John Pry Bar
KRGG631	46" Heavy Duty Little John Pry Bar



CROW BAR



KLEIN TOOLS
For Professionals... Since 1857™



KL64306

55-1/2" Grizzly Crow Bar

A heavy, strong, multi-purpose tool that saves time and effort on the job. Its 3" width protects concrete when stripping forms. Its efficient blade provides high leverage as a crow bar and nail and spike puller. Blade is hardened alloy with keyhole nail-pulling slot in center and V-notch in a tapered edge.



Pulling Spikes

STEEL HANDLE HAMMERS



ESE3-16C SH	16 oz. Curved Claw Hammer
ESE3-16S SH	16 oz. Straight Claw Hammer
ESE3-20C SH	20 oz. Curved Claw Hammer
ESE3-20S SH	20 oz. Straight Claw Hammer
ESE3-22S SH	22 oz. Smooth Face Framing Hammer
ESE3-24S SH	24 oz. Smooth Face Straight Claw Framing Hammer
ESE6-22T SH	22 oz. Smooth Face Hammertooth Hammer

TITANIUM FRAMER HAMMER



Titanium 14 oz. Framer

Our most popular framing weight in our solid Titanium heads. Hits like a 24 Oz Steel hammer with 45% less weight and 10 times less recoil shock! Features: 14 oz Solid Millrf or Smooth face Titanium head with 16" curved axe-style Hickory handle. Straight claw design. Stiletto's signature Magnetic Nail Starter



STITI14MC	14 oz. Framing Hammer - Milled Face
STITI14SC	14 oz. Framing Hammer - Smooth Face
STITLHDL-C	18" Replacement Curved Hickory Handle

TITANIUM FINISH HAMMER



STFH10C

Titanium 10 oz. Finish Hammer

Smallest of our solid Titanium hammers heads, this is a perfectly balanced little Ti Finish hammer. Hits like a 16 Oz Steel hammer with 45% less weight and 10 times less recoil shock! Features: 10 oz solid smooth face Titanium head. 14.5" curved axe-style Hickory handle. Straight claw design. Magnetic nail starter.



HANDLE WRAP



STIAG102

8" AirGrip "Coldshrink" Handle Grip Wrap tube

Our innovative handle grip wrap. 2" x 8" pre-expanded rubber tube shrinks to fit any handle. Non-slip hand grip increases job safety and reduces hand fatigue at the end of the day.



Anchors, Blades, Bits, Caulks, & Adhesives

SOFF-CUT EARLY ENTRY SYSTEM

Husqvarna
SOFF-CUT

Husqvarna Soff-Cut is a unique patented system for early entry concrete sawing. This technology enables concrete to be cut within the first one or two hours of finishing and before final set. Husqvarna Soff-Cut provides the best solution for minimizing the risk of random cracking, and it simplifies the working process, compared to conventional sawing.



EARLY ENTRY BLADES

SOFF-CUT

4000 Series - ORANGE

Recommended for medium aggregate, medium abrasive sand.



Includes Skid Plate!

HUS02-542777008	6" x .100 Standard - orange XL6-4000
HUS02-542756133	8" x .100 Standard - orange XL8-4000
HUS02-542756103	10" x .100 Standard - orange XL10-4000
HUS02-542756108	12" x .120 Standard - orange XL12-4000
HUS02-542756115	13-1/2" x .120 Standard - orange XL14-4000

EARLY ENTRY BLADES

SOFF-CUT

3000 Series - RED

Recommended for medium to hard aggregate, medium abrasive sand.



Includes Skid Plate!

HUS02-542756119	5" x .095 Standard - red XL5-3000AC
HUS02-542756122	5-1/2" x .095 Standard - red XL55-3000AC
HUS02-542756121	5-1/2" x .095 Standard - red XL55-3000A
HUS02-542777007	6" x .100 Standard - red XL6-3000
HUS02-542756132	8" x .100 Standard - red XL8-3000
HUS02-542756102	10" x .100 Standard - red XL10-3000
HUS02-542756114	12" x .120 Standard - red XL12-3000
HUS02-542756114	13-1/2" x .120 Standard - red XL14-3000

EARLY ENTRY BLADES

SOFF-CUT

5000 Series - YELLOW

Medium hard to soft aggregate, abrasive sand.



Includes Skid Plate!

HUS02-542756124	5-1/2" x .095 Standard - yellow XL55-5000AC
HUS02-542756123	5-1/2" x .095 Standard - yellow XL55-5000A
HUS02-542777009	6" x .100 Standard - yellow XL6-5000
HUS02-542756134	8" x .100 Standard - yellow XL8-5000
HUS02-542756104	10" x .100 Standard - yellow XL10-5000
HUS02-542756109	12" x .120 Standard - yellow XL12-5000
HUS02-542756116	13-1/2" x .120 Standard - yellow XL14-5000


EARLY ENTRY BLADES

SOFF-CUT

FLX 3000/4000 Series -

The FLX Series features unique triangular arbor configuration.

ORANGE cuts medium aggregate, medium abrasive sand. **RED** cuts medium to hard aggregate, medium abrasive sand.



Includes Skid Plate!

HUS02-575383227	FLX6-4000 6" Orange Blade w/ Skid Plate
HUS02-575383228	FLX8-4000 8" Orange Blade w/ Skid Plate
HUS02-575383218	FLX10-4000 10" Orange Blade w/ Skid Plate
HUS02-575383220	FLX14-4000 14" Orange Blade w/ Skid Plate
HUS02-575383224	FLX55-3000A 5.5" Red Blade w/ Skid Plate
HUS02-575383225	FLX6-3000 6" Red Blade w/ Skid Plate

JOINT PROTECTORS

Husqvarna

SOFF-CUT



HUS02-505483203	Blue - bag of 150 - 12", 14" blades
HUS02-505483202	Red - bag of 150 - 6", 8", 10" blades
HUS02-505483201	Black - bag of 150 - 4", 5.5" blades

GREEN CONCRETE BLADE FOR MICRO-CON SAW



Green Concrete Diamond Blade

For long life and low cost per foot. For general purpose cutting of green concrete.

HUS01-790237	7" Dry Diamond Blade for Green Concrete
HUS01-790238	8" Dry Diamond Blade for Green Concrete
HUS01-542791683	10" Dry Diamond Blade for Green Concrete

FARRELL PREMIUM GREEN & GOLD BLADE



High Speed Segmented Premium General Purpose Diamond Blade

For extra long life when cutting cured concrete, masonry, stone, concrete pilings with steel, culvert pipe with steel and brick pavers.

HUS01-590531	12" x .110 x 1" 20mm Premium
HUS01-590524	14" x .110 x 1" 20mm Premium
HUS01-590618	16" x .125 x 1" 20mm Premium

Anchors, Blades, Bits, Caulks, & Adhesives

FARRELL GREEN & GOLD TURBO BLADE



Green & Gold "Turbo" Dry Diamond Blade

Fast cutting, extra long life when cutting cured concrete, masonry, stone, and brick pavers.

HUS01-542791914 14" Green & Gold "Turbo" Dry Diamond Blade
HUS01-542793832 12" Green & Gold "Turbo" Dry Diamond Blade

FARRELL GREEN & GOLD "NEXT GENERATION" BLADE



High Speed Segmented Premium General Purpose Diamond Blade

For extra long life when cutting cured concrete, masonry, stone, concrete pilings with steel, culvert pipe with steel and brick pavers.

DIA53742 14" Farrell Green & Gold Diamond Blade



GENERAL PURPOSE DIAMOND BLADE



Vari-Cut General Purpose / Abrasive Material Blade

Broad range of applications makes it a perfect combination blade. Designed to cut hard and abrasive materials. Faster cutting due to alternating turbo blade segments. Total segment high is .400"

HUS01-542751358 12" Vari-Cut Diamond Blade
HUS01-542751359 14" Vari-Cut Diamond Blade
HUS01-542751360 16" Vari-Cut Diamond Blade

WALK BEHIND BLADES



Banner Line® Hard Concrete, General Purpose, Green Concrete, Asphalt Blades, 5-65 HP

The Blue 200B blade is a general purpose blade used to cut soft to medium-hard aggregate with light steel reinforcing.

HUS01-542751031 14" Wet Cured Concrete Blade - Blue 200B
HUS01-542751036 18" Wet Cured Concrete Blade - Blue 200B
HUS01-542751078 24" Wet Cured Concrete Blade - Blue 200B
HUS01-542751040 26" Wet Cured Concrete Blade - Blue 200B

GENERAL PURPOSE BLADES



VH-5 Series

For general purpose cutting of cured concrete and brick. The total segment height is .400" diamond depth.

HUS01-542774462 12" VH-5 Dry Blade for Cured Concrete
HUS01-542774463 14" VH-5 Dry Blade For Cured Concrete
HUS01-542774540 12" HI-5 Dry Blade for Cured Concrete / Brick
HUS01-542774541 14" HI-5 Dry Blade for Cured Concrete / Brick

GENERAL PURPOSE DIAMOND BLADE



Husqvarna Barracuda™. Multi-Application Blades

Barracuda™ blade is for fast, smooth cutting on almost any masonry, tile, stone or hard concrete material. This blade is not recommended for abrasive materials like block and asphalt. The Barracuda™ has a total segment height of .350".

HUS01-542751281 14" Dry Blade for Cured Concrete/Masonry

WALK BEHIND BLADES



High-Pro

Wet Cured Concrete Diamond Blades.

HUS01-542755561 24" High-Pro Wet Cured Blade
HUS01-542755562 26" High-Pro Wet Cured Blade

WALK BEHIND BLADES



Millenium® .315" SERIES CURED CONCRETE BLADES, 35-120 HP

The F720C blade can cut concrete with a medium steel reinforcement and river gravel. Total segment height is .390".

HUS01-542758655 18" Millenium Blade For Cured Concrete
HUS01-542758669 24" Millenium Blade For Cured Concrete
HUS01-542758673 26" Millenium Blade For Cured Concrete

Anchors, Blades, Bits, Caulks, & Adhesives

ASPHALT/GREEN CONCRETE BLADE



Farrell Premium Asphalt/Green Concrete Diamond Blade

For extra long life cutting asphalt, asphalt over concrete, and some abrasive green concrete.



HUS01-790235 12" x 1" Dry Dia. Blade for Green Concrete/Asphalt
HUS01-790236 14" x 1" Dry Dia. Blade for Green Concrete/Asphalt

ASPHALT/GREEN CONCRETE BLADE



Husqvarna Millenium® Asphalt Blades

30 - 120 HP. The F780A blade is for general purpose asphalt cutting. Total segment height is .390".

HUS01-542759357 18" Millenium For Green Concrete & Asphalt

ASPHALT/GREEN CONCRETE BLADE



Banner Line® Black 500B-R

The Black 500B-R blade has an extra long life when cutting abrasive asphalt. Undercut protection is standard on this blade. For green concrete / asphalt.

HUS01-542751078 18" Black 500B Wet Diamond Blade

DEMO / RESCUE BLADE



Demo-Cut Carbide Specialty Diamond Blade

14" X .250" X 1". Carbide-tipped blade for metals, roofing and building materials, wood, tar, fire doors, plastic and rubber. Made with .250 inch thick carbide chunks that allow extremely fast cutting that will not bid or load, which is an important factor in rescue cutting.



DIA96302 14" X .250 Demo-Cut 911 Blade #HDC14250

GENERAL PURPOSE BLADE



Husqvarna EH Series.

General Purpose, Abrasive Materials, Asphalt Blades

EH5 is a general purpose blade used for cutting concrete, masonry and stone. The total segment height for the EH series is .450"

HUS01-542778735 14" EH-5 Cured Concrete Blade

GENERAL PURPOSE BLADES



The **BB5 Brickbreaker** is a general purpose blade to cut medium and hard bricks on the first pass. It works best for cutting concrete pavers. Total segment height is .400" (.300" diamond depth; .100" segment base).

The **BB8 Blockbreaker** is a general purpose blade that cuts abrasive block, soft brick and some concrete pavers. Total segment height is .400" (.300" diamond depth; .100" segment base).



HUS01-542751371 14" BB5 Brickbreaker Diamond Blade
HUS01-542751372 20" BB5 Brickbreaker Diamond Blade
HUS01-542751719 14" BB8 Blockbreaker Diamond Blade
HUS01-542751720 20" BB8 Blockbreaker Diamond Blade

DUCTILE IRON BLADE



D15 High Speed Segmented Diamond Blade

For extra long life in ductile iron. Can last up to 75 abrasive blades. Incorporates electroplating on the core to aid cutting and is designed to eliminate pinching. Segment height is .200" diamond depth.



HUS01-542776408 14" Ductile Iron Blade

RESCUE BLADE



NXS Metal Cutting/Fire Rescue Blades

Cuts metal, concrete, asphalt, rebar and brick/block This blade incorporates a thicker core with cooling holes and an extremely fast segment. Total segment height of this blade is .200" diamond depth.



HUS01-542776454 14" NXS Metal Demolition Diamond Blade

Anchors, Blades, Bits, Caulks, & Adhesives

ASPHALT/GREEN CONCRETE BLADE

Husqvarna EH Series.

GENERAL PURPOSE, ABRASIVE MATERIALS, ASPHALT BLADES

EH10 blade has a slightly harder bond for a longer life when cutting a wide range of abrasive materials such as soft brick, abrasive block, green concrete and asphalt. The total segment height for the EH series is .450".

Husqvarna

Wet or Dry Cutting



HUS01-542775599 12" EH-10 Asphalt/Green Concrete Blade
HUS01-542775600 14" EH-10 Asphalt/Green Concrete Blade

PRECUT WALL BLADE

Wet or Dry Cutting

Husqvarna



GH5 Series

A general purpose blade that cuts most cured concrete, masonry or stone materials. Total segment height of this series is .350"

HUS01-542774251 14" x .250 Precut Wall Saw Diamond Blade

GENERAL PURPOSE BLADES

Wet or Dry Cutting

Husqvarna



Husqvarna HI Series General Purpose, Abrasive Material Blades

The HI5 is a blade used for fast cutting of a wide variety of materials on the first pass, such as cured concrete and brick. It is the only all-purpose diamond blade with aggressive notched segments which grab and grind material for a rapid first cut. The total segment height is .475"

HUS01-542774540 12" HI-5 Dry Blade for Cured Concrete / Brick
HUS01-542774541 14" HI-5 Dry Blade for Cured Concrete / Brick

GENERAL PURPOSE DIAMOND BLADE

Husqvarna

Wet or Dry Cutting

Husqvarna

HG5 Diagrip™ A revolutionary new technology. The diamonds have a special treatment that ensures an optimal distribution and holds them in the segment longer, ensuring blades with superior cutting capacity, longer life and a smooth, rapid cut. The total segment height is .400".



US01-542756483 14" HG5 Diagrip Diamond Blade

GENERAL PURPOSE DIAMOND BLADE



STS-6 Multi-Application Diamond Blade
 Includes a castellated segmented turbo rim for aggressive and precise cuts. Application: cured concrete, green concrete, asphalt, block, stone, granite, piling, overlay, brick, block.

LAC-ST56141251 14" #BESTS6 Multi-Application Blade

GENERAL PURPOSE DIAMOND BLADE

Wet or Dry Cutting



Piranha Turbo Diamond Blade

Multi-Segment Cutting Power. XXXL - Three Different Segment Types Faster. Serrated turbo segment for fastest cut. Extended blade life with slant segment wear protection and tall segments.

DIA42891 14" X .125 Piranha Turbo Diamond Blade for Brick

GENERAL PURPOSE DIAMOND BLADE

The Lackmond BEAST Series

High Speed General Purpose Concrete Blade is great for your favorite demolition or walk behind saw. A segmented blade that can be used wet or dry at a maximum of 5,500 RPM.



Wet or Dry Cutting

LAC-14BESG 14" High Speed "Beast" Blade - Cured Concrete
LAC-14BEHA 14" High Speed "Beast" Blade - Asphalt/Green Concrete

GENERAL PURPOSE DIAMOND BLADE



General Purpose/Cured Concrete Tall Segment Diamond Blades

Dry Cutting Cured Concrete blades designed for cutting cured concrete. Blades deliver excellent speed of cut while maximizing longevity.



LAC-SG14SPP PLUS 10 Pack of 14" Tall Segment Blades

BLADE ADAPTORS

Husqvarna



Steel Bushing For High-Speed Diamond and Abrasive Blades.

HUS01-049019 1" to 20mm Adaptor
HUS01-160022 1" to 7/8" Adaptor

Anchors, Blades, Bits, Caulks, & Adhesives

SMALL DIAMETER DIAMOND BLADES



Barracuda™ Small Diameter Diamond Blades

For cutting almost any masonry, tile, stone or hard concrete material.



HUS01-542761427	4-1/2" Barracuda Dry Diamond Blade
HUS01-542777083	7" Barracuda Dry Diamond Blade
HUS01-542761431	8" Barracuda Dry Diamond Blade

TILE SAW DIAMOND BLADES



Vari-Cut™ Tile Porcelain Tile Blade

Used for chip-free cutting of porcelain tile, granite, quarry tile and dense floor tile with a thin rim for precise, fast cuts. The total rim height is .275".

HUS01-542751358	12" Vari-Cut Diamond Blade
HUS01-542751359	14" Vari-Cut Diamond Blade
HUS01-542751360	16" Vari-Cut Diamond Blade

TILE SAW DIAMOND BLADE



LAC-TL10SP-P 10" Porcelain Tile Blade

On the leading edge of chip free cutting of porcelain tiles. Advancements in porcelain tiles make this a necessity on the jobsite.

DIAMOND BLADES



TSD-S Dri Disc Wet and Dry Cutting Diamond Blade

Our most affordable segmented blade for fast cutting a wide variety of materials including concrete, masonry, brick and stone. Total segment height of this blade is .275" diamond depth.

HUS01-542761409	4-1/2" TSD-S Dry Diamond Blade
HUS01-542761412	7" TSD-S Dry Diamond Blade

TILE SAW DIAMOND BLADE



LAC-BP10 10" Beast Porcelain RH Tile Blade

Chip free cutting in critically hard porcelain. Incorporates a thin kerf cutting edge, silent core reinforced hub design, anti-vibration reliefs, and cooling holes.

CUT-N-BREAK BLADES



Cut-n-Break Blade Sets

EL45CnB A general purpose blade that will cut a wide range of material including concrete less than 6,000 psi tensile strength, lightly reinforced concrete, concrete pipes and other precast concrete.



HUS01-543088823	EL35CnB Set of 2 Cut-N-Break Blades
HUS01-576778401	EL10CnB Set Of 2 Cut-N-Break Blades

GENERAL PURPOSE DIAMOND BLADE



Segmented blades generally provide greater production speed than turbo blades. 5/8 inch, 7/8 inch arbor. 13300 max RPM.



LAC-4.5-10BESG	10 pack of 4.5" Segmented Blades
-----------------------	----------------------------------

METAL CUTTING BLADE



FR-3

Specially recommended when free cutting any material is a critical requirement. FR3 blade cuts most hard metals, PVC, tile backer boards, steel and roofing tiles.

HUS01-542773403	4-1/2" FR-3 Metal Cutting Rescue Blade
------------------------	--

RINGSAW BLADES



Fast cutting with depths up to 10".

ELR70 (Blue-Red) For concrete block, green concrete, limestone, lava rock, slate rock, shale and sandstone. This blade is suitable for cutting through very abrasive, softer material and has excellent speed and life.


ELR45 (Blue) A general purpose blade for cutting wide range of material including concrete less than 6,000 psi tensile strength, lightly reinforced concrete, concrete pipes and other precast concrete.

HUS01-531100708	ELR 70-Red 14" Ringblade for Block
HUS01-531108059	ELR 45-Blue 14" Ringblade for Cured Concrete

Think Farrell For All Your Construction Equipment, Supplies & Tool Needs!

Anchors, Blades, Bits, Caulks, & Adhesives

DIAMOND BLADE



Small Diameter Diamond Blade

Our most affordable segmented blade for fast cutting a wide variety of materials including concrete, masonry, brick and stone. Total segment height of this blade is .275" diamond depth.

HUS01-FA4508CDUX22 4-1/2" x .080 Dry Diamond Blade

SANDWICH BLADE




Small Diameter Diamond Tuckpoint Blades

Features a double row of tuckpointing for aggressive mortar removal. A total segment height of .400".

HUS01-542774614 4.5" x .250 x 7/8-5/8 Sandwich Blade

TUCKPOINT BLADES



Diamond Tuckpoint Blade

Quickly remove mortar between brick and block. The total segment height is .400".

HUS01-FA4525CDPX2 4-1/2" x .250 Dry Diamond Blade

CRACK CHASER BLADE



Bevel Diamond Tuckpoint (Crack Chaser) Blade

The 45° Bevel Tuckpoint blade is used for crack chasing and mortar removal between brick and block. A great multi-purpose blade for the restoration market. A total segment height of .525".

HUS01-FASHM0401 4" Crack Chaser Diamond Blade

DIAMOND GRINDING DISCS



Single Row for fast removal on concrete, masonry, stone and similar materials.



Double Row for long life and smooth finish on concrete, masonry, stone and similar materials.



Turbo for faster and smoother finish (segmented turbo) on concrete, masonry, stone and similar materials. For faster grinding with extended life.

HUS04-FA04GDDDX1 4" x 5/8-11 Double Row Diamond Disc
HUS04-FA04HDDGDX2 4" x 5/8-11 Turbo Diamond Disc
HUS04-FA04HDDSX1 4" x 5/8-11 Single Row Diamond Disc
HUS04-FA07HDDDX1 7" x 5/8-11 Double Row Diamond Disc
HUS04-FA07HDDGDX2 7" x 5/8-11 Turbo Diamond Disc
HUS04-FA07GDDSX1 7" x 5/8-11 Single Row Diamond Disc

DUST CONTAINMENT SHROUD

The DustBuddie dust containment shroud fits most hand grinders including Makita, Bosch, Dewalt and more. It captures up to 99% of airborne particles.



DTSD1835 4" - 5" Dust Buddie w/ Universal Arbor & 18" Hose
DTSD1850 7" - 9" Dust Buddie w/ Universal Arbor & 18" Hose
DTSD1846 5" Cut Buddie II Dust Shroud

FLOOR GRINDING HEADS



Husqvarna TDGH Diamond Grinding Heads

Grinding heads for smoothing rough or patched floors and feathering uneven joints or slab panels; removing hard epoxies, urethane and other coatings or toppings; and grinding down bumps, raised or curled sidewalk panels.

HUS01-542751323 10" Floor Grinding Head-10 Segment
HUS01-542751324 10" Floor Grinding Head-20 Segment

Anchors, Blades, Bits, Caulks, & Adhesives

DRY DIAMOND CORE BITS



Dri Bits™ for drilling brick and lightweight block or concrete block materials. Not recommended for use on cured concrete.

Use on core drilling machines or right angle grinders (mount bits directly onto standard 5/8"-11 grinder spindles). Drills faster than conventional carbide-tipped percussion bits, creating a smoother finish and requiring little patching.



HUS03-684015	1-1/2" Dry Core Bit
HUS03-684020	2" Dry Core Bit
HUS03-684025	2-1/2" Dry Core Bit
HUS03-684030	3" Dry Core Bit
HUS03-684035	3-1/2" Dry Core Bit
HUS03-684040	4" Dry Core Bit
HUS03-681955	4-1/2" Dry Core Bit
HUS03-684050	5" Dry Core Bit
HUS03-681956	6" Dry Core Bit

WET DIAMOND CORE BITS



Millennium® B5300 Series Professional

Good balance of speed and life for drilling medium to hard concrete with medium to heavy steel reinforcing. Total segment height: .300" (.250" diamond depth; .050" segment base).

HUS03-780164	1-1/2" Wet Core Bit
HUS03-780167	2" Wet Core Bit
HUS03-780169	2-1/2" Wet Core Bit
HUS03-780171	3" Wet Core Bit
HUS03-780173	3-1/2" Wet Core Bit
HUS03-780174	4" Wet Core Bit
HUS03-780176	4-1/2" Wet Core Bit

HUS03-780177	5" Wet Core Bit
HUS03-780179	6" Wet Core Bit
HUS03-780181	7" Wet Core Bit
HUS03-780182	8" Wet Core Bit
HUS03-780184	10" Wet Core Bit
HUS03-780186	12" Wet Core Bit

Millennium® B5400 Series Prestressed

For drilling prestressed concrete and concrete with loose rebar.

HUS03-542786613	2" Wet Precast Core Bit
HUS03-542786615	2-1/2" Wet Precast Core Bit
HUS03-542786617	3" Wet Precast Core Bit
HUS03-542786619	3-1/2" Wet Precast Core Bit
HUS03-542786620	4" Wet Precast Core Bit
HUS03-542786622	4-1/2" Wet Precast Core Bit
HUS03-542786623	5" Wet Precast Core Bit
HUS03-542786625	6" Wet Precast Core Bit

CORE BIT ACCESSORIES



HUS03-541201736	1 1/4" Shaft - 5/8" Thread Adaptor
HUS03-541201737	1-1/4" x 12" Extension
HUS03-541400070	5/8" x 12" Dry Core Bit Extension

WATER TANK



HUS06-506326302 4 Gallon Plastic Water Tank

Pump the handle a few times to give the required pressure. The tank hold 4 gallon and comes complete with a 10ft hose which is connected to the wet cutting kit on the machine.



DIAMOND GRIT HOLE SAWS



One piece diamond hole saws

More holes. Less time. Long lasting. Continuous, brazed edge lasts longer in tile and stone. Fast, easy cutting. Low torque, little pressure required. Over-sized slot in hole saw for easy plug removal. No arbor required

LX12106	3/16" Diamond Grit Hole Saw Bit
LX12107	1/4" Diamond Grit Hole Saw Bit
LX12108	5/16" Diamond Grit Hole Saw Bit
LX12109	3/8" Diamond Grit Hole Saw Bit
LX12110	1/2" Diamond Grit Hole Saw Bit
LX12111	5/8" Diamond Grit Hole Saw Bit
LX12112	3/4" Diamond Grit Hole Saw Bit
LX12114	1" Diamond Grit Hole Saw Bit
LX12116	1-3/8" Diamond Grit Hole Saw Bit

DIAMOND CHAINS & ACCESSORIES



Diamond Chain Technology™

A revolution in concrete cutting. Diamond segments laser-welded to a steel chassis grind through concrete and other aggregate material, eliminating kickback and the damage that percussive methods can cause.



ICSC2971400	12" TwinMAX Chain For 680 & 613 Saws
ICSC3271486	14" TwinMAX Chain For 633 & 680 Saws
ICSC3271705	14" TwinMAX Plus Chain For 633 & 680 Saws
ICSCRM525392	14" RentMax Chain For 633 & 680 Saws
ICSC525342	15" ProFORCE Chain For 880F4 Hydraulic Saw
ICSC531749	20" Chain For Force4 Hydraulic Saw
ICSB1271395	12" Bar for 613 & 680 Saw
ICSB1473600	14" Bar for 633 Saw
ICS525495	Drive Sprocket (Converts 853 Hyd. To Force4 Hyd.)

PowerGrit™ Utility Chain

An exciting new cutting product designed to change the way the job gets done. For use in Utility, Commercial Infrastructure, Fire & Rescue, Underwater and General Construction. From ductile iron to plastic pipe, PowerGrit will get you in and out of the job faster, easier and safer than other methods.



ICSC537764	15" Chain For PowerGrit 880F4 Hydraulic Saw
ICSC537765	20" Chain For PowerGrit 880F4 Hydraulic Saw
ICSC537764-16	16" Chain For PowerGrit Force4 633 Gas Saw
ICSB524490	16" Force4 Bar For 633 Gas Saw
ICSB529767	20" Force4 Bar For 880F4 Hydraulic Saw
ICSB523080	15" Force4 Hydraulic Saw Guidebar

Anchors, Blades, Bits, Caulks, & Adhesives

SELF-FEED BITS

Selffeed Bits for large hole drilling in wood. The inside cutting plane shaves the hole radius for clean smooth holes without pressure. A removable, replaceable feed screw draws the bit into the gummiest of woods effortlessly. A hex shank provides a secure gripping surface for the drill chuck.



MIL05-48-25-1002	1" Self-Feed Bit
MIL05-48-25-1122	1-1/8" Self-Feed Bit
MIL05-48-25-1252	1-1/4" Self-Feed Bit
MIL05-48-25-1372	1-3/8" Self-Feed Bit
MIL05-48-25-1502	1-1/2" Self-Feed Bit
MIL05-48-25-1752	1-3/4" Self-Feed Bit
MIL05-48-25-2002	2" Self-Feed Bit
MIL05-48-25-2122	2-1/8" Self-Feed Bit
MIL05-48-25-2252	2-1/4" Self-Feed Bit
MIL05-48-25-2562	2-9/16" Self-Feed Bit
MIL05-48-25-3001	3" Self Feed Bit
MIL05-48-25-3621	3-5/8" Self-Feed Bit
MIL05-48-25-4125	4-1/8" Self-Feed Bit
MIL05-48-25-4621	4-5/8" Self-Feed Bit



MIL05-48-25-6000 Service Kit Replacement feed and set screw set contains: (5) feed screws, (3) set screws and a hex wrench.

QUIK-LOK EXTENSION



Universal Quik-Lok Extensions

The 7/16" Universal QUIK-LOK™ Extension has an innovative design that fits all 7/16" shanks - with or without a power-groove.

MIL05-48-28-1030	5-1/2" Universal Quik-Lok Extension
MIL05-48-28-1040	12" Universal Quick-Lok Extension
MIL05-48-28-1050	18" Universal Quik-Lok Extension

CARBIDE CORE BITS



BOSCH



Core bits go beyond the range of standard bits and allow smaller hammers to drill larger holes. Bosch rotary hammer core bits are carbide tipped with an integral shank for better power transmission. Available in SDS-max and Spline shank.



Use with One-Piece Core Bits w/Integral Shank/Centering Drill Bits

BOS04-HC8506	SDS Max 1-3/4" x 22"
BOS04-HC8515	SDS Max 2" x 22"
BOS04-HC8526	SDS Max 2-5/8" x 22"
BOS04-HC8536	SDS Max 3-1/4" x 22"
BOS04-HC8545	SDS Max 3-9/16" x 22"
BOS04-HC8555	SDS Max 4" x 22"
BOS04-HC8575	SDS Max 5" x 22"
BOS04-HC8595	SDS Max 6" x 22"
BOS05-HC8005	Spline Shank 1-1/2" x 22"
BOS05-HC8015	Spline Shank 2" x 22"
BOS05-HC8025	Spline Shank 2-1/2" x 22"
BOS05-HC8035	Spline Shank 3-1/8" x 22"
BOS05-HC8045	Spline Shank 3-1/2" x 22"
BOS05-HC8055	Spline Shank 4" x 22"
BOS05-HC8075	Spline Shank 5" x 22"

BOS02-1618596029	Centering Bit A-Taper For Carbide Core Bit
BOS02-2610919258	Centering Bit w/Pin For Carbide Core Bits

HOLE SAWS



Ice Hardened Hole Saws

Up to 50-percent longer life than the competition and are ideal for metal and wood cutting in a wide variety of applications. Features Matrix II bi-metal construction for greater durability and a unique precision-ground tooth geometry for faster cutting.



MIL04-49-56-0023	3/4" Ice Hardened Hole Saw
MIL04-49-56-0032	7/8" Ice Hardened Hole Saw
MIL04-49-56-0043	1" Ice Hardened Hole Saw
MIL04-49-56-0052	1-1/8" Ice Hardened Hole Saw
MIL04-49-56-0062	1-1/4" Ice Hardened Hole Saw
MIL04-49-56-0072	1-3/8" Ice Hardened Hole Saw
MIL04-49-56-0082	1-1/2" Ice Hardened Hole Saw
MIL04-49-56-0102	1-3/4" Ice Hardened Hole Saw
MIL04-49-56-0117	2" Ice Hardened Hole Saw
MIL04-49-56-0127	2-1/8" Ice Hardened Hole Saw
MIL04-49-56-0132	2-1/4" Ice Hardened Hole Saw
MIL04-49-56-0147	2-1/2" Ice Hardened Hole Saw
MIL04-49-56-0158	2-5/8" Ice Hardened Hole Saw
MIL04-49-56-0163	2-3/4" Ice Hardened Hole Saw
MIL04-49-56-0173	3" Ice Hardened Hole Saw
MIL04-49-56-0193	3-1/2" Ice Hardened Hole Saw
MIL04-49-56-0197	3-5/8" Ice Hardened Hole Saw
MIL04-49-56-0213	4" Ice Hardened Hole Saw
MIL04-49-56-0217	4-1/8" Ice Hardened Hole Saw
MIL04-49-56-0223	4-1/4" Ice Hardened Hole Saw
MIL04-49-56-0233	4-1/2" Ice Hardened Hole Saw
MIL04-49-56-0237	4-3/4" Ice Hardened Hole Saw
MIL04-49-56-0243	5" Ice Hardened Hole Saw
MIL04-49-56-0247	5-1/2" Ice Hardened Hole Saw
MIL04-49-56-0253	6" Ice Hardened Hole Saw

HOLE SAW ACCESSORIES



Hole Saw Arbors

Arbor Pilot Bits

Self-Centering Split Point



MIL04-49-56-7010	3/8" Arbor (9/16" - 1-3/16")
MIL04-49-56-7150	3/8" Quick Change Arbor (1-1/4" - 6-7/8")
MIL04-49-56-9100	1/2" Quick Change Arbor (1-1/4" - 6-7/8")
MIL04-49-56-8000	Arbor Pilot Bit for 49-56-7150
MIL04-49-56-8010	Arbor Pilot Bit for 49-56-9100, 49-56-7010

HOLE SAW KIT



MIL04-49-22-4175 Ice Hardened™ 15 Pc. Hole Saw Kit Hole saws are more consistently hard throughout, resulting in life up to 50% longer than the competition.

Includes: (11) Hole Saws: 3/4", 7/8", 1", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/8", 2-1/4", 2-1/2". (2) Arbors with Pilot Bits. (2) Additional Pilot Bits. (1) Adapter. (1) Spacer.



Anchors, Blades, Bits, Caulks, & Adhesives

HOLE CUTTER KIT

MIL04-49-56-9085 10-Pc Big Hawg® Kit

For drilling large holes in rough wood applications with the speed and longevity that HVAC, plumbing, and other professional contractors require.

Includes: (6) hole cutters: 2-1/8", 2-1/4", 2-9/16", 3", 3-5/8", 4-1/4"; (1) arbor with pilot bit; (2) pilot bits; (1) diamond file; (1) hex wrench and impact resistant case.



HOLE CUTTERS

Big Hawg® Hole Cutters

These hole cutters are specifically designed for drilling large holes in rough wood applications with the speed and longevity that HVAC, plumbing, and other professional contractors require. Arbor and pilot bit sold separately.



MIL04-49-56-9000	2-1/8" Big Hawg Hole Cutter
MIL04-49-56-9010	2-9/16" Big Hawg Hole Cutter
MIL04-49-56-9020	3" Big Hawg Hole Cutter
MIL04-49-56-9030	3-5/8" Big Hawg Hole Cutter
MIL04-49-56-9045	4-1/4" Big Hawg Hole Cutter
MIL04-49-56-9050	4-5/8" Big Hawg Hole Cutter
MIL04-49-56-9065	6-1/4" Big Hawg Hole Cutter
MIL04-49-56-9105	Big Hawg Hole Cutter Arbor



MIL04-48-27-1401 Big Hawg Hole Cutter Center Spade Pilot Bit

WOOD BORING SPADE BITS



RapidFeed™ Spade Bits

Cut 3X faster than standard spade bits thanks to the innovative RapidFeed™ tip. This tip is threaded like a wood screw and literally pulls the bit through the wood for fast cutting action.

BOS08-SB1001	1/4"	BOS08-SB1011	7/8"
BOS08-SB1002	5/16"	BOS08-SB1012	15/16"
BOS08-SB1003	3/8"	BOS08-SB1013	1"
BOS08-SB1004	7/16"	BOS08-SB1015	1-1/8"
BOS08-SB1005	1/2"	BOS08-SB1017	1-1/4"
BOS08-SB1006	9/16"	BOS08-SB1019	1-3/8"
BOS08-SB1007	5/8"	BOS08-SB1021	1-1/2"
BOS08-SB1008	11/16"	BOS08-SB1021	1-1/2"
BOS08-SB1009	3/4"	BOS08-SBE1006	6" Extension
BOS08-SB1010	13/16"	BOS08-SBE1012	12" Extension

BI-METAL HOLE SAWS



Bi-metal Hole Saws

Lenox's unique tooth shape evenly distributes cutting force over a wider area of the tooth. Patented variable tooth set and height ensure that each tooth works independently, with super efficiency. They will cut faster and cleaner and last longer than other hole saws.

LX010L	5/8" Hole Saw	LX040L	2 1/2" Hole Saw
LX012L	3/4" Hole Saw	LX042L	2 5/8" Hole Saw
LX016L	1" Hole Saw	LX044L	2 3/4" Hole Saw
LX017L	1 1/16" Hole Saw	LX048L	3" Hole Saw
LX018L	1 1/8" Hole Saw	LX052L	3 1/4" Hole Saw
LX020L	1 1/4" Hole Saw	LX056L	3 1/2" Hole Saw
LX022L	1 3/8" Hole Saw	LX058L	3 5/8" Hole Saw
LX024L	1 1/2" Hole Saw	LX060L	3 3/4" Hole Saw
LX026L	1 5/8" Hole Saw	LX064L	4" Hole Saw
LX028L	1 3/4" Hole Saw	LX066L	4 1/8" Hole Saw
LX030L	1 7/8" Hole Saw	LX068L	4 1/4" Hole Saw
LX032L	2" Hole Saw	LX072L	4 1/2" Hole Saw
LX034L	2 1/8" Hole Saw	LX076L	4 3/4" Hole Saw
LX036L	2 1/4" Hole Saw	LX080L	5" Hole Saw
LX038L	2 3/8" Hole Saw	LX096L	6" Hole Saw

HOLE SAW ACCESSORIES



Hole Saw Arbors & Pilot Bits

LX001L	Pilot Arbor w/ Drive Pins & Drill Bit fits 9L-19L Hole Saws
LX002L	Pilot Arbor w/ Drive Pins, & Drill Bit fits 20L-96L Hole Saws
LX006L	Pilot Arbor w/ Extension fits 20L-96L Hole Saws

LX1779771	1/4" Pilot Drill Bit (For: 1L, 2L, 4L)
LX1779810	1/4" Pilot Drill Bit (For: 3L, 5L, 6L, 7L)

HOLE SAW KITS



LX30821 Bi-metal Electrician's Hole Saw Kit

Six sizes most frequently used for pipe and conduit entrance. One each hole saws: 7/8", 1 1/8", 1 3/8", 1 3/4", 2", 2 1/2". One each arbors 1L, 5L. One 4321 pilot drill. One arbor adapter. Plastic case.

LX30808 Bi-metal Pumber's Hole Saw Kit

Six sizes most commonly used for pipe tape and entrance. One each hole saws: 3/4", 7/8", 1 1/8", 1 1/2", 1 3/4", 2 1/4". One each arbors 1L, 5L. One 4321 pilot drill. One arbor adapter. Plastic case.

29985-700CGK Carbide Grit Hole Saw Kit

General Purpose Kit. One each hole saws: 7/8", 1", 1 1/4", 1 3/8", 1 1/2", 1 3/4", 2 1/8". One each arbors 1L, 2L. One 123CT pilot drill. One arbor adapter. Plastic case.



Anchors, Blades, Bits, Caulks, & Adhesives

BELLHANGER BITS



Bellhanger Bits are ideal for installing all types of small wire systems including computer, security, phone, and cable. Provides extra reach where needed and a hole in the tip to help pull wires through holes.

MIL04-48-13-7225 1/4" X 18" Bellhanger Bit

MAGNETIC DRILL CUTTERS



Slugger HSS Nova Annular Cutter

Made from (M2) High Speed Steel for long service life. Suitable for aluminum and other non-ferrous metals.



FE16-31-34-110-00-2	7/16" X 2" Slugger HSS Nova DOC
FE16-31-34-111-00-1	7/16" X 1" Slugger HSS Nova DOC
FE16-31-34-127-00-1	1/2" X 1" Slugger HSS Nova DOC
FE16-31-34-127-00-2	1/2" X 2" Slugger HSS Nova DOC
FE16-31-34-142-00-1	9/16" X 1" Slugger HSS Nova DOC
FE16-31-34-142-00-2	9-16" X 2" Slugger HSS Nova DOC
FE16-31-34-158-00-1	5/8" X 1" Slugger HSS Nova DOC
FE16-31-34-158-00-2	5/8" X 2" Slugger HSS Nova DOC
FE16-31-34-174-00-1	11/16" X 1" Slugger HSS Nova DOC
FE16-31-34-174-00-2	11/16" X 2" Slugger HSS Nova DOC
FE16-31-34-190-00-1	3/4" X 1" Slugger HSS Nova DOC
FE16-31-34-190-00-2	3/4" X 2" Slugger HSS Nova DOC
FE16-31-34-206-00-1	13/16" X 1" Slugger HSS Nova DOC
FE16-31-34-206-00-2	13/16" X 2" Slugger HSS Nova DOC
FE16-31-34-222-00-1	7/8" X 1" Slugger HSS Nova DOC
FE16-31-34-222-00-2	7/8" X 2" Slugger HSS Nova DOC
FE16-31-34-237-00-2	15/16" X 2" Slugger HSS Nova DOC
FE16-31-34-238-00-1	15/16" X 1" Slugger HSS Nova DOC
FE16-31-34-254-00-1	1" X 1" Slugger HSS Nova DOC
FE16-31-34-254-00-2	1" X 2" Slugger HSS Nova DOC
FE16-31-34-269-00-1	1-1/16" X 1" Slugger HSS Nova DOC
FE16-31-34-269-00-2	1-1/16" X 2" Slugger HSS Nova DOC

VARI-BITS®



Lenox Vari-Bits® feature high speed steel construction and steam oxide coating. Two cutting flutes allow for clean burr-free holes.



LX30881 VB-1	Vari Bit	1/8 - 1/2"	1/4" Shank
LX30882 VB-2	Vari Bit	1/2 - 1"	3/8" Shank
LX30883 VB-3	Vari Bit	1/4 - 1/2"	3/8" Shank
LX30888 VB-11	Vari Bit	7/8, 1-1/8"	3/8" Shank
LX30908 VB-8	Vari Bit	3/16 - 7/8"	3/8" Shank
LX30912 VB-12	Vari Bit	7/8 - 1-3/8"	3/8" Shank (for 1/2" & 3/4" conduit)

SPIRA-CUT BLADES



BOS02-GP10	8 Pack Spira-Cut, Guide Point Bit
BOS02-SC5	Pack Spira-Cut, Sabre Cut (#SC4)
BOS02-ZB10	8Pack Spira-Cut, Outlet (2B8)

ZIP® BITS



Rotozip Bits

Designed to tackle the rigors of the jobsite and every tough job imaginable, while still delivering quick, clean cuts every time.

BOS02-DC1	1/4" Dura Cut Zip Bit
BOS02-TC1	1/8" Tile Cut Zip Bit

AUGER & SHIP AUGER BITS



Ship Auger Bits have a new through center cutting design for improved life in nail-embedded wood. The flutes are coated, which produces a non-stick surface for fast and smooth chip ejection, especially in deep holes.

MIL06-48-13-0750	3/4" X 6-1/2" Auger Bit
MIL06-48-13-0753	3/4" X 6" Ship Auger Bit
MIL06-48-13-0870	7/8" X 6-1/2" Auger Bit
MIL06-48-13-0873	7/8" X 6" Ship Auger Bit
MIL06-48-13-1000	1" X 6-1/2" Auger Bit
MIL06-48-13-1003	1" X 6" Ship Auger Bit
MIL06-48-13-1120	1-1/8" X 6-1/2" Auger Bit
MIL06-48-13-1123	1-1/8" X 6" Ship Auger Bit
MIL06-48-13-1250	1-1/4" X 6-1/2" Auger Bit
MIL06-48-13-1253	1-1/4" X 6" Ship Auger Bit
MIL06-48-13-5560	9/16" X 18" Ship Auger Bit
MIL06-48-13-5750	7/8" X 18" Ship Auger Bit
MIL06-48-13-5870	7/8" X 18" Ship Auger Bit
MIL06-48-13-5930	15/16" X 18" Ship Auger Bit
MIL06-48-13-6000	1" X 18" Ship Auger Bit
MIL06-48-13-6120	1-1/8" X 18" Ship Auger Bit
MIL06-48-13-6250	1-1/4" X 18" Ship Auger Bit

ROUND SHANK DRILL BITS



BlueGranite™ Carbide Hammer Drill Bits

Delivers fast impact drilling in concrete, stone and masonry. Low voltage, high temperature brazing prevents the carbide cutting edge from breaking out even when heat builds up during deep drilling.

BOS10-HCBG04B25	3/16" x 6" Round Shank Drill Bit
BOS10-HCBG06B25	1/4" x 6" Round Shank Drill Bit
BOS10-HCBG12B25	3/8" x 6" Round Shank Drill Bit
BOS10-HCBG16B25	1/2" x 6" Round Shank Drill Bit

REBAR CUTTER BITS



SDS Rebar Cutter Bit

High Quality Rotary Carbide - For long drilling life. Tapered Shank Body Design - Less weight for smoother drilling. Unique flute geometry removes metal shavings quickly less vibration and weight. For use with most common rotary hammers in rotation mode.

BOS03-RC2064	3/8" X 12" SDS Rebar Cutter Bit
BOS03-RC2084	1/2" X 12" SDS Rebar Cutter Bit
BOS03-RC2094	9/16" X 12" SDS Rebar Cutter Bit
BOS03-RC2104	5/8" X 12" SDS Rebar Cutter Bit
BOS03-RC2124	3/4" X 12" SDS Rebar Cutter Bit
BOS03-RC2144	7/8" X 12" SDS Rebar Cutter Bit
BOS03-RC2164	1" X 12" SDS Rebar Cutter Bit
BOS03-RC2168	1-1/8" X 12" SDS Rebar Cutter Bit
BOS03-RC2172	1-1/4" X 12" SDS Rebar Cutter Bit
BOS03-RC2176	1-1/2" X 12" SDS Rebar Cutter Bit

Anchors, Blades, Bits, Caulks, & Adhesives

JOBBER LENGTH DRILL BITS



Type 190

Heavy Duty - Surface Treated

This 135° split point drill is self centering and requires less thrust in drilling harder metal than a general purpose drill. It is recommended for medium hardness metal drilling applications.



Type 190-AG

Magnum™ Super Premium

Special Hi-Molybdenum tool steel. 135° split point for fast penetration and accurate starting without a center punch.

Type 190 Part No.	Type 190-AG Part No.	Diameter Inches	Overall Length Inches
-	-	1/64	3/4
-	-	1/32	1-3/8
-	-	3/64	1-3/4
04490	05580	1/16	1-7/8
04500	05590	5/64	2
04510	05600	3/32	2-1/4
04520	05610	7/64	2-5/8
04530	05620	1/8	2-3/4
04540	05630	9/64	2-7/8
04550	05640	5/32	3-1/8
04560	05650	11/64	3-1/4
04570	05660	3/16	3-1/2
04580	05670	13/64	3-5/8
04590	05680	7/32	3-3/4
04600	05690	15/64	3-7/8
04610	05700	1/4	4
04620	05710	17/64	4-1/8
04630	05720	9/32	4-1/4
04640	05730	19/64	4-3/8
04650	05740	5/16	4-1/2
04660	05750	21/64	4-5/8
04670	05760	11/32	4-3/4
04680	05770	23/64	4-7/8
04690	05780	3/8	5
04700	05790	25/64	5-1/8
04710	05800	13/32	5-1/4
04720	05810	27/64	5-3/8
04730	05820	7/16	5-1/2
04740	05830	29/64	5-5/8
04750	05840	15/32	5-3/4
04760	05850	31/64	5-7/8
04770	05860	1/2	6

DOUBLE END DRILL BITS



Type 140

Twin End - Heavy-Duty - 135° Split Point. This twin end drill has wide applications in drilling any thin sheetmetal or wood.

NM28140 #30 Double End Drill Bit

STUB LENGTH DRILL BITS



Type 135 Heavy Duty - 135° Split Point Black Finish

A sturdy drill for use in portable power drilling. Accurate centering, fast penetration. Ideal for sheet metal work.

Type 135 Part No.	Diameter Inches	Overall Length Inches
25560	1/16	1-5/8
25570	5/64	1-11/16
25580	3/32	1-3/4
25590	7/64	1-13/16
25600	1/8	1-7/8
25610	9/64	1-15/16
25620	5/32	2-1/16
25630	11/64	2-1/8
25640	3/16	2-3/16
25650	13/64	2-1/4
25660	7/32	2-3/8
25670	15/64	2-7/16
25680	1/4	2-1/2
25690	17/64	2-5/8
25700	9/32	2-11/16
25710	19/64	2-3/4
25720	5/16	2-13/16
25730	21/64	2-15/16
25740	11/32	3
25750	23/64	3-1/16
25760	3/8	3-1/8
25770	25/64	3-1/4
25780	13/32	3-5/16
25790	27/64	3-3/8
25800	7/16	3-7/16
25810	29/64	3-9/16
25820	15/32	3-5/8
25830	31/64	3-11/16
25840	1/2	3-3/4

TAPS



Type 740 & 741 Hi-Carbon Steel

Made of super tough carbon steel, these taps are ideal for hand tapping applications. All taps have the size drill to use permanently marked on the tap. Packaged 3 per pack.

NM55270	Tap 1/4 x 20 NC - Type 740
NM55930	Tap 6 x 32 NC - Type 741
NM55960	Tap 8 x 32 NC - Type 741
NM55990	Tap 10 x 24 NC - Type 741
NM56000	Tap 10 x 32 NF - Type 741
NM56010	Tap 12 x 24 NC - Type 741

SILVER & DEMING DRILL BITS



Type 130 This general purpose 118° point H.S.S. drill is recommended for use in portable air and electric drilling equipment with 1/2" chucks. Type 130 drills may be used in power applications such as drill presses where a short rigid drill is required.

Part No.	Diameter	Part No.	Diameter
29130	33/64"	29320	13/16"
29140	17/32"	29330	53/64"
29150	35/64"	29340	27/32"
29160	9/16"	29350	55/64"
29170	37/64"	29360	7/8"
29180	19/32"	29370	57/64"
29190	39/64"	29380	29/32"
29200	5/8"	29390	59/64"
29210	41/64"	29400	15/16"
29220	21/32"	29410	61/64"
29230	43/64"	29420	31/32"
29240	11/16"	29430	63/64"
29250	45/64"	29440	1 inch
29260	23/32"	29450	1-1/16"
29270	47/64"	29460	1-1/8"
29280	3/4"	29470	1-5/32"
29290	49/64"	29480	1-3/16"
29300	25/32"	29490	1-1/4"
29310	51/64"		

Individually packaged in plastic tubes. 6 inch overall length, all sizes.



DRILL BIT SETS



NM44150

29 Piece Drill Bit Set

Type 190 Jobber Length 135° Split Point. (1/16" through 1/2" by 64ths)



BLACK & GOLD

NM44190 29 Pc. Drill Bit Set

Black/Gold
Type 190-AG
Blaze Orange
Rd. Case

NM44170 29 Piece Drill Bit Set

Type 190AG drill bits with Handy carrying case.



BLACK & GOLD



BLACK & GOLD

NM66820 29 Pc. Drill Bit Set Black

Gold Type 175-AG (3 Flats On Shank) Rd. Case

Anchors, Blades, Bits, Caulks, & Adhesives

ROTARY HAMMER BITS



SDS-plus® S4® Rotary Hammer Bits
Feature a patent-pending 4-flute design for fast dust removal.

BOS03-HC2001B25	5/32" x 6" SDS Bit
BOS03-HC2010B25	3/16" x 4" SDS Bit
BOS03-HC2011B25	3/16" x 6" SDS Bit
BOS03-HC2012B25	3/16" x 8-1/2" SDS Bit
BOS03-HC2040B25	1/4" x 4" SDS Bit
BOS03-HC2041B25	1/4" x 6" SDS Bit
BOS03-HC2042B25	1/4" x 8-1/2" SDS Bit
BOS03-HC2045	1/4" x 14" SDS Bit
BOS03-HC2051B25	5/16" x 6" SDS Bit
BOS03-HC2061B25	3/8" x 6" SDS Bit
BOS03-HC2064B25	3/8" x 12" SDS Bit
BOS03-HC2067	3/8" x 18" SDS Bit
BOS03-HC2068	3/8" x 24" SDS Bit
BOS03-HC2071	7/16" x 6" SDS Bit
BOS03-HC2081B25	1/2" x 6" SDS Bit
BOS03-HC2084B25	1/2" x 12" SDS Bit
BOS03-HC2087	1/2" x 18" SDS Bit
BOS03-HC2088	1/2" x 24" SDS Bit
BOS03-HC2091	9/16" x 6" SDS Bit
BOS03-HC2094	9/16" x 12" SDS Bit
BOS03-HC2102B25	5/8" x 8" SDS Bit
BOS03-HC2104	5/8" x 12" SDS Bit
BOS03-HC2107	5/8" x 18" SDS Bit
BOS03-HC2122	3/4" x 8" SDS Bit
BOS03-HC2124	3/4" x 12" SDS Bit
BOS03-HC2127	3/4" x 18" SDS Bit
BOS03-HC2142	7/8" x 8" SDS Bit
BOS03-HC2144	7/8" x 12" SDS Bit
BOS03-HC2147	7/8" x 18" SDS Bit
BOS03-HC2163	1" x 10" SDS Bit
BOS03-HC2167	1" x 18" SDS Bit



SDS-max® Rotary Hammer Bits

Feature tips that stay sharper longer and deliver more holes within their ANSI specification than competitors' bits.

BOS04-HC5010	1/2" x 13" SDS Max Drill Bit
BOS04-HC5020	5/8" x 13" SDS Max Bit
BOS04-HC5021	5/8" x 21" SDS Max Drill Bit
BOS04-HC5030	3/4" x 13" SDS Max Bit
BOS04-HC5031	3/4" x 21" SDS Max Drill Bit
BOS04-HC5040	7/8" x 13" SDS Max Drill Bit
BOS04-HC5041	7/8" x 21" SDS Max Drill Bit
BOS04-HC5050	1" x 13" SDS Max Bit
BOS04-HC5051	1" x 21" SDS Max Bit
BOS04-HC5061	1-1/8" x 23" SDS Max Bit
BOS04-HC5071	1-1/4" x 23" SDS Max Bit
BOS04-HC5091	1-1/2" x 23" SDS Max Bit



Spline Rotary Hammer Bits

Bosch spline rotary hammer bits feature tips that stay sharper longer and deliver more holes within their ANSI specification.

BOS05-HC4511	1/2" x 16" Spline Shank Bit
BOS05-HC4516	9/16" x 16" Spline Shank Bit
BOS05-HC4521	5/8" x 16" Spline Shank Bit
BOS05-HC4531	3/4" x 16" Spline Shank Bit
BOS05-HC4532	3/4" x 23" Spline Shank Bit
BOS05-HC4540	7/8" x 16" Spline Shank Bit
BOS05-HC4541	7/8" x 23" Spline Shank Bit
BOS05-HC4550	1" x 16" Spline Shank Bit
BOS05-HC4551	1" x 23" Spline Shank Bit
BOS05-HC4561	1-1/8" x 22" Spline Shank Bit
BOS05-HC4571	1-1/4" x 22" Spline Shank Bit
BOS05-HC4591	1-1/2" x 22" Spline Shank Bit

CARBIDE HAMMER BITS



BOSCH

A-Taper Shank



60005	3/16" x 4" A-Taper Shank Bit
60031	3/8" x 12" A-Taper Shank Bit
60033	3/8" x 18" A-Taper Shank Bit
60056	5/8" x 18" A-Taper Shank Bit

HEAVY DUTY CHISELS



BOSCH

Heavy Duty Chisels are designed for use in a rotary hammer equipped with a Spline, SDS-Max, or 3/4" Hex type chuck.



Bull Point



1" Flat Chisel



Wide Scaling Chisel



1 Piece Bushing

SDS-MAX Shown, Spline and Hex Shank also available.

Cat. No.	Shank Type	Chisel Type	Size or Width	Overall Length
0950	Spline	Bull Point	-	12"
0951	Spline	Bull Point	-	18"
0952	Spline	Flat	1"	12"
0953	Spline	Flat	1"	18"
0954	Spline	Scaling	1-1/2"	12"
0955	Spline	Scaling	2"	12"
0956	Spline	Slotting	1-1/8"	12"
0957	Spline	Mortar / Seam	1-1/8"	15"
0959	Spline	Ground Rod 5/8" & 3/4" Rod	10-1/2"	
0960	Spline	One Piece 1-1/2" x 1-1/2" Bushing (16 Point)	9-3/4"	
0961	-	Bushing (16 point) 1-1/2" x 1-1/2"	2-1/2"	
0962	Spline	Bushing Driver	-	12"
0965	SDS-Max	Bull Point	-	12"
0966	SDS-Max	Bull Point	-	18"
0967	SDS-Max	Flat	1"	12"
0968	SDS-Max	Flat	1"	18"
0969	SDS-Max	Scaling	1-1/2"	12"
0970	SDS-Max	Scaling	2"	12"
0971	SDS-Max	Slotting	1-1/8"	15"
0972	SDS-Max	Mortar / Seam	1-1/8"	15"
0974	SDS-Max	Ground Rod 5/8" & 3/4" Rod	10-1/2"	
0975	SDS-Max	One Piece 1-1/2" x 1-1/2" Bushing (16 point)	12"	
0980	3/4" Hex	Bull Point	-	12"
0981	3/4" Hex	Bull Point	-	18"
0982	3/4" Hex	Flat	1"	12"
0983	3/4" Hex	Flat	1"	20"
0984	3/4" Hex	Ground Rod 5/8" & 3/4" Rod	10-1/2"	

ADAPTERS

Bosch offers adapters to make it easy to utilize SDS-max® while still utilizing your current SDS-plus® and spline accessories.



BOSCH



Spline to SDS-plus



SDS Max to SDS-plus

BOS02-HA1020	Spline to SDS Adaptor
BOS02-HA1030	SDS Max to SDS Adaptor

PAVEMENT BREAKERS



BOSCH



VC1020 1-1/8" Hex 20-1/2" Moll Point



VC1030 1-1/8" Hex 20-1/2" Narrow Chisel
VC1040 1-1/8" Hex 3" X 20-1/2" Chisel



VC1045 1-1/8" Hex 5" X 17" Asphalt Cutter

PNEUMATIC HAMMER TOOLS



VCF0121 Bull Point - 12" Length



VCF0181 1" Flat Chisel - 12" Length



VCF01815 2" x 12" Scaling Chisel

Anchors, Blades, Bits, Caulks, & Adhesives

18 GAUGE POWER SHEARS

KD-200

These double-cut shears feed quickly and quietly, without warping or bending your finished piece (distortion is in the waste strip). It easily follows a scribed line - edges are not hardened or burred, so you get maximum use of a sheet. These shears cut sheet metal up to 18 gauge in straight or contour lines at 180 inches per minute and plastic or Formica up to 3/32" thick.



14 GAUGE POWER SHEARS

KD-440

This lightweight, pistol-grip shear cuts 14 gauge mild steel and most grades of stainless to 18 gauge. Double-insulated, the 5 AMP Shears cuts at over 150 inches per minute, leaving a clean, flat sheet, ready to fabricate. Distortions are absorbed in an easily disposed of waste curl, leaving the sheet cool and free of burn, chips and burrs. The cutting blades are finest high-speed steel, which you can easily replace.



NIBBLER ATTACHMENT

1020 Nibbler Attachment

The 1020 nibbler attachment is interchangeable on any non D-handle Kett Tool electric or pneumatic motor.

The nibbler head cuts straight, left or right with the unique swivel punch and die assembly. It can be locked in any 360° position, cutting a clean even line 3/16" wide. The 1020 nibbler attachment cuts flat or corrugated metal with ease.



REPLACEMENT BLADES



102	18 Ga. Blade Kit
104	16 Ga. Blade Kit
80-21	Center Scissor Blade
60-21	Center Blade
1022	Nibbler Punch

OSCILLATING BLADES



MM100 The fine tooth configuration is specifically designed for precision wood applications. Designed to fit Fein MultiMaster, Bosch Multi-X, Craftsman Multi Tool, Dremel Multi-Max and Chicago Multi-Tool.

IMPMM100	1-1/4" Fine Wood Saw Blade
IMP3MM100	1-1/4" Fine Wood Saw Blade- 3-Pack
IMPMM150	2-1/2" Fine Wood Saw Blade
IMP3MM150	2-1/2" Fine Wood Saw Blade- 3-Pack



MM300 Universal bi-metal saw blade Comes with a 14 teeth per inch blade to cut wood and nails with ease.

IMPMM300	1-1/4" Bi Metal Saw Blade
IMP3MM300	1-1/4" Bi Metal Saw Blade- 3-Pack

HSS Segment Saw Blade

3-1/8" high-speed steel flat saw blade is segmented on one side. Cuts through harder wood and sheet metal up to 1mm thick as well as carbon fiber, fiberglass, and nails.

IMPMM410	3-1/8" HSS Segment Saw Blade
IMP5MM410	3-1/8" HSS Segment Blade- 5 Pack



IMPMM500 Rigid Scraping Blade

For lifting linoleum, carpet adhesive, residue, scale, paint, tape, etc.



IMPMM640 1-1/4" Flush Cut Carbide Blade

For cutting out damaged tile grout and for cutting grooves in plaster, porous concrete and similar construction materials.



IMPMM550 2-1/2" Wavy Knife Blade

suitable for materials like, foam, polystyrene, leather, rubber, paper and carpet.



IMPMM133 1-1/4-Inch Fine Tooth Universal Oscillating Plunge Blade
2-5/8 inch plunge. Fine wood saw blade.



Titanium Bi-Metal Universal Oscillating Blades



IMPMMT330	1-1/4" Universal Storm Blade - Titanium
IMPMMT335	1-1/2" Wood Storm Blade - Titanium
IMPMMT340	1-3/4" Universal Storm Blade -Titanium

IMP3MMT

3 Blade Variety Pack Titanium Bi-Metal Universal Oscillating Blades (MMT330, MMT335 & MMT340).



Titanium Bi-Metal Universal Oscillating Blades - Multi-Packs

IMP3MMT330	1-1/4" Universal Storm Blade- Titanium- 3-Pack
IMP3MMT335	1-1/2" Wood Storm Blade - Titanium- 3-Pack
IMP3MMT340	1-3/4" Universal Storm Blade - Titanium- 3-Pack
IMP10MMT330	1-1/4" Universal Storm Blade - Titanium- 10-Pack
IMP10MMT335	1-1/2" Wood Storm Blade - Titanium- 10-Pack
IMP10MMT340	1-3/4" Universal Storm Blade - Titanium- 10-Pack

Anchors, Blades, Bits, Caulks, & Adhesives

MULTI TOOL BLADES & ABRASIVES

Use Genuine Fein MultiMaster Blades & Accessories!



FEI6-35-02-106-01-5	Segment Saw Blade
FEI6-35-02-118-01-6	Carbide Blade
FEI6-35-02-133-01-7	1-3/8" E-Cut Standard Blade
FEI6-35-02-134-01-5	2-1/2" E-Cut Standard Blade
FEI6-35-02-144-01-4	Flush Cut Blade - Metal
FEI6-35-02-151-01-8	E-Cut Universal Blade
FEI6-35-02-152-01-0	1-5/8" E-Cut Universal Blade
FEI6-37-17-082-04-9	5 Pack 60 Grit Sandpaper w/ Velcro Back
FEI6-37-17-083-04-3	5 Pack 80 Grit Sandpaper w/ Velcro Back
FEI6-37-17-085-04-5	5 Pack 120 Grit Sandpaper w/ Velcro Back
FEI6-37-17-088-04-0	5 Pack 180 Grit Sandpaper w/ Velcro Back
FEI6-37-31-001-01-4	Carbide Plate - Triangle Shape
FEI6-38-06-129-02-6	2 Pack Sanding Pad w/ Velcro Back
FEI6-38-06-183-01-3	Profile Sanding Kit
FEI63806192020	Stainless Steel Grinding Kit
FEI6-39-01-025-06-0	Mini Cut & File Set
FEI6-39-03-117-01-5	5 Pack Caulking Cutter Blades
FEI6-39-03-178-01-7	Fixed Scraper Blade
FEI6-39-03-205-01-5	Convex Cutter

CARBIDE BLADES *freud*

Freud Diablo Carbide Blades

Specially designed to meet the needs of the construction and remodeling market. Laser-cut stabilizer vents for reduced vibration and precise cuts.



FRDD0724A	7-1/4" Diablo Framing Blade 24T - Wet Lumber
FRDD0740A	7-1/4" Diablo Framing Blade 40T - Wet Lumber
FRDD0756N	7-1/4" X 5/8" 56 Teeth Diablo Blade
FRDD1060X	10" Diablo Fine Finish Blade 60T - Wood/Melamine
FRDD1080X	10" Diablo Ultra Finish Blade 80T - Wood/Melamine
FRDD1244X	12" Diablo General Purpose Blade 44T
FRDD1280X	12" Diablo Fine Wood/Melamine Blade 80T
FRDD1296N	12" Diablo Plastic/Copper/Alum/Brass Blade 96T

CARBIDE DEMOLITION BLADES *freud*

Demo Demon - Framing / Demolition Blade

Ideal for extreme framing and demolition applications. Delivers up to six times the life of standard blades in extreme situations.



FRDD0724DA	7-1/4" X 24 Tooth "Demo Demon" Blade
-------------------	--------------------------------------

GENERAL PURPOSE BLADE



General Purpose TCT Blade

Universal use. Rip and crosscut natural woods and plywood. The medium tooth count allows for a wide range of cuts.



LAC-WGPB07024E	7-1/4" X 24T Circular Saw Blade
-----------------------	---------------------------------

CARBIDE BLADES

freud



Freud Carbide Blades

Freud manufactures some of the most innovative, technologically advanced saw blades in the world. Freud develops different types of carbide for each application to maximize the cutting life and performance of the tool.

FRDLM72R010	10" Industrial Heavy-Duty Rip Blade 24T
FRDLM74R010	10" Industrial Glue Line Rip Blade 30T
FRDLU73M010	10" Cabinetmaker's Crosscut Blade 60T
FRDLU85R010	10" X 80 Tooth Ultimate Cut-Off Blade
FRDLU85R012	12" Ultimate Cut-Off Blade 96T
FRDLU91R010	10" Fine Finish Blade for Slide Miter Saw 60T

CARBIDE BLADES

freud



Freud Diablo Steel Demon Blades

This advanced laser cut blade features a thin kerf, making it ideal for portable and low powered saws on the jobsite. This blade slashes through ferrous containing metals quickly and accurately leaving clean, burr free cuts.

FRDD0530FM	5-3/8" X 30 Tooth Diablo Steel Demon Blade
FRDD0648F	6-1/2" X 48 Tooth Diablo Steel Demon Blade
FRDD0738F	7-1/4" X 5/8" 38 Teeth Diablo Steel Demon Blade
FRDD0748F	7-1/4" X 5/8" 48 Teeth Diablo Steel Demon Blade
FRDD1260F	12" X 1" 60 Teeth Diablo Steel Demon Blade
FRDD1472F	14" X 1" 72 Teeth Diablo Steel Demon Blade

HARDI BLADES

freud

Diablo Fiber Cement Blades™

Features a unique, spark-eroded Triple Chip grind for long life – up to 60 times the life in fiber cement of conventional carbide blades Perfect for full time use in heavy duty applications like cutting multiple pieces of fiber cement board.



FRDD0704DH	7-1/4" X 5/8" 4T Hardie Blade
FRDD1006DH	10" X 5/8" 6T Hardie Blade
FRDD1208DH	12" X 1" 8T Hardie Blade

METAL CUTTING CARBIDE BLADE



14" Carbide Tip Ferrous Metal Blade
72 Tooth, 1" Arbor.



LAC-FMB14072	14" X 72T Carbide Blade For Metal Cutting
---------------------	---

Anchors, Blades, Bits, Caulks, & Adhesives

METAL CUTTING BLADE

Panasonic

EY9PM13D

5-3/8" Carbide Tipped Blade
5-3/8" "Thin" Metal Cutting Blade.
20mm Arbor - 50 teeth.

PANPEY9PM13D 5-3/8" "Thin" Metal Cutting Blade



RESCUE BLADES



BOSCH

Carbide rescue blades with 1" arbor. Designed for rough cutting applications.

BOS06-PRO1224RES 12" X 24 Tooth Blade

BOS06-PRO1424RES 14" X 24 Tooth Blade



CORDLESS SAW BLADE



BOSCH

Bosch CBCL618A

6-1/2" 18 Tooth ATB General Purpose
Saw Blade with 5/8" Arbor

BOS06-CBCL618A 6-1/2" X 18T Cordless Circular Saw Blade



CARBIDE BLADES



BOSCH

Carbide tips are diamond ground to specific configurations based on blade's ultimate cutting applications. Larger precision ground C-2 carbide tips provide 30% more resharpenings. Heavy-duty hardened steel blanks for stiffer bodies and truer running saw blades. Expansion slots dissipate heat build-up.

BOS06-75724B25 Carbide Blade 7-1/4" X 24 Tooth
BOS06-75740B25 Carbide Blade 7-1/4" X 40 Tooth
BOS06-27177 Carbide Blade 8-1/4" X 24 Tooth



CARBIDE BLADES

TENRYU

PRF-35572D Steel-Pro® Series

Cut ferrous metals (mild steel) faster, cleaner and easier. For use on dry-cut low RPM saws for cutting mild steel.

SPS-35590 Steel-Pro® for Stainless Series

Never before has cutting stainless steel been so easy and economical. The TENRYU Steel-Pro for Stainless blades allow you to cut a wide variety of stainless steel materials.

TENPRF-35572D 14" X 72T Carbide Blade For Metal Cutting

TENSPS-35590 14" X 90T Carbide Blade For Stainless Steel



QHS

Husqvarna

Cast Iron/Ductile Iron: Green QHS

General purpose blade for outstanding speed, blade life and cost efficiency.

HUS0523027 12" Dia. x 1/8 x 1"
HUS0523028 12" Dia. x 1/8 x 20mm
HUS0523029 14" Dia. x 1/8 x 1"
HUS0523030 14" Dia. x 1/8 x 20mm
HUS0523123 16" Dia. x 5/32 x 1"
HUS0523110 16" Dia. x 5/32 x 20mm



CARBIDE BLADES



BOSCH



Construction / Framing Blades

Bosch's Construction Series carbide blades have been designed to fit the needs of all framing and trim carpenters. Each blade has a thin-plate that has been hardened to stay flat and run true, cut after cut.

BOS06-CB724AB25 7-1/4" x 24T Framing Saw Blade

HIGH SPEED CUT-OFF WHEELS



UNITED ABRASIVES, INC.

SAIT

Brute™ - Metal

Long life. Extremely hard bond for cutting metals that present a very sharp edge to the wheel.

A24R- General Purpose Metal

Aluminum oxide grain. Provides consistent performance with long life.

Big M.A.C.™ - Masonry, Asphalt, Concrete

Special silicon carbide grain. Superior cutting action. 40% longer life than general purpose concrete wheels.

UA23412 12" x 1/8" x 1" Brute™ Metal Cut-Off Blade
UA23422 12" x 1/8" x 20mm Brute™ Metal Cut-off Blade
UA23452 14" x 1/8" x 1" Brute™ Metal Cut-Off Blade
UA23457 14" x 1/8" x 20mm Brute™ Metal Cut-Off Blade
UA23459 16" x 1/8" x 1" A24R Metal Cut-Off Blade
UA23470 16" x 1/8" x 20mm A24R Metal Cut-Off Blade
UA23460 12" x 1/8" x 1" Big M.A.C. Concrete Cut-Off Blade
UA23462 12" x 1/8" x 20mm Big M.A.C. Concrete Cut-Off Blade
UA23463 14" x 1/8" x 1" Big M.A.C. Concrete Cut-Off Blade
UA23464 14" x 1/8" x 20mm Big M.A.C. Concrete Cut-Off Blade



CARBIDE BLADES

Bosch Professional Series circular saw blades are designed to meet the needs of professional users from woodworkers to firefighters. All blades feature industrial quality, laser cut, fully hardened bodies and oversized carbide tips for resharpening.



BOSCH

BOS06-CB748ST Carbide Blade 7-1/4" x 48 Tooth-Steel Cutting
BOS06-PRO1260ST Carbide Blade 12" X 60 Tooth- Steel Cutting
BOS06-PRO1280FIN Carbide Blade 12" X 80 Tooth - Wood Cutting
BOS06-PRO1296SM Carbide Blade 12" X 96 Tooth- Wood Cutting
BOS06-PRO1480ST Carbide Blade 14" X 80 Tooth- Steel Cutting

Anchors, Blades, Bits, Caulks, & Adhesives

CHOP SAW WHEELS



Iron Worker™ Angle Iron, Medium Size Metal.
Stud King® Metal Studding, Thin Metals.
Steel Worker® Cool Cutting on Stainless Steel.

UA24031	12" x 3/32" x 1" Iron Worker Chop Saw Blade
UA24050	14" x 3/32" x 1" Stud King Chop Saw Blade
UA24051	14" x 3/32" x 1" Iron Worker Chop Saw Blade
UA24053	14" x 3/32" x 1" Steel Worker Chop Saw Blade

METAL CUTTING WHEELS



A60S - General Purpose Metal
 Thin .045 width. Special aluminum oxide grain. Hard bond for extremely long life. Fast, burr-free cutting Type 27 Depressed Center.

UA22021	4-1/2" x 1/16" x 7/8" A60S Metal Cutting Disc
UA22047	6" x .045 x 7/8" A60S Metal Cutting Disc
UA20916	7" x .90" x 5/8-11 A60S Metal Cutting Disc

A36T - Fast Cutting
 Type 1 Thin High Speed Cut-Off Wheels - Fast Cutting. Ferrous metals and Stainless Steel



UA23265	7" x 1/16" x 5/8" A36T Metal Cutting Blade
UA23275	8" x 1/16" x 5/8" A36T Metal Cutting Blade

CONCRETE CUTTING WHEELS



C24R - Concrete
 Silicon carbide grain. General purpose cutting, hard bond for long life. Primary application: Masonry, concrete, stone. Wheels with 5/8-11 threaded bore come with Super-Lock™ Hub. Type 27 Depressed Center.

UA22061	9" x 1/8" x 5/8-11 Concrete Cutting Disc
----------------	--




CUPPED GRINDING WHEELS



C24N - Concrete
 Soft bond for fast stock removal. Type 28 Depressed Center.

UA21016	9" x 1/4" x 5/8-11 Cupped Concrete Grinding Disc
----------------	--

GRINDING WHEELS



A24R - Metal Grinding
 For general purpose grinding. Longer life for fewer wheel changes. **Saitech Ultimate Performance™**

Very uniform, high density grain structure is extremely durable and self sharpening for long life and cooler cut. Combines fast stock removal with long life.

C24N - Concrete Grinding
 Soft bond for fast stock removal. Type 27 Depressed Center. Wheels with 5/8-11 threaded bore come with Super-Lock™ Hub.

UA20063	4-1/2" x 1/4" x 7/8" A24R Metal Grinding Disc
UA20064	4-1/2" x 1/4" x 7/8" Saitech U.P. Metal Grinding Disc
UA20086	7" x 1/4" x 5/8-11 A24R Metal Grinding Disc
UA20096	9" x 1/4" x 5/8-11 A24R Metal Grinding Disc
UA20061	4-1/2" x 1/4" x 7/8" C24N Concrete Grinding Disc
UA20087	7" x 1/4" x 5/8-11 C24N Concrete Grinding Disc
UA20097	9" x 1/4" x 5/8-11 C24N Concrete Grinding Disc

SPECIALTY METAL CUTTING/GRINDING WHEELS



A24R Pipeline - Long Life
 Aluminum oxide grain. For the pipeline industry. Designed and manufactured to perform both cutting and light grinding.



A24R - General Purpose
 Aluminum oxide grain. For general purpose, low cost cutting only. Combines fast cutting and long life.

UA22062	9" x 1/8" x 5/8-11 A24R Pipeline Metal Cutting Disc
UA22067	9" x 3/32" x 5/8-11 A24R G. P. Metal Cutting Disc
UA22030	4-1/2" x 1/8" x 7/8" A24R Pipeline Metal Grinding Disc

FLAP DISCS



More flaps that are larger yield longer life, made with premium zirconium abrasive material that provide long-life and high stock removal. Grind, blend and finish with one product, Out performs competitive low density flap discs. Resists loading on aluminum, unique in the industry.

UA71206	4-1/2" X 7/8" 40 Grit Flap Disc
UA71208	4-1/2" X 7/8" 60 Grit Flap Disc
UA71211	4-1/2" X 7/8" 120 Grit Flap Disc

Anchors, Blades, Bits, Caulks, & Adhesives

CUP WHEELS

UNITED
ABRASIVES, INC.

SAIT



A16 - Type 11

- Aluminum oxide grain.
- Coarse grit wheel for tough grinding applications.
- Excellent for cleaning castings, mold marks, removing flashing.
- Max RPM 7,250 rpm.

UA26013 for Metal - 5" Diameter, 2" Width, 5/8-11 Bore

UA26014 for Concrete - 5" Diameter, 2" Width, 5/8-11 Bore

WIRE BRUSHES & WHEELS

For use on small grinders.
5/8-11 Arbor.



UNITED
ABRASIVES, INC.

SAIT



- UA03414** 2-3/4" Knotted Wire Cup Brush
UA06513 3-1/2" Crimped Wire Cup Brush
UA03410 6" Knotted Wire Cup Brush
UA03426 4" Knotted Wire Wheel



SAITSCREEN™ DISCS

UNITED
ABRASIVES, INC.

SAIT



- Cloth screen impregnated with silicon carbide grain.
- Long life, non-loading, double sided.
- Excellent for removing paint and varnish from floors.

- UA88706** 17" Saitscreen - 60 Grit for Disc Sander
UA88708 17" Saitscreen - 80 Grit for Disc Sander
UA88710 17" Saitscreen - 100 Grit for Disc Sander
UA88712 17" Saitscreen - 120 Grit for Disc Sander



NYLON FLOOR PADS

UNITED
ABRASIVES, INC.

SAIT

Excellent for maintaining
wood, cement and tile floors.



- UA86174** 17" Black Nylon Pad For Disc Sander

SCYTHE STONE



UA 120L Scythe Stone
10" x 1-5/16" x 9/16"

HAND/FLOOR RUBS

Vitrified Bonded Abrasives

Removes form marks on concrete.



Handle: For extra comfort and working overhead.

Fluted: For extra shearing action.

Scored: For cleaning castings and dressing bench grinding wheels.

- UA25040** 6" x 3" x 1" Rubbing Stone w/ Handle
UA25050 8" x 3-1/2" x 1-1/2" Rubbing Stone w/ Handle
UA25062 8" x 2" x 2" Scored Rubbing Stone Fine Grit
UA25030 8" x 2" x 2" Fluted Rubbing Stone

FLOOR SCRAPER

Ideal for after work clean up. Scraper blades are firm but flexible. Comes with heavy-duty 5' shovel type wood handle.

- CC-214** 14" Scraper
CC-218 18" Scraper
CC-222 22" Scraper
CC-207 14" Replacement blade
CC-208 18" Replacement blade
CC-209 22" Replacement blade



FLOOR SCRAPER

T-Handle Floor Scraper

Floor scraper has 7" blade that shaves all kinds of floor coverings on any type of floor. Also scrapes carpeting. All steel "T" handle is 54" long. Blades are replaceable.

- GG-393** 7" Scraper
GG-394 7" Replacement blade



FLOOR SCRAPERS



All steel construction.

- KRFC506** 8" Floor Scraper w/ Adjustable Handle
KRFC507 3 Pc Pack 8" Replacement Blades for KRFC506
KRFC520 Heavy Duty 5" Scraper w/ 15" Handle
KRFC521 10 Pc Pack 5" Replacement Blades for KRFC520



Anchors, Blades, Bits, Caulks, & Adhesives


SANDING BELTS

Aluminum Oxide Closed Coat Abrasive Belts

Primary application: Ferrous metals and/or non ferrous metals. Secondary application: Wood, fiberglass, plastic, etc. Use dry only.



SAIT
UNITED ABRASIVES, INC.



UA58162	3" x 21"	40 Grit Sanding Belt
UA58164	3" x 21"	60 Grit Sanding Belt
UA58165	3" x 21"	80 Grit Sanding Belt
UA58166	3" x 21"	100 Grit Sanding Belt
UA58167	3" x 21"	120 Grit Sanding Belt
UA58172	3" x 24"	40 Grit Sanding Belt
UA58173	3" x 24"	50 Grit Sanding Belt
UA58174	3" x 24"	60 Grit Sanding Belt
UA58175	3" x 24"	80 Grit Sanding Belt
UA58176	3" x 24"	100 Grit Sanding Belt
UA58177	3" x 24"	120 Grit Sanding Belt
UA58192	4" X 24"	40 Grit Sanding Belt
UA58193	4" x 24"	50 Grit Sanding Belt
UA58194	4" x 24"	60 Grit Sanding Belt
UA58195	4" x 24"	80 Grit Sanding Belt
UA58196	4" x 24"	100 Grit Sanding Belt
UA58197	4" x 24"	120 Grit Sanding Belt

SANDING BELTS

3M

3M™ 761D Purple Belts

A Cubitron™ abrasive grain cloth belt constructed on a Y weight, strong, durable cloth backing. Resin bonded for heat resistance. Primary markets: metalworking, woodworking.



3M01-27495	10 Pc. Box 3" x 21" 120 Grit Sanding Belts
3M01-81400	5 Pc. Box 3" x 21" 60 Grit Sanding Belts

WIDE SANDING BELTS

3M

3M™ Cloth Belt 240D

Durable cloth-backed belts are generally good choices for applications ranging from heavy duty grinding to fine finishing. They are resistant to tearing and will not easily nick.



3M01-03949	37" x 60" Wide Sanding Belt - 60 Grit
3M01-03950	37" x 60" Wide Sanding Belt - 80 Grit
3M01-03951	37" x 60" Wide Sanding Belt - 100 Grit
3M01-03952	37" x 60" Wide Sanding Belt - 120 Grit
3M01-06828	37" x 60" Wide Sanding Belt - 150 Grit
3M01-06829	37" x 60" Wide Sanding Belt - 180 Grit
3M01-06830	37" x 60" Wide Sanding Belt - 220 Grit

SANDING DISCS

3M

3M™ Stikit™ Cloth Disc

An aluminum oxide open coat, load resistant Stikit™ disc constructed on a J weight, light and flexible cloth backing. Resin bonded for heat resistance.



3M01-50450	50 pc. Pack 5" Stikit Sanding Disc - 80 Grit
3M01-50451	50 Pc. Pack 5" Stikit Sanding Disc - 100 Grit
3M01-50452	50 Pc. Pack 5" Stikit Sanding Disc - 120 Grit
3M01-50453	50 Pc. Pack 5" Stikit Sanding Disc - 150 Grit
3M01-50454	50 Pc. Pack 5" Stikit Sanding Disc - 180 Grit
3M01-50455	50 Pc. Pack 5" Stikit Sanding Disc - 220 Grit

SANDING DISCS



BOSCH

Bosch Sanding Disc 5-Inch Hook & Loop Sanding Disc, 8-Hole, Red, 5 Pack




BOS02-SR5R040	5" Diameter Sanding Disc 40 Grit
BOS02-SR5R060	5" Diameter Sanding Disc 60 Grit
BOS02-SR5R080	5" Diameter Sanding Disc 80 Grit
BOS02-SR5R120	5" Diameter Sanding Disc 120 Grit
BOS02-SR5R180	5" Diameter Sanding Disc 180 Grit
BOS02-SR5R240	5" Diameter Sanding Disc 240 Grit
BOS02-SR5R320	5" Diameter Sanding Disc 320 Grit

POLISHING PADS

5" Diamond Polishing Pads

Includes 5/8-11 Thread Backing Pad. 8 Polishing Pads (50, 80, 150, 300, 500, 1000, 2000, 3000 Grits).



VANDVAZZ05000A	5" Backing Pad w/ 5/8-11 Thread
VANDVHC050050A	Polish Pad 50 Grit Blue
VANDVHC050080A	Polish Pad 80 Grit Tan
VANDVHC050150A	Polish Pad 150 Grit Yellow
VANDVHC050300A	Polish Pad 300 Grit Orange
VANDVHC050500A	Polish Pad 500 Grit Red
VANDVHC051000A	Polish Pad 1,000 Grit Green
VANDVHC052000A	Polish Pad 2,000 Grit Light Green
VANDVHC053000A	Polish Pad 3,000 Grit Brown

BACKING PADS




BOSCH

8-hole Hook & Loop Hard Backing Pad



BOS02-RS030	5" Extra Soft Sanding Pad
BOS02-RS031	5" Soft Sanding Pad
BOS02-RS032	5" Hard Sanding Pad

POLISHING PADS



VANH101R Diamond Polishing Pads

Set of 8 Foam Handpads (70, 120, 220, 400, 600, 800, 1800, 3500 grits).

Anchors, Blades, Bits, Caulks, & Adhesives

RECIPROCATING BLADES

Milwaukee



Ice Hardened Sawzall® Blades

Cryogenically treated to minimize soft metal (austenite) and create more hard metal (martensite). More consistently hard throughout, for up to 50% longer life than standard blades. Matrix II bi-metal teeth for greater durability.

GENERAL PURPOSE

Versatile cutting performance across the broadest selection of materials, including oil embedded wood, plastics, ferrous and non-ferrous metals:

MIL03-48-00-4091 6" Ice Hardened - 8/12 Teeth per Inch

MIL03-48-00-4093 8" Ice Hardened - 8/12 Teeth per Inch

METAL CUTTING

Metal 3/16" thru 1/4", Pipe, Conduit, Strut, Threaded Rod, Angle Iron and other metals:

MIL03-48-00-4182 6" Ice Hardened - 14 Teeth per Inch

MIL03-48-00-4187 9" Ice Hardened - 14 Teeth per Inch

METAL CUTTING

Metal 18" thru 3/16", Pipe, Conduit, Strut, Threaded Rod, Angle Iron and other metals:

MIL03-48-00-4184 6" Ice Hardened - 18 Teeth per Inch

MIL03-48-00-4188 9" Ice Hardened - 18 Teeth per Inch

METAL CUTTING

Metal 1/4" thru 3/8", Pipe, Conduit, Strut, Threaded Rod, Angle Iron and other metals:

MIL03-48-00-4712 6" Ice Hardened - 10 Teeth per Inch

MIL03-48-00-4713 9" Ice Hardened - 10 Teeth per Inch

Metal 3/16" thru 1/4", Pipe, Conduit, Strut, Threaded Rod, Angle Iron and other metals:

MIL03-48-00-4782 6" Ice Hardened - 14 Teeth per Inch

MIL03-48-00-4787 9" Ice Hardened - 14 Teeth per Inch

Metal 1/8" thru 3/16", Pipe, Conduit, Strut, Threaded Rod, Angle Iron and other metals:

MIL03-48-00-4784 6" Ice Hardened - 18 Teeth per Inch

MIL03-48-00-4788 9" Ice Hardened - 18 Teeth per Inch

RECIPROCATING GRIT BLADES

Carbide Grit Blades

Designed for cutting ceramic tile, plaster, masonry, brick, fiberglass and other abrasive materials.

Milwaukee



MULTI PURPOSE - CARBIDE GRIT

MIL03-48-00-1420 6" Tungsten Carbide - Course Grit

MIL03-48-00-1430 9" Tungsten Carbide - Course Grit

SAWZALL MATERIAL REMOVAL SET

Milwaukee



MIL02-49-22-5403

Material Removal Set For Sawzalls

Features 3 tools for a broad range of professional applications

RECIPROCATING BLADES

Milwaukee



Milwaukee Sawzall® Blades

Designed to maximize performance in specific cutting applications. Durability and endurance are the goal of every blade we make. This blade has a 1/2" universal tang that fits all Sawzall® Reciprocating Saws and standard competitive saws.

ALL PURPOSE

All woods, nail embedded wood, composition material, plastic, ferrous and non-ferrous metals, Cast iron:

MIL03-48-00-5091 6" Super - 8/12 Teeth per Inch

MIL03-48-00-5093 8" Super - 8/12 Teeth per Inch

MIL03-48-00-5094 12" Super - 8/12 Teeth per Inch

WOOD CUTTING

Very fast cutting, nail embedded wood, general roughing-in:

MIL03-48-00-5031 6" Super - 5/8 Teeth per Inch

MIL03-48-00-5036 9" Super - 6 Teeth per Inch

MIL03-48-00-5037 12" Super - 6 Teeth per Inch

MIL03-48-01-6035 50 Pack: 6" - 5 Teeth per Inch

MIL03-48-01-6036 50 Pack: 9" - 5 Teeth per Inch

WOOD & PLASTIC

Very fast cutting wood, plastics & pruning:

MIL03-48-00-5015 6" Super Sharp - 6 Teeth per Inch

MIL03-48-00-5016 9" Super Sharp - 6 Teeth per Inch

WOOD/METAL RESCUE & DEMOLITION

Excellent for plunge cutting into wood and nail embedded without buckling blades:

MIL03-48-00-5021 6" The Ax Super - 5/8 Teeth per Inch

MIL03-48-00-5026 9" The Ax Super - 5/8 Teeth per Inch

MIL03-48-00-5027 12" The Ax Super - 5/8 Teeth per Inch

METAL CUTTING

Metal 3/16" thru 1/4", Conduit, Tubing, Channels, Pipe, Rubber, Fiber:

MIL03-48-00-5182 6" Super - 14 Teeth per Inch

MIL03-48-01-6182 50 Pack: 6" - 14 Teeth per Inch

MIL03-48-00-5187 9" Super - 14 Teeth per Inch

MIL03-48-01-6187 50 Pack: 9" - 14 Teeth per Inch

Metal 1/8" thru 3/16", Conduit, Tubing, Channels, Pipe:

MIL03-48-00-5184 6" Super - 18 Teeth per Inch

MIL03-48-01-6184 50 Pack: 6" - 18 Teeth per Inch

MIL03-48-00-5188 9" Super - 18 Teeth per Inch

MIL03-48-01-6188 50 Pack: 9" - 18 Teeth per Inch

Metal thinner than 1/8", Tubing, Pipe, Tim:

MIL03-48-00-5186 6" Super - 24 Teeth per Inch

MIL03-48-00-5189 12" Super - 18 Teeth per Inch

RESCUE & DEMOLITION

All woods, nail embedded wood, composition material, plastic, light gauge non-ferrous metals and aluminum.

MIL03-48-00-5701 6" The Wrecker - 8 Teeth per Inch

MIL03-48-00-5706 9" The Wrecker - 8 Teeth per Inch

RESCUE & DEMOLITION

Metal 1/4" thru 3/8" Channels, Metal Pipe, Cast iron:

MIL03-48-00-5712 6" Torch Super - 10 Teeth per Inch

MIL03-48-00-5713 9" Torch Super - 10 Teeth per Inch

Metal 3/16" thru 1/4" Channels, Metal Pipe, Cast iron:

MIL03-48-00-5782 6" Torch Super - 14 Teeth per Inch

MIL03-48-00-5787 9" Torch Super - 14 Teeth per Inch

Metal 1/8" thru 3/16", Conduit, Tubing, Channels, Pipe, Rubber, Fiber:

MIL03-48-00-5784 6" Torch Super - 18 Teeth per Inch

MIL03-48-00-5788 9" Torch Super - 18 Teeth per Inch

MIL03-48-00-5789 12" Torch Super - 18 Teeth per Inch

Anchors, Blades, Bits, Caulks, & Adhesives

RECIPROCATING BLADES

LENOX



Advantage™ Bi-Metal

Tuff Tooth™ Bi-metal reciprocating blades keep cutting where others fail. They are shatter resistant. The teeth retain their sharpness and they cut fast.

WOOD CUTTING

Fast cutting, roughing-in work & nail embedded wood:

- LX656R** 6" Length Blade, 6 Teeth per Inch
- LX956R** 9" Length Blade, 6 Teeth per Inch
- LX156R** 12" Length Blade, 6 Teeth per Inch

WOOD/METAL CUTTING

Nail-embedded wood, Composition materials and plastics, Pipe, Carbon steel, Stainless steel (1/8" - 1/4"). Non-ferrous metal (1/8" - 1/2"):

- LX610R** 6" Length Blade, 10 Teeth per Inch
- LX810R** 8" Length Blade, 10 Teeth per Inch

PLASTER CUTTING

Plaster, Plaster board & lath, bidirectional cutting:

- LX636RP** 6" Length Blade, 6 Teeth per Inch

METAL CUTTING

Pipe, Structural steel, Stainless steel (3/32" - 1/4"),

Non-ferrous metal (3/32" - 3/8"):

- LX614R** 6" Length Blade, 14 Teeth per Inch

Structural steel, Pipe, Conduit, Stainless steel (1/16"-3/16"), Non-ferrous metal (1/16" - 5/16"):

- LX618R** 6" Length Blade, 18 Teeth per Inch
- LX818R** 8" Length Blade, 18 Teeth per Inch

All metals less than 1/8", Tubing, Conduit, Trim:

- LX624R** 6" Length Blade, 24 Teeth per Inch

Lazer™ Metal Cutting Blades- Angle Iron, Rebar, Steel Rod, Black Pipe:

- LX6110R** 6" Length Blade, 10 Teeth per Inch

RESCUE & DEMOLITION

Demolition Work in nail-embedded wood:

- LX6066R** 6" Length Blade, 6 Teeth per Inch
- LX966R** 9" Length Blade, 6 Teeth per Inch
- LX9514R** 9" Length Blade, 10 Teeth per Inch

Wood, Nail-embedded wood, Pipe, Carbon steel, Stainless steel (1/8" - 1/2").

Demolition, Fire & rescue:

- LX110R** 12" Length Blade, 10/14 Teeth per Inch

MULTI PURPOSE - CARBIDE GRIT

Carbide grit edge for tile, fiber, cast iron, ceramics, stone, brick, marble:

- LX800RG** 8" Master-Grit™ Blade



LENOX Gold

LENOX Gold Titanium Edge

Reinforced tooth design and titanium coating combine to create the longest lasting blade. Shatter Resistant Bi-metal blades bend and resist breaking and extend blade life. Specially formulated titanium edge improves the wear resistance of the teeth.

WOOD CUTTING

Fast cutting, Roughing-in work & nail embedded:

- LX656G** 6" Length Blade, 6 Teeth per Inch

WOOD/METAL CUTTING

Nail-embedded wood, Composition materials and plastics, Pipe, Carbon steel, Stainless steel (1/8" - 1/4"). Non-ferrous metal (1/8" - 1/2"):

- LX610G** 6" Length Blade, 10 Teeth per Inch

METAL CUTTING

Pipe, Structural steel, Stainless steel (3/32" - 1/4"), Non-ferrous metal (3/32" - 3/8"):

- LX614G** 6" Length Blade, 14 Teeth per Inch

Gold Metal Cutting Blades- Angle Iron, Rebar, Steel Rod, Black Pipe:

- LX618G** 6" Length Blade, 18 Teeth per Inch
- LX818G** 8" Length Blade, 18 Teeth per Inch

JIG SAW BLADES

LENOX



Lenox® Bi-metal Jig Saw blades will outperform and outlast any other blade on the market. In cutting tests, they give up to ten times more cuts.

WOOD CUTTING

- LX450S** T-Shank Jig Saw Blades 10 Teeth per Inch
- LX450SR** T-Shank Cut Down Jig Saw Blade 10 Teeth per Inch
- LX456S** T-Shank Jig Saw Blade 6 Teeth per Inch

METAL CUTTING

- LX314S** T-Shank Jig Saw Blades 14 Teeth per Inch
- LX318S** T-Shank Jig Saw Blades 18 Teeth per Inch
- LX324S** T-Shank Jig Saw Blades 24 Teeth per Inch

PORTABLE BANDSAW BLADES

Lenox blades deliver superior cost-per-cut value. Bi-metal construction ensures high productivity and long life. Size: 44-7/8" x 1/2" x .020



- LX38424** Portable Band Saw Blade 14 Tooth
- LX38425** Portable Band Saw Blade 18 Tooth

HACKSAW BLADES

LENOX



Bi-metal construction allows blades to bend and flex without breaking.

- LX224HE** Hacksaw Blade 24 Tooth
- LX232HE** Hacksaw Blade 32 Tooth

FINECUT SAW BLADES

BOSCH



For use with Bosch 1640VS Power Handsaw. High-alloy steel (HAS) blades with hardened ground teeth or bimetal blades. Ultra- fine teeth design provides smooth, tear-free cuts.

- BOS06-FS180ATU** Fine Tooth Saw Blade for Finecut Saw
- BOS06-FS180DTU** Coarse Tooth Saw Blade Finecut Saw

Anchors, Blades, Bits, Caulks, & Adhesives

INSERT BITS



Bosch insert bits are designed to handle tough torque applications. The combination of highest quality S2 tool steel and a proven sub-zero tempering process gives these bits long life and increased durability. Made in USA under ISO9001 standards.



BOS07-27035 #1 Phillips Bit Tip
BOS07-27021 #2 Phillips Bit Tip (Wide Neck)
BOS07-27036 #2 Phillips Bit Tip (Narrow Neck)
BOS07-27022 #3 Phillips Bit Tip

BOS07-27360 #1 x 1-15/16" Long Phillips Bit Tip
BOS07-27361 #2 x 1-15/16" Long Phillips Bit Tip
BOS07-27362 #3 x 1-15/16" Long Phillips Bit Tip
BOS07-27364 #2 x 2-3/4" Long Phillips Bit Tip
BOS07-27365 #3 x 2-3/4" Long Phillips Bit Tip
BOS07-27367 #2 x 3-1/2" Long Phillips Bit Tip
BOS07-27368 #3 x 3-1/2" Long Phillips Bit Tip
BOS07-CCP2601 #2 X 6" Long Phillips Bit Tip

BOS07-27464 Narrow Slotted Bit Tip x 1-15/16"
BOS07-27467 Wide Slotted Bit Tip x 1-15/16"

BOS07-29049 #1 Square Bit Tip 3/4"
BOS07-29050 #2 Square Bit Tip 3/4"
BOS07-29051 #3 Square Bit Tip 3/4"
BOS07-29053 #2 x 1-15/16" Square Bit Tip
BOS07-29054 #3 x 1-15/16" Square Bit Tip

BOS07-39947 #2 Square Bit Tip - 3-1/2" Long

BOS07-37717 T15 TORX® Power Bits - 1-15/16"
BOS07-37719 T20 TORX® Power Bits - 1-15/16"
BOS07-37721 T25 TORX® Power Bits - 1-15/16"
BOS07-37725 T30 TORX® Power Bits - 1-15/16"

INSERT BIT ACCESSORIES



Magnetic with 1/4" Hex Tool Steel Shank



Magnetic Nut Setter with 1/4" Hex Shank



Extension

BOS07-61943 1/4" X 2-9/16" Magnetic Nut Setter
BOS07-61944 5/16" x 2-9/16" Magnetic Nut Setter
BOS07-61945 3/8" x 2-9/16" Magnetic Nut Setter
BOS07-61946 7/16" x 2-9/16" Magnetic Nut Setter
BOS07-26790 Magnetic Bit Tip Holder w/ O'Ring
BOS07-34403 Replacement O'Ring for Bit Tip Holder
BOS07-27690 Magnetic Bit Tip Holder 2-7/8" Length
BOS07-37570 1/4" x 3" Extension

IMPACT DRILL/DRIVE SET



IRW-1840316 19-Piece Impact Drill/Drive Set

IRWIN® Impact Performance Series™ fastener drive bits are engineered for maximum durability and long life with impact drivers. Black oxide finish resists corrosion and increases the life of the bit.



UTILITY KNIFE

LXFLK1 #10771 Locking Tradesman Knife

Easy open & close. Secure locking mechanism. Ergonomic rubberized grip. Multi-use tool: Bottle opener, screwdriver and pipe reamer. Built-in wire stripper.



LENOX

UTILITY KNIFE



LXSSRK1 Gold Retractable Blade Utility Knife

Extremely durable stainless steel nose. 3 LENOX Gold Titanium Edge Blades included. Easy Blade Change. No tool needed to open. Internal blade storage.

UTILITY BLADES



LXGOLD100D 100 pack Gold Utility Blades

Titanium coating that keep the blades cutting after others have quit.

UTILITY KNIFE



KLEIN TOOLS
For Professionals... Since 1857®



TE03817
Retractable Utility Knife with Holster

UTILITY KNIFE

TE01-070
8-Point Orange Snap-Off Blade Knife



MEASURING TAPES

Extra Wide Tape Rule
Extra wide blade. Magnetic hook. True zero hook. Positive locking button. Chrome plated case.



KSPG1025 25', - ft., 1/10, 1/100
KSPG181025 25', - ft., in., 1/8, 1/16 & ft., 1/10, 1/100
KSPG1825 25', - ft., in., 1/8, 1/16

We Have Many More Measuring Tapes In Stock!

Anchors, Blades, Bits, Caulks, & Adhesives

CAULKING GUN



NEW215 Economy Calk Gun

6:1 Thrust ratio. Seal puncture tool. Built-in spout cutter. Ladder hook. No pinch finger guard.



CAULKING GUN



NEW41001

Standard Caulk Gun for 11 oz. Tubes
7:1 Thrust ratio. Heat treated rod & friction plate. Seal puncture tool. Ladder hook



CAULKING GUNS



Super Smooth Rod Revolving Frame Caulk Gun

18:1 Thrust ratio. Revolving barrel. Seal puncture tool. Spout cutter. Ladder hook. Thumb release. Zinc alloy handle.



NEW250

Small Heavy Duty Caulk Gun for 11 oz. Tubes

NEW255

Professional Quart Caulk Gun

BULK/SAUSAGE CAULKING GUN



NEW224

24 oz. Bulk / Sausage Caulk Gun

Convertible 24 oz. Bulk / Sausage Caulking Gun, 7:1 Thrust. Uses 10 to 20 oz sausage packs. Plus up to 24 ounce bulk dispensing. Steel Barrel, Rotating with Barrel Lock. Includes Accessories.



NEW224

24 oz. Bulk / Sausage Caulk Gun

NEWLH-36A

Aluminum Ladder Hook For Model 224

NEWRCP-60

Front Cap For Model 224

NOZZELS



Disposable flexible nozzle extender

Cones to be used with Caulking Bulk Guns



NEW2N1037

Orange Plastic Tip (Mad.)

NEWPC-58

Green Plastic Nozzle

NEWPC-620

Yellow Plastic Nozzle

NEW-PKFLEXNOZZLE

Package Of 3 Flex Nozzles & 1 Washer

EPOXY APPLICATOR



Model 535-XSP Multi Ratio Applicator

300ml x 300ml 300ml x 150ml; 150ml x 150ml; 150ml x 75ml. 26:1 Thrust Ratio. Easily Converts in Just Seconds with Snap In/Snap Out Push Disks.



EPOXY APPLICATOR

NEW750XSP

Heavy Duty Gun For Pro Poxy 400

Side by Side Epoxy Applicator 750ml x 75ml. 26:1 Thrust Ratio. Extra Durable Heated Treated Piston Rod



EPOXY APPLICATOR



KRGG469 Twin Tube Epoxy Gun

300mL X 300mL. Easy to pull and release trigger. Dispensing rods are hardened for long wear and strength.



BULK/SAUSAGE CAULKING GUN



Includes Cones!

NEW CAMO MODEL!



20 oz. Bulk / Sausage Caulk Gun

18:1 Thrust Ratio. Lightweight Aluminum. Multi-Chemical Resistant Twin Hytrel Cup. Bulk/Sausage Conical Ejector. 3 PC-620 Cones Included. Zinc Alloy Handle. 24 oz. Bulk, 10 oz. & 20 oz. Sausage Packs, 10 oz. Cartridge.

NEW620AL

20 oz. Bulk / Sausage Caulk Gun

NEW620AL-CAMO

CAMO - 20 oz. Bulk / Sausage Caulk Gun

NEWFCS-620AL

Nylon Front Cap For Model 620-AL

NEWLH-35A

Aluminum Ladder Hook For Model 620-AL

TUCK POINT GUN



NEW532 32 oz. Tuck Point Grout Gun

Taking on grouting tasks with ease when you've got the 32 oz. Tuck Point Grout Gun (532) from Newborn. It has a 12:1 thrust ratio along with a 1 quart capacity container.



Anchors, Blades, Bits, Caulks, & Adhesives

CAULK SPATULAS



NEW-ASLICK-TEF

Set Of Teflon Coated - Stainless Steel Spatula

Comes with a 3" tapered and 3", 4", 5", 6", and 8" straight spatulas. Equipped with rubber grip and key ring that opens & closes for easy access & storage.

CAULK SPATULAS

Classic spatula with the original hardwood handle classic spatula well known to the professional stainless steel blade, ground for optimal flex for perfectly finished joints, polished to smooth finish for minimum drag.



AL258-003TPS	Spatula - 3" Tapered
AL258-03S	Spatula - 3"
AL258-04S	Spatula - 4"
AL258-05S	Spatula - 5"
AL258-06S	Spatula - 6"
AL258-08S	Spatula - 8"
AL258-10S	Spatula - 10"

PIPE KNIFE



The Original PipeKnife®

The ideal tool to remove caulking and sealants before a new application. The length gives you leverage for those tough removal jobs.

NEWPK14	14" Pipe Knife
NEWPK18	18" Pipe Knife

NITRILE DISPOSABLE GLOVES



Powder Free Nitrile Gloves

Breakthrough 5.5 pH Technology! Made to match healthy skin's natural 5.5 pH levels to ensure the MOST comfortable fit yet! 100 Pc. Box.

NEWA-GLV-L	Nitrile Gloves - Large
NEWA-GLV-XL	Nitrile Gloves - X-Large

BACKER ROD INSERTION TOOL



NEWSK-BR1 Backer Rod Roller

- No Changing Wheels
- No adjustments
- Lightweight Aluminum Handle
- Simple 3 Piece Assembly
- Non-Marking Plastic Wheel

FOLLOW PLATE

NEWFPT-02 2 Gal. Follow Plate

Neoprene Seal Can Be Used with Straight & Tapered Pail. For 2" Diameter Barrel Bulk Gun. No Threaded Barrel Docking (air tight o-ring)




DENVER FOAM®

Denver Foam® is a backer rod serving as a backing for elastomeric and other applied caulking sealants. Denver Foam® controls the depth and amount of sealant required.

Denver Foam® also forms the correct hourglass shape of the sealant.

ED1000	5/8" x 500 ft. length
ED2000	7/8" x 350 ft. length
ED3000	1-1/8" x 300 ft. length
ED4000	1-1/2" x 350 ft. length
ED5000	2" x 200 ft. length



Expansion Joints

BACKER ROD HANDY-PACK

Compressible polyethylene foam rope. Use as a backing material for elastomeric sealants. Used on metal panels, pre-cast panels, expansion joints, window and door frame perimeters, coping joints, glazing joints, floor and deck joints.



NOMACO



Handy-Pack solves the problem of storing backer-rod. No more tangled mess in the back of your truck!

NOM-359-91-0375-0	3/8" Backer Rod- 1400 Footage Handy-Pack
NOM-359-91-0625-0	5/8" Backer Rod- 550 Footage Handy-Pack
NOM-359-91-0875-0	7/8" Backer Rod- 330 Footage Handy-Pack
NOM-359-91-1125-0	1-1/8" Backer Rod- 120 Footage Handy-Pack
NOM322-91-1125-0	500 Foot 1-1/8" Closed Cell Sof Rod Box
NOM322-91-1500-1	6 Foot Length 1-1/2" Closed Cell Sof Rod
NOM322-91-2000-1	6 Foot Length 2" Closed Cell Sof Rod
NOM322-91-2500-1	6 Foot Length 2-1/2" Closed Sof Rod
NOM322-91-3000-1	6 Foot Length 3" Closed Cell Sof Rod

Anchors, Blades, Bits, Caulks, & Adhesives

SPECTREM 2

TREMCO



Spectrem 2 Silicone A one part, high performance, neutral cure silicone sealant which reacts with atmospheric moisture to produce a flexible silicone rubber, ideal for caulking and glazing applications. Resistant to ultraviolet, acid rain, ozone, moisture and extremes in temperature. Easy to gun over a wide temperature range. Service Temperature -65° to 350° F. Tools easily to a smooth attractive finish. Cures quickly. Standards: ASTM C-920 Type S, Grade NS Class 25, use NT, M, G, A and O, TT-S-00230C.

Colors Available: White, Off White, Graystone, Gray, Bronze & Black.

Packaging:



PROGLAZE

TREMCO



Proglaze Silicone A one part, moisture curing sealant, easily gunned under all types of weather conditions. It rapidly cures to produce a durable, flexible seal. One part sealant. All temperature gunnability. Excellent resistance to UV, ozone and temperature extremes. Excellent weatherability. ±25% movement.

Standards: ASTM C-920 CGSB, TT-S00230C (COM-NBS), TT-S-001543A (COM-NBS)

Colors Available: Translucent, White, Dark Bronze, Aluminum & Black.

Packaging:



TREMSIL 200

TREMCO



Tremsil 200 Silicone A one-part, acetoxysilicone sealant. Tremsil 200 cures to a flexible rubber when exposed to moisture present in the air. Tremsil 200 produces a weathertight seal to glass, metal, porcelain, ceramic and most painted surfaces. White and Clear colors contain a fungicide making the sealant suitable for use in bathrooms, spas and similar applications where joints need protection against fungi and bacteria. Meets U.S. Federal Specification TTS-00227E, Class A, Type II; Canadian Standard CAN/CGSB-19.24-M90, Type II, Class B; and ASTM C920, Type M, Grade NS, Class 50, Use T, I, M, A and O.

Standard Colors: Anodized Aluminum, Black, Clear, Dark Bronze, Gray, Ivory, and White.

Packaging:



VOLUME OF TREMCO SEALANT REQUIRED* FOR YOUR JOB

If Joint Size is	Lineal Feet Per Gal.	If Joint Size is	Lineal Feet Per Gal.
1/8 x 1/8	1232	3/8 x 3/4	68
1/8 x 1/4	616	3/8 x 7/8	58
1/8 x 3/8	410	3/8 x 1	51
1/8 x 1/2	308	1/2 x 1/2	77
1/8 x 5/8	246	1/2 x 5/8	61
1/8 x 3/4	205	1/2 x 3/4	51
1/8 x 7/8	176	1/2 x 7/8	44
1/8 x 1	154	1/2 x 1	38
1/4 x 1/4	308	5/8 x 5/8	49
1/4 x 3/8	205	5/8 x 3/4	41
1/4 x 1/2	154	5/8 x 7/8	35
1/4 x 5/8	123	5/8 x 1	30
1/4 x 3/4	102	3/4 x 3/4	34
1/4 x 7/8	88	3/4 x 7/8	29
1/4 x 1	77	3/4 x 1	25
3/8 x 3/8	136	7/8 x 1	22
3/8 x 1/2	102	1 x 1	19
3/8 x 5/8	82		

* WASTE NOT FACTORED INTO COVERAGE RATES

TREMCO WET FILM COVERAGE CHART* (not for Tremproof 150)

NOTE: 1 Gallon = 231 cu. Inches

Wet Mil Thickness	(Square Feet/Gallon)
100	16
95	17
90	18
85	19
80	20
75	21.5
70	23
65	24.5
60	27
55	29
50	32
45	35.5
40	40
35	46
30	53
25	64
20	80
15	107
10	160
8	200
6	267
4	400
2	800
1	1600

* WASTE NOT FACTORED INTO COVERAGE RATES

Anchors, Blades, Bits, Caulks, & Adhesives

DYMONIC FC (FAST CURE)

High performance, low modulus, one-component, moisture curing modified polyurethane joint sealant. Specifically developed for sealing dynamically moving joints such as expansion and control joints, precast concrete panel joints, tiltup panel joints, curtainwall joints, perimeter caulking (windows, doors, panels, radon mitigation, bedding of mullions, panels and frames, etc.).


DyMonic exhibits tenacious adhesion which does not diminish over product life. The unique weather resistant formulation possesses a balanced adhesive strength, low modulus, and high recovery, making it ideal to withstand the adverse conditions common to many installations: moisture, shear and deflection.

Meets U.S. Federal Specification TTS 00227E, Class A, Type II; Canadian Standard CAN/CGSB-19.24-M90, Type II, Class B; and ASTM C920, Type M, Grade NS, Class 50, Use T, I, M, A and O.



TREMCO.

Packaging:



Due to shade variations associated with printing limitations, we suggest that you review samples for actual color.

VULKEM 45 SSL

TREMCO.



A one-part moisture curing, pour grade polyurethane joint sealant. Vulkem 45 does not require a primer on most construction materials. It has been formulated for sealing horizontal expansion joints and control joints in parking garages, plazas, terraces, highways, bridges, swimming pool decks, reservoirs, sewage treatment plants, floor and sidewalk joints. Extraordinary adhesion, cohesion, abrasion and tear resistance are inherent in the base polymer. Vulkem 45 is suitable for continuous water immersion. Applicable Standards: Conforms to U.S. Federal Specification TT-S-00230C, Type II, Class A and ASTM C920, Type S, Grade NS, Class 25, Use NT, M, T, A, I, O, and CAN/CGSD-19.13, MCG-2-25-B-N. Conforms to USDA approval standards.

Colors Available:

White, Limestone, Gray, Black and Buff.

Packaging:



VULKEM 116

TREMCO.



A one-part moisture curing, gun grade polyurethane sealant. Vulkem 116 does not require a primer on most construction materials. It is an excellent general purpose sealant designed for use in precast, masonry, window frame perimeters and similar types of construction joints. Vulkem 116 is designed for exterior and interior use. Also suitable for varied manufacturing uses such as production of travel trailers and mobile homes and in assembly of galvanized air conditioning duct work.

Colors Available:

Aluminum, Dark Bronze, Bronze, Gray, Redwood Tan and White.

Packaging:



CAULKING PRIMERS

TREMCO.

Primers promote the adhesion of Silicone Sealants and Polyurethane Sealants, Membranes and Coatings to porous and non-porous substrates.



- TR9002** Qt. Can Vulkem 171 Primer - Pourous
- TR9003** Qt. Can Tremgard 181 Primer - Non-Pourous
- TR9004** 1 Pint Can #10 Primer - Silicone To Metal

TREMFLEX 834

TREMCO.



A pure acrylic latex sealant formulated to provide a fast setting pliable seal with minimal shrinkage. Tremflex 834 can be used for general purpose interior and exterior caulking and as a back bedding glazing compound. It is also highly recommended as an acoustical seal in the construction of interior walls, ceilings and floors to reduce sound transmission. It is ideal for interior joints that will be painted. Tremflex 834 is also suitable for use on vinyl, aluminum and wood siding as well as on bathroom and kitchen fixtures. Mildew resistant.

Packaging:



Color: White

Anchors, Blades, Bits, Caulks, & Adhesives

DYMERIC 240 & 240FC

Dymeric 240 & 240FC (Fast Cure) is a three component, chemically curing, epoxidized polyurethane sealants specially formulated for dynamically moving building joints. Dymeric 240 & 240FC is a non-sag general purpose sealant providing flexible, long life, durable, weathertight seals for both new construction and renovation projects in many types of buildings. Uses will include: pre-cast, masonry, metal curtainwall and perimeter joints of doors and window frames.

Meets U.S. Federal Specification TTS-00227E, Class A, Type II; Canadian Standard CAN/CGSB-19.24-M90, Type II, Class B; and ASTM C920, Type M, Grade NS, Class 50, Use T, I, M, A and O.

Call Farrell for a Tremco color chart.



TREMCO

Packaging:



THC-900 & 901

A multi-component, chemically curing, self-leveling polyurethane joint sealant. THC-900 should be limited to horizontal expansion and control joints with a 5% slope or less. THC-901 is recommended for joints with a greater slope. Possesses adhesive strength, low modulus and high recovery. Ideal to resist the adverse conditions common to horizontal joint installations: moisture, abrasion, movement, shear and deflection at expansion joints. Meets U.S. Federal Specification TTS-00227E, Class A, Type II; Canadian Standard CAN/CGSB-19.24-M90, Type II, Class B; and ASTM C920, Type M, Grade NS, Class 50, Use T, I, M, A and O. **Colors Available:** 50 Standard Colors-Call Farrell for a Tremco color chart.

TREMCO



Packaging:



GLAZING TAPE

TREMCO

440 Glazing Tape is a 100% solid, cross linked butyl, preformed sealant used for noncompression glazing of vision lites and spandrel panels in metal and wood frames, in low rise building construction. 440 Tape is also used for lap sealing between panels such as steel, aluminum and porcelain as well as a variety of other joints in shear between similar and dissimilar materials. Temperature Range: Service: -40° F to 160° F, Application: 20° F to 120° F. Weathering: Unaffected by UV through glass. Remains elastic even at low temperatures. Standards: AAMA 804.3/807.3. Available colors: aluminum and black.



TR6200	Box of 1/8" X 3/8" 440 II Tape Black/Bronze
TR6500	Box of 1/16" x 1/2" 440 II Tape Black Bronze
TR6600	Box of 1/8" x 1/2" 440 II Tape Black Bronze

SEAM TAPE

TREMCO

TR6903

75 Ft. Roll Permanent Seam Tape™

Multi-purpose rubberized Asphaltic tape. Consists of a 4" wide x 60 mil thick rubberized asphalt membrane laminated to a polyethylene reinforcing film. A removable release paper protects the adhesive membrane face until removed during installation.



SEAM & GUTTER SEALANT

OSI
SEALANTS INC.



OSI® GS-121 Gutter & Seam Sealant OSI® GS-121

Composed of SBR rubber and high quality resins to form a tough, rubbery seal that expands and contracts with the change of weather without cracking. It is formulated especially sealing aluminum, galvanized and vinyl clad gutters and down spouts. Also available in VOC compliant formula.

SOLAR SEAL

SINCE 1962
NPC
Combined Sealants



#900 SOLAR SEAL is based on terpolymer technology which offers an alternative to silicone & urethane sealants. High performance terpolymer elastomers impart exceptional weather resistance, adhesion, elongation and color fade resistance. **Colors:** Clear, White, Black and over **200 NPC standard colors**. Custom colors available in low minimum quantities.

WARMING BAG

REA-WB60908 Caulk Warmer Bag

Velcro closure on flap Handy Cord Storage Pocket Color: Forest Green Size: 18" High x 15" Wide x 3". 120 VAC - 50 Watts. Holds: 12 standard caulk tubes 7 quart size caulk tubes 7 sausage size caulk tubes 12 grease cartridges 8 cans foam 12 rolls sealing tape. Maintains caulk at 80° even when the outside temperature drops to -13°.



WARMING WRAP

REA-0609-PLWC 5 Gallon Cylinder Warming Wrap

Plugs into 120v ac. Heavy duty industrial cord. Convenient cord storage pouch on front. Velcro closure with adjustable cinch straps. Internal temperature controlled to maintain constant temperature. Requires only 50 watts of power at 124 degrees F.



Anchors, Blades, Bits, Caulks, & Adhesives

CONSTRUCTION ADHESIVE

OSI
SEALANTS INC.

QB 300 Pro Series® Multi Purpose Construction Adhesive

Versatile dual purpose adhesive for bonding all types of paneling to structurally sound surfaces.

- Installs vinyl covered gypsum panels and all types of foam panel boards.
- Bonds foam to block or concrete walls and ceilings.
- Adheres cork, marble, polystyrene bath panels.
- Waterproof, fast grab, sets up quickly.



CONSTRUCTION ADHESIVE

OSI
SEALANTS INC.

PL200® Construction Adhesive

Provides a permanent water and weatherproof bond on most construction materials. Use inside or outdoors on concrete, masonry, wood, metal, gypsum board, cement board, and composition board. It is excellent for bonding gypsum wallboard or paneling to studs or furring strips. PL 200 is a fast, easy, economical adhesive.

- When cured, it resists moisture, dryness, and temperature fluctuation, and will last as long as the surfaces it joins together.
- Its all season formulation is gunnable even at temperatures below zero.
- Exceeds ASTM C 557-73.



DRYWALL ADHESIVE

OSI
SEALANTS INC.

Pro-Series Formula #38™ Drywall & Metal Framing Adhesive

Formula #38™ is best suited for bonding gypsum board to wood or metal studs, laminating gypsum board to gypsum board and bonding gypsum board to concrete or block walls. It is widely used in new construction of single-family and multi-family homes, manufactured housing, commercial construction, and all remodeling, remedial and renovation projects where drywall or gypsum products are installed.



CORROSION PROTECTION

Fluid Film Provides corrosion control, penetration, metal wetting and water displacement. Heavily corroded and/or frozen parts can be salvaged.



FLU00107	2.25 oz. Spray Can Of Fluid Film
FLU00207	11.75 oz. Spray Can Of Fluid Film
FLU12207	1 Gal. Can Of Fluid Film
FLU12208	5 Gal. Pail Of Fluid Film



SPRAY ADHESIVE

3M

3M03-21210

3M™ Super 77™ Spray Adhesive, 24 oz. Fast, aggressive tack for bonding many lightweight materials. Choice of round or fan-patterned nozzles.



SPRAY ADHESIVE

3M

3M03-30023

3M™ Hi-Strength 90 Spray Adhesive Clear, 24 fl oz Aerosol, High strength, fast contact-type adhesive. Fast contact strength buildup for many decorative laminates. Only needs one minute of drying time.



CYLINDER SPRAY ADHESIVES

3M

Clear Cylinder Spray Adhesive, Net Weight 27.3 lbs.

3M™ Scotch-Weld™ HoldFast 70

Clear Cyl. Spray Adhesive is an ind'l grade spray adh. for MSV & Construction Applications. Very fast tacking w/o halogenated solvents. Heavy body spray pattern w/low soak-in makes it ideal for irregular/porous substrates.



3M™ Scotch-Weld™ Hi-Strength Laminating 92 Clear Cylinder Spray Adhesive is a high performance, very high temperature resistant ind'l grade spray adh. Fast tacking, designed for high pressure laminations, esp. decorative laminate to particle board.

Accessories

3M™ Scotch-Weld™ Cylinder Adhesive Applicator - Standard Output - includes Cylinder Adhesive 9501 Spray Tip, Cylinder Adhesive Applicator - Standard Output - includes Cylinder Adhesive 9501 Spray Tip



3M™ Scotch-Weld™ Cylinder Adhesive 12 Foot Hose



3M™ Scotch-Weld™ Cylinder Adhesive QSS Spray Tip



3M03-61690	General Purpose Spray Adhesive - #70
3M03-61697	Hi-Strength Laminating Spray Adhesive - #92
3M03-61706	Applicator Gun For Spray Adhesive
3M03-61988	12' Hose For Spray Adhesive
3M03-61993	QSS Spray Tip For #70 Spray Adhesive

Anchors, Blades, Bits, Caulks, & Adhesives

EXPANDING FOAM SEALANT



PowerFoam

A single component, moisture curing expanding polyurethane foam. The adhesive strength of PowerFoam allows it to be set on various types of building elements including concrete, brick, wood, metal, aluminum and steel. The structure of the hardened foam provides excellent insulation against heat and noise. The foam has a R-5 equivalent value when used in place of traditional installation methods.



RA08130N	12 oz. Can Power-Foam w/ Straw Applicator
RA08132N	29 oz. Can Power-Foam w/ Straw Applicator

*If you don't see what you need...
Give us a call. We'll find it for you!*

EXPANDING FOAM SEALANT



TriggerFoam Pro™ Standard Formula

A professional grade, gun applied, normal expansion, polyurethane foam sealant. Adheres to wood, metal, masonry and concrete.



TriggerFoam Pro™ Window & Door

Low pressure, gun applied, polyurethane foam sealant. This foam does not distort window and door frames when expanded. Adheres to wood, metal, masonry and concrete.



TriggerFoam Pro™ Fire Block

A professional grade, gun applied, polyurethane foam sealant designed to effectively block the spread of smoke and flame in Type V residential construction. NOT A FIRESTOP. Adheres to wood, metal, masonry and concrete.



**TriggerFoam Pro
Deluxe Metal Gun**

RA08134P	29 Oz. Can Trigger-Foam Pro Window & Door
RA08136N	29 Oz. Can Trigger-Foam Pro Standard Formula
RA08133P	29 oz. Can Trigger-Foam Pro Fireblock
RA08128	Deluxe Metal Gun For Trigger Foam

SPRAY FOAM SEALANT KITS

Handi-Foam®

Two-Component Foam

A chemically cured polyurethane foam system. Two-component foam systems consist of an "A" component and a "B" component. These two components mix in the nozzle of the patented Handi-Gun, and the resulting foam cures much more quickly than one-component foams.



HANP10600	II-12 Handi-Foam Spray Foam- Net Weight 1.76 lbs.
HANP10700	II-105 Handi-Foam Spray Foam- Net Weight 15.3 lbs.
HANP10720	II-205 Handi-Foam Spray Foam- Net Weight 29.9 lbs.

SOLVENT CLEANER



RA08147 TriggerFoam Pro™ Cleaner

Removes uncured polyurethane foam sealant from inside and outside of application tools. May also be used to remove uncured foam from hands, clothing and unintended surfaces. 17 Oz. Can

AIR PUMP



RA08280 Hand Air Pump

Used to remove dust and debris from the drilled anchor holes.

ADHESIVE



AC100+GOLD Quick-Shot Adhesive

Vinylester Injection Adhesive Anchoring System. It is a two-component adhesive anchoring system. Designed for bonding threaded rod and reinforcing bar hardware into drilled holes in concrete base materials.

RA8478SD	10 oz. Tube AC100+GOLD Quick-Shot Adhesive
RA8490SD	28 oz. Tube AC100+GOLD Quick-Shot Adhesive

ASK ABOUT OUR OTHER CATALOGS!



Anchors, Blades, Bits, Caulks, & Adhesives



FIRE BARRIER CAULK

3M

**3M02-11638 10.1 oz. Tube
Fire Barrier CP 25WB+ Caulk**

Our premium, intumescent latex/water-based caulk. Water based - easy cleanup and routine disposal with no special handling. One-part system - no mixing or measuring required. Intumescent and endothermic.

No-sag, non-halogen formula; fast-drying tack-free in approximately 10-15 minutes, paintable. Up to 4 hours Fire Protection.



FIRE BARRIER CAULK

3M

**3M02-16557 10.1 oz. Tube
Fire Barrier IC 15WB+ Caulk**

A water based latex, intumescent smoke and firestopping sealant for wall and floor penetrations. Easy-to-handle formulation that bonds to gypsum wallboard, concrete, metals, wood, plastic and cable jacketing. Dries to a firm, rubber-like solid. Provides up to 2 hours of fire protection.

FIRE BARRIER SEALANTS

3M



**3M™ Fire Barrier 2000+
and 2000 Silicone Sealants**

A premium nonslump sealant bonds to most common construction materials to form a flexible seal. Superior Adhesion. Remains elastomeric and is weather resistant.

FIRE BARRIER PUTTIES

3M



**3M02-16508
4" x 8" Fire Barrier
Moldable Putty+
Pads and Sticks**

3M Fire Barrier Moldable Putty+ is a one-part, halogen-free product designed to firestop electrical outlet boxes and a wide variety of through-penetrations including cable, conduit, insulated pipe and metal pipe, which penetrate fire-rated construction.



VAPOR BARRIER TAPE

STEGO



**STGTAPE04180 4" x 180' STEGO®
Tape** A low permeance tape designed for protective sealing, hanging, seaming, splicing, and patching. Ideal for sealing Stego Wrap seams and penetrations.

PIPE COLLARS



**3M™ Fire Barrier
Plastic Pipe Device PPD**

Used to firestop a 6" non-metallic pipe. One piece metal collar assembly encasing 3M's heat expanding FS-195+, used for new and retrofit installations to achieve up to 3 hour fire ratings.

3M

**3M02-08253 6" Ultra Plastic Pipe Collar
3M02-08379 2" Ultra Plastic Pipe Collar
3M02-08380 3" Ultra Plastic Pipe Collar
3M02-08381 4" Ultra Plastic Pipe Collar**

FIRE BARRIER PILLOWS

3M



3M™ Fire Barrier Pillows

A self-contained, highly intumescent product designed to firestop a wide variety of through-penetrations including cable trays (up to two per opening), conduit and blank openings that penetrate fire-rated construction.

DUCT TAPE

3M

**3M01-24883
2" Silver Utility Duct
Tape #2929**

Resists moisture to prolong its bond. Ideal for temporary repairs, sealing, holding and marking. Polyethylene with rubber adhesive. Performs in temperatures up to 200°F.



DUCT TAPE

3M



**3M01-56468 #8979
Clean Removal Duct
Tape**

8979 provides clean removal with little or no sticky adhesive residue for up to 6 months

from most opaque surfaces. Sunlight/UV and Water Resistant. Lasts 1 year without degrading.

DUCT TAPE

**Nashua®
TAPE PRODUCTS**

**SURDEG485 Nashua
2" x 180' Duct Tape**

Excellent for general repair, bundling, patching and mending, conformable, excellent adhesion to variety of surfaces, no curl.



Anchors, Blades, Bits, Caulks, & Adhesives

MASKING TAPE

3M01-58036

1" General Purpose Masking Tape

General purpose masking tape for light duty bundling, attaching, and labeling.

3M



PAINTERS TAPE

Scotch-Blue™ Painters Tape 2090 for Multi-Surfaces

This tape removes cleanly without adhesive transfer or surface damage for up to 14 days, even in direct sunlight. It is a medium adhesion tape that is ideal for painted walls and trim, woodwork, glass and metal.



3M

3M01-03681 1" x 60 yd. Blue Painters Tape

3M01-03683 2" x 60 yd. Blue Painters Tape

PRE-TAPED DROP CLOTH

3M



3M01-12071

Roll Pre-Taped Film & Dispenser

24-inch-by-30-yard scotch pre-taped plastic drop cloth is a convenient, pre-taped plastic film that unfolds to cover and protect a variety of surfaces. This specially treated film clings to surfaces and is easy to clean-up. This drop cloth is preloaded into an included dispenser along with 3M long-mask masking tape 2090, which is sunlight stable and gives you up to a 7-day clean removal.



CARPET PROTECTION FILM

FILFTC36X200S 36" x 200' Clear Carpet Protection Film

Non-slip surface is a special blend of polyethylene which is highly resistant to tears or punctures. Ideal during remodeling, painting and moving, it minimizes clean-up time and damage claims.



ADHESIVE FLOOR MATS

FILFTM24X36BLUE

24" x 36" Adhesive Floor Mat-30 Sheets/Mat

A polyethylene film mat with a tacky surface to remove dust and dirt from footwear. This unique product features a sturdy, reusable platform constructed of rigid polystyrene.



FILAMENT TAPE

3M

3M01-86520 1" x 60 Yd. Roll of Tartan™ Filament Tape

General purpose strapping tape designed for light-duty strapping applications such as reinforcing boxes and bundling light items.



BOX TAPE

3M

3M01-13679 2" x 60 yd. Scotch® Clear Box Sealing Tape

Pressure-sensitive rubber resin adhesive to instantly seals cartons. Resists abrasion, moisture, chemicals, and scuffing. Conforms around edges and over rough surfaces for a tight seal.



POLY REPAIR TAPE

UT82702 All Weather, UV Resistant. Great for seaming Plastic Film. Excellent Cold, Wind & Moisture Barrier. Excellent for splicing polyethylene sheeting and weather stripping windows and doors. 2" x 36 yards.



ELECTRICAL TAPE

3M



3M01-69764 3/4" x 60' #1700 Black Electrical Tape

3M™ Temflex™ General Use Vinyl Electrical Tape 1700 is used for protective jacketing and harnessing. Flame Retardant, abrasive- and cold-resistant. UL Listed and CSA Certified for 176°F.

COLORLED ELECTRICAL TAPE

A 7 mil colored vinyl tape. U.L. approved. Used primarily for color coding electrical wiring. 3/4" x 66'.



Assured Equipment Grounding Color Coding Scheme

	January, February & March		July, August & September
	April, May, June		October, November & December

3M

UT34-W 66 White Tape
UT34-GR 66 Green Tape

UT34-R 66 Red Tape
UT34-OR 66 Orange Tape

Anchors, Blades, Bits, Caulks, & Adhesives


TIE DOWN

RACK-STRAP

RSR-51CS

The most advanced patented tie-down system available!

Tie down: lumber, pipe, ladders and most materials.



RATCHET STRAP ASSEMBLIES



LA60106 Load Hugger 1" x 10' with wire hooks. 3000 lbs.

RATCHET STYLE LOAD HUGGERS



2" x 27'. 10,000 lb. capacity

DRBRS-2-27-LW-FH with Flat End
DRBRS-2-27-W-WH with Wire Hook

Your choice
of flat or wire
hook ends



TARP STRAPS

The finest tie-down available. Features tear drop ends with 2-1/2" S-Hooks pre-inserted. They will meet the requirements of even the most demanding tie-down user.



MU14979-15 15" Tarp Straps
MU14979-21 21" Tarp Straps

MU14979-31 31" Tarp Straps
MU14979-41 41" Tarp Straps

CABLE TIES

Multi-Purpose.
Made of nylon.



AM804MS0050 8" length - 100 count
AM804MS0070 11" length - 100 count
AM804MS0108 15" length - 100 count



FARRELL

Equipment & Supply Co., Inc.



Farrell Equipment & Supply Co., Inc.
- Trade Customs

The compilation and checking of a general catalog of supplies and machinery is complicated, involving many thousands of product numbers, dimensions, etc. and absolute perfection is not a commercial possibility. Every endeavor has been made to have the latest lists, dimensions, descriptions and designs throughout this catalog, but we do not guarantee accuracy. If any errors or misprints have escaped our checkers and printers, we are not responsible for them, and they are subject to our correction. All information contained in this catalog, pertaining to strengths and proper working loads of material, tools or machines is derived from information

compiled by the manufacturers for the convenience of the buyer. We assume no responsibility for the accuracy of this information.

Manufacturers are constantly changing designs, specifications and accessories on many items and these are subject to change without notice. Illustrations are subject to modification.

All references in this catalog are for description only and are not representations or warranties of any kind or nature.

Copyright © 2015 by Farrell Equipment & Supply, Inc.



Printed in U.S.A. 3000-030315

STRAPPING KIT



EZ Strapping Starter Kit

Ideal for contractors, foremen, yard workers, truck drivers or just about anyone who needs to bundle heavy items. The kit contains 250 feet of 3/4 inch 2900 lb break strength strap, a bag heavy duty buckles, a ratchet tool and instructions all contained in a heavy duty case making a convenient travel bundling system.



KUBEZKIT

KUBDW-1

KUB19MM-06-DRK

KUB2040-34

KUB270034250

EZ Safety Strapping Kit

Orange Strapping Cart

100 Pc. Box Phosphate Coated Buckles

3/4" x 1650' Coil 2,950 Lb. Strapping

3/4" x 250' Coil 2,950 Lb. Strapping

STEEL BANDING TOOLS & SUPPLIES



CARSTRAPMIP1300

CARSTRAPMIP1100-12

CARSTRAPMIP1100-34

CARSTRAPMIP1300

CARSTRAP12X020-SD

CARSTRAP34X020-CC

CARSTRAPSC3-34

CARSTRAPOP-12-1M

CARSTRAPOP-34-5M

Portable Strapping Cart (MIP5200)

1/2" Steel Crimper

3/4" Steel Crimper

3/8" to 3/4" Steel Tensioner

1/2" x .020 Roll Steel Banding (110 lb Roll)

3/4" x .020 Roll Steel Banding (Approx 1960 LF)

3/4" x 300' Box Steel Banding

1,000 Pc Box 1/2" Band Clamps

5,000 Pc. Box 3/4" Band Clamps

STRAP CADDY

Complete:
Ready-To-Use!

A complete portable steel strap system. Ready-to-use with steel strap, tools, seals and carry-all dispenser.

Includes: Strap caddy, tensioner, sealer, cutter, 2-300' coils of 3/4" steel strap and a box of 100 seals.



CARSTRAPSCF34WT

CARSTRAPSC334

CARSTRAPOP34-100

Strap Caddy Complete Kit

Additional 3/4" x 300' Box Steel Banding

Additional 100 Pc. Box 3/4" Seals


Other Available Farrell Catalogs:




Decorative Concrete Book



Concrete Book




Erosion Control Book



Masonry Book




Measure & Marking Book




Road & Highway Book



Safety Book



Winter Jobsite Book



Rental Book



Decorative Stamp Rentals



FARRELL

Equipment & Supply Co., Inc.

Visit us at any of our
6 Locations!

All our catalogs are
available online!



ROCHESTER
507-252-0234
888-533-8909
Fax: 507-252-0222
1635 3rd Avenue S.E.
Rochester, MN 55904

EAU CLAIRE
715-835-4334
800-533-0909
Fax: 715-835-4356
1510 N. Hastings Way
Eau Claire, WI 54703

WAUSAU
715-355-8300
800-933-5939
Fax: 715-298-1662
7405 Commerce Drive
Weston, WI 54476

APPLETON
920-903-1985
Fax: 920-903-8278
1002 Truman Street
Kimberly, WI 54136

LA CROSSE
608-796-9300
888-533-0909
Fax: 608-796-9435
508 Monitor Street
La Crosse, WI 54603

MADISON
608-222-5372
888-533-7909
Fax: 608-222-5405
6809 Mangrove Lane
Monona, WI 53713



www.FarrellEquipment.com

For Your Convenience We Accept:

