


DYNABRADE

***Premium
Power Tools***

Automotive Aftermarket



Reorder No.
A12.06

Dynorbital-Spirit®

- True 12,000 RPM motor. Compact Ergo Grip.
- Ideal for vertical and contoured applications.
- Dynabrade's lightest Random Orbital Sander!

Non-Vacuum

Includes our PSA premium urethane sanding pad.

Pad Diameter	3/8" Orbit Models	3/16" Orbit Models	3/32" Orbit Models
3" (76 mm)	21000	21020	21040
3-1/2" (89 mm)	21005	21025	21045
5" (127 mm)	21010	21030	21050
6" (152 mm)	21015	21035	21055
6" w/ Hook-Face	21060	21061	21062



21035

Self-Generated Vacuum

Includes our PSA premium urethane sanding pad.

Pad Diameter	3/8" Orbit Models	3/16" Orbit Models	3/32" Orbit Models
3" (76 mm)	21001	21021	21041
3-1/2" (89 mm)	21006	21026	21046
5" (127 mm)	21011	21031	21051
6" (152 mm)	21016	21036	21056



21036



**Portable Dust
Collection System**
Included! (Part No. 50617)

Uses exhaust air to create a vacuum at the sanding surface

Central Vacuum

Includes our PSA premium urethane sanding pad.

Pad Diameter	3/8" Orbit Models	3/16" Orbit Models	3/32" Orbit Models
3" (76 mm)	21004	21024	21044
3-1/2" (89 mm)	21009	21029	21049
5" (127 mm)	21014	21034	21054
6" (152 mm)	21019	21039	21059
6" w/ Hook-Face	21063	21064	21065



21039

Requires hookup to an external vacuum source

3" HiVac Dynorbital-Spirit[®]

- True 12,000 RPM motor. Compact Ergo Grip.
- No bulky sanding shroud to get in the way!
- Lightweight tool only weighs only 1.3 lbs.

Self-Generated Vacuum

Includes hook-face premium urethane sanding pad.

3/16" Orbit **3/32" Orbit**
Model 21068 Model 21069




**Portable Dust
Collection System**
Optional (Part No. 50617)

Central Vacuum


Includes hook-face premium urethane sanding pad.

3/16" Orbit **3/32" Orbit**
Model 21070 Model 21071



3/8" Dia. Orbit
Aggressive Sanding

Orange Lever



3/16" Dia. Orbit
General Sanding

Grey Lever



3/32" Dia. Orbit
Ultra-Fine Sanding

Black Lever

Dynorbital® Silver Supreme

- True 12,000 RPM motor. Compact Ergo Grip.
- Enhanced durability for more demanding applications.
- Combines supreme power with lightweight comfort!

Non-Vacuum

Includes our PSA premium urethane sanding pad.

Pad Diameter	3/8" Orbit Models	3/16" Orbit Models	3/32" Orbit Models
3" (76 mm)	69100	69105	69110
3-1/2" (89 mm)	69000	69015	69030
5" (127 mm)	69005	69020	69035
6" (152 mm)	69010	69025	69040
6" w/ Hook-Face	69060	69061	69062



69025

3/8" Dia. Orbit
Aggressive Sanding

Orange Lever

3/16" Dia. Orbit
General Sanding

Grey Lever

3/32" Dia. Orbit
Ultra-Fine Sanding

Black Lever

Self-Generated Vacuum

Includes our PSA premium urethane sanding pad.

Pad Diameter	3/8" Orbit Models	3/16" Orbit Models	3/32" Orbit Models
3" (76 mm)	69103	69108	69113
3-1/2" (89 mm)	69003	69018	69033
5" (127 mm)	69008	69023	69038
6" (152 mm)	69013	69028	69043



69013

**Portable Dust
Collection System**

*Optional
(Part No. 50617)*



Central Vacuum

Includes our PSA premium urethane sanding pad.

Pad Diameter	3/8" Orbit Models	3/16" Orbit Models	3/32" Orbit Models
3" (76 mm)	69104	69109	69114
3-1/2" (89 mm)	69004	69019	69034
5" (127 mm)	69009	69024	69039
6" (152 mm)	69014	69029	69044



69029

3" Diameter Buffing Tools




- For repair of sanding scratches in clearcoat.
- Lightweight, palm-style design for comfort & control.
- Use with optional terry cloth, wool & foam buffs.

3" Sander/Buffer

Dual purpose tool offers random orbital sanding (3/16" dia.) and rotary buffing. Includes hook-face backup pad.

12,000 RPM
Model 69540



Switch Allows Easy Change Between Rotary & Random Orbit!



3" Rotary Buffer

Includes hook-face backup pad.

12,000 RPM
Model 69550



Rotary Orbit Cutting, Polishing and Buffing



Bodyman Tool Kit

- Economical kit includes everything shown below.

Dynorbital-Spirit®
Page 2 for Details

Die Grinder
Page 28 for Details

Includes 21035 Dynorbital-Spirit®, 18010 Die Grinder, extra backup and sanding pads plus sample abrasives.

Tool Kit
Model 21080



Two Hand Dynorbital® Sanders

- 5" & 6" Models – 12,000 RPM; 8" Models – 10,000 RPM.
- Long handle provides excellent comfort and control.
- Lightweight with smooth performance.

Non-Vacuum

Includes our PSA premium urethane sanding pad.



10720

Pad Diameter	3/8" Orbit Models	3/16" Orbit Models
5" (127 mm)	10730	10710
6" (152 mm)	10733	10720
8" (203 mm)	—	10725

Self-Generated Vacuum

Includes our PSA premium urethane sanding pad.



10722

Portable Dust Collection System

*Optional
(Part No. 50617)*



Pad Diameter	3/8" Orbit Models	3/16" Orbit Models
5" (127 mm)	10731	10712
6" (152 mm)	10734	10722
8" (203 mm)	—	10727

Uses exhaust air to create a vacuum at the sanding surface

Central Vacuum

Includes our PSA premium urethane sanding pad.



10729


Pad Diameter	3/8" Orbit Models	3/16" Orbit Models
6" (152 mm)	10735	10724
8" (203 mm)	—	10729

Requires hookup to an external vacuum source

6" & 8" Gear-Driven "Mud Hog" Sanders

- 900 RPM, Adjustable speed control.
- Level Filler, Blending and Paint Stripping.

Unique Cutting Action
For Quick Filler Removal!



Non-Vacuum

Includes our PSA premium urethane sanding pad.

6" Diameter
Model 10760

8" Diameter
Model 10763



Central Vacuum

Anti-clog design is advantageous when sanding damp filler material.
Includes our PSA premium urethane sanding pad.

6" Diameter
Model 10761

8" Diameter
Model 10764

*Requires hookup
to an external
vacuum source*




DynaLocke[®] Dual Action Sander

- Unique Disc Sander & Random Orbital Sander in one!
- Powerful .4 hp with adjustable 12,000 RPM motor.



Rotary Orbit
*Strip, Level and Grind
to Bare Metal!*



3/16" Dia. Orbit
*Featheredge and
Finesse Body Panels!*



10754

Non-Vacuum

Includes our hook-face premium urethane sanding pad.

3" Diameter
Model 10770

5" Diameter
Model 10750

3-1/2" Diameter
Model 10780

6" Diameter
Model 10754



Recessed Dial

*Selects Between Rotary
and Random Action!*

Self-Generated Vacuum

Designed to vacuum in random orbital mode only.

Includes our hook-face premium urethane sanding pad.

3" Diameter
Model 10771

5" Diameter
Model 10752

3-1/2" Diameter
Model 10781

6" Diameter
Model 10756



**Portable Dust
Collection System**

*Optional
(Part No. 50617)*

*Uses exhaust air to create a
vacuum at the sanding surface*

Dry Dynabug[®] "Model T" Sander

- Lightest tool we offer – weighs only 1 pound!
- Adjustable 20,000 RPM; Up to 3/16" diameter orbit.
- All models include 3 ft. flexible air hose.

Round Models


Includes premium urethane sanding pad.

5" Diameter

Model 10475 Model 10477

PSA Pad

Hook-Face Pad



6" Diameter

Model 10481 Model 10483

PSA Pad

Hook-Face Pad


Rectangular Models

4" x 4-1/4"

Uses 4-1/2" x 4-1/4" paper.

Includes premium urethane sanding pad.

Clips are good for use with 9" x 11" sheet paper.



Clips

Model 10470

PSA Pad

Without Clips

Model 10472

Hook-Face Pad

Model 10479

PSA Pad

Central Vacuum Models

4-1/4" x 4-1/2"

Includes premium urethane sanding pad.

PSA

Model 10485

Hook-Face

Model 10487



Requires hookup to an external vacuum source

Wet Dynabug[®] "Model T" Sander

- Self-siphoning. Includes 20 ft. of water hose with filter.
- Adjustable 20,000 RPM; Up to 3/16" diameter orbit.
- Replaceable water filter and siphon-weight.



Round Models


Easy-adjust water valve with on/off and fast/slow selection.

Includes hook-face and foam interface pad.

Uses hook-face paper with standard hole pattern.

5" Diameter
Model 10288

6" Diameter
Model 10289



Faucet/Garden Hose Connection (Optional)

Must order each of the following:

Fitting

Part No. 95430

1" Hose Bib Fitting

Part No. 95464



Portable Wet Tank (Optional)

Makes wet sanders self-sufficient.

2 Gallon

Part No. 96575

Wet Random Orbital Sanders

- 10,000 RPM air motor with adjustable speed control.
- Achieve a uniform and consistent finish faster.
- Quickly remove runs, dust nibs & other imperfections.



Wet Random Orbital Sander

Includes our hook-face "short-nap" premium urethane sanding pad.

Pad Diameter	3/16" Orbit Models	3/32" Orbit Models
3-1/2" (89 mm)	10341	10351
5" (127 mm)	10343	10353
6" (152 mm)	10345	10354



3/16" Dia. Orbit
General Sanding



3/32" Dia. Orbit
Ultra-Fine Sanding



Portable Wet Tank (Optional)

Makes wet sanders self-sufficient.

2 Gallon
Part No. 96575

Dynabug® Orbital "Jitterbug" Sander

- 10,000 RPM air motor with adjustable speed control.
- Spring clips hold sandpaper securely.

Non-Vacuum

Includes our PSA premium urethane sanding pad.

3/16" Orbit **3/32" Orbit**
Model 57800 Model 57810



Central Vacuum

Includes our PSA premium urethane sanding pad.

3/16" Orbit **3/32" Orbit**
Model 57804 Model 57814



Dynabug® II

- 10,000 RPM air motor. 3/32" dia. orbit.
- Reach deep into corners where round discs are unable!

Non-Vacuum

Includes our hook-face premium urethane sanding pad.

3" x 4-1/4" **3-1/4" x 5"**
Model 10280 Model 10283

2-3/4" x 6-3/4"
Model 10281

NEW!

Includes our PSA premium urethane sanding pad.



Central Vacuum

Includes our hook-face premium urethane sanding pad.

3" x 4-1/4" **3-1/4" x 5"**
Model 10282 Model 10285

Dynaline Board Sanders

- 2,400 SPM and 3/8" long consistent sanding stroke.
- Ideal where conventional long board sander is too large.
- Ultra-smooth in-line sanding action; adjustable speed.

Non-Vacuum

Includes our PSA premium urethane sanding pad.

2-3/4" x 8"

Model 57400



2-3/4" x 11"

Model 10540

11" Sander Kit

Model 10541

Includes 10540 tool with additional hook-face pad and sample abrasives.



*On Non-Vacuum Models, Pad Can Be Rotated
360° and Set at Any Comfortable Position.
No Other Tool Like It!*

Central Vacuum

Includes our PSA premium urethane sanding pad.

2-3/4" x 8"

Model 57404



Requires hookup to an external vacuum source

Mini-Dynorbital[®] Buffers

- 2,400 RPM, speed control, geared rotary motor.
- Ideal for motorcycle helmets, gas tanks & more!



Each model includes hook-face backup pad. Model 10390 includes terry cloth and wool pad. Model 10398 includes foam polishing pad.

3" Diameter
Model 10390

5" Diameter
Model 10398



Rotary Orbit
Cutting, Polishing
and Buffing



Buffer • Sander • Dust Nib Remover



Rotary Orbit
Cutting, Polishing
and Buffing



3/16"
Dia. Orbit
General Sanding

3" Diameter, Three-In-One Kit

Includes 10390 tool, 3" hook-face backup pad, 1-1/4" vinyl-face sanding pad, 3-1/2" vinyl-face pad, mini-orbital head (1/4"-20 Thread), sample abrasives, terry cloth and wool buffs, foam pad, finesse creme, glaze and wrenches.

Versatility Kit
Model 10393

Mini-Dynorbital[®] Sander

- Level dust nibs on clear coat finishes with ease.
- Easy to control sander with adjustable speed control.



3/16" Dia. Orbit
General Sanding



Includes Random Orbital Sanding Head and 1-1/4" dia. medium sanding pad with sample micro-finishing film abrasive discs.

5,000 RPM
Model 10360



3/4" PSA Pad (Optional)
Part No. 54017

7"-8" Electric Buffer

- Rotary orbit for cutting, polishing and buffing.
- Variable speed trigger with adjustable RPM roller dial.



120 V (AC), 11-amp

Shown with optional backing and polishing pad.

3,000 RPM
Model 51580



Rotary Orbit
*Cutting, Polishing
and Buffing*

Random Orbital Buffers Electric & Air Powered

- Multi-position comfort grip handle.
- Large 3/4" diameter orbit action prevents swirls.



120 V (AC), 11-amp

Includes hook-face backup pad and wool buff (7" diameter).

3,000 RPM

Model 51584



3/4" Dia. Orbit
Large Surfaces



3/4" Dia. Orbit
Large Surfaces

Air Powered, .7 hp

Includes hook-face backup pad and wool buff (7" diameter).

2,500 RPM

Model 10786

"Two-Step" Spot Repair System

- Remove minor surface defects in clear coat.
- Achieve OEM results in your shop.
- Eliminates swirl marks, "hazing" & sanding scratches.

STEP 1

Remove Surface Defects

Mini-Random Orbital Sander

Includes 1-1/4" male locking-type sanding head with vinyl-face sanding pad.

7,500 RPM

Model 57502



3/16" Dia. Orbit
General Sanding

STEP 2

Buff Out the Scratches



14 mm Dia. Orbit
Buffing

Dynabuffer - 10,000 RPM

10127 - Includes backup pad & hanger bracket. Foam buff not included.

10745 - Foam buff and backup pad must be ordered separately.

3" Diameter

Model 10127

5" Diameter

Model 10745

Dynafine[®] Detail Sander

- 15,000 RPM, 1/32" dia. orbit for a superior finish.
- Amazingly smooth & quiet. Lightweight...only 1.6 lbs!



*Sanding Pad
Adjusts 360°*

Non-Vacuum

Includes tear-drop hook-face pad.
Kit includes tool, hook-face & PSA
pads and assortment of abrasives.

Model 10800

Model 10810 - **Versatility Kit**



Self-Generated Vacuum

Includes tear-drop vinyl-face pad.

Model 58015

*Uses exhaust air to create a
vacuum at the sanding surface*

Central Vacuum

Includes tear-drop vinyl-face pad.

Model 58017

*Requires hookup
to an external
vacuum source*



Dynafine[®] Finger Sander

- 15,000 RPM, 1/32" dia. orbit for a superior finish.
- Amazingly smooth & quiet. Lightweight...only 1.6 lbs!
- Eliminate tedious finger sanding.



Tool includes 3/8" wide sanding arm, sample platen pads & abrasives.
Deluxe Kit includes tool with 3/8" sanding arm, hook-face & PSA pads,
assortment of abrasives, 3/4" sanding arm, and 3/8" & 3/4" abrasive strips

Model 10820

Model 10821 - **Deluxe Versatility Kit**

Pistol Grip Disc Sanders

- 11,000 RPM gearless motor with .7 hp; rear exhaust.
- Governor-controlled to maintain RPM under heavy load.

4" Diameter

Includes locking-type pad.

3/8"-24 Thread

Model 50324



4-1/4"-5" Diameter

Includes Disc Mount Assembly.

5/8"-11 Thread

Model 50321



Heavy Duty Pneumatic Tools

- Dynabrade offers a wide selection of ergonomic tools.

3" Dia. Cut-Off Wheel Tool

Front exhaust.
Wheel sold separately.

20,000 RPM, .5 hp
Model 52420



.4 hp Die Grinders - 7° Offset

Includes 1/4" collet. Rear exhaust.

25,000 RPM
Model 48335
30,000 RPM
Model 48337



.4 hp Drill - Pistol Grip

Includes 1/4" Dynachuck.

20,000 RPM
Model 52836



Mini-Dynafine® II

- Grind, sand and deburr in those tight areas.
- .4 hp with rear exhaust; grinding head pivots 180°.

Includes contact arm for
1/2" W x 12" L abrasive belts.

25,000 RPM
Model 15003



Kit includes 15003 tool, collet to
convert to Die Grinder, 2 additional
contact arms, sample abrasives
and carry case.

Versatility Kit
Model 15006



Right Angle Buffers

- .4 hp air motor with ergonomic 7° offset design.
- Planetary geared with high torque & smooth performance.

3" Diameter Buffer

Includes hook-face pad, terry cloth buff & wool buff.

3,200 RPM **5,000 RPM**
Model 51400 Model 51401

5" Diameter Buffer

Includes hook-face pad and
foam "flat face" pad.

3,200 RPM
Model 51430



Electric Dynafile® II

- Grind, sand and deburr in those tight areas.
- Reversible side handle. Grinding head pivots 360°.

120 V (AC), 6-amp

Includes contact arm for
1/2" W x 18" L abrasive belts.

11,000 RPM
Model 40610



Kit includes 40610 tool,
2 additional contact arms,
assortment of platen pads
& abrasives and carry case.

Versatility Kit
Model 40611



Electric Grinder

- 11,000 RPM; 120 V (AC), 6-amp. 5/8"-11 spindle thread.
- Accepts optional wheels/flap discs with 7/8" center hole.

Electric Depressed Center Wheel Grinder

Shown with optional
Type 27 Depressed
Center Wheel.

4-1/2" Diameter
Model 40260



Auto File II

- Grind, sand and deburr in those tight areas.
- .5 hp with rear exhaust; grinding head pivots 360°.

Abrasive Belt Tool

Includes contact arm for
3/4" W x 18" L abrasive belts.

20,000 RPM
Model 18100



Four-In-One Versatility Kit

Kit includes 18100 tool, 1/4" collet, cut-off guard, flange, 3" backup pad, drive wheel, belt housing assembly, Dynaswivel®, abrasive belt, abrasive disc and carry case.

20,000 RPM
Model 18025

3" Cut-Off Tool • Belt Sander
1/4" Die Grinder • 3" Disc Sander



AutobradeRed

FOR THE VALUE-MINDED PRO

Pistol Grip Tools; Eraser Disc & Buffer

- 2,500 RPM, Eraser Disc removes graphics with ease.
- Ideal for a variety of buffing applications.

RED-TRED® Eraser Disc Tool

Includes 4" RED-TRED®
Eraser Disc Assembly.

5/8"-11 Thread
Model 18069



3" Dia. Buffer

Includes 3" diameter
hook-face backup pad.

3/8"-24 Thread
Model 18068



Foam Cutting Pad (Optional)
Part No. 90044



RED-TRED® Eraser Disc/ Buffing Versatility Kit

Includes 18068 tool, RED-TRED®
Eraser Disc Assembly, spindle
thread adapter, terry cloth pad
and sheepskin pad, polishing
foam pad and foam cutting
pad, wrench in a carry case.

2,500 RPM
Model 18071



AutobradeRed

RED-TRED® Eraser Disc Tools

- Choose from standard or heavy-duty model.
- Compact, comfortable design; variable speed.

Standard Duty

Includes 4" RED-TRED®
Eraser Disc Assembly.

.4 hp, 2,400 RPM
Model 18067



Heavy-Duty

Includes 4" RED-TRED®
Eraser Disc Assembly.

.7 hp, 2,500 RPM
Model 10789



Dual-Piston Sander

- Long board sander for two-hand operation.
- Accepts 2-3/4" W x 17" L paper abrasives.



Includes rubber pad with
clips for securing abrasives.

2,500 SPM
Model 18066

*Autobrade*Red

DynaZip® Tools

- 3,200 RPM tool with multi-adjustable handle.
- Use for surface preparation and decal removal.

DynaZip Surface Preparation Tool

Model 18253

Includes tool only.

Model 18255

Includes tool, coarse wire wheel and 3/4" Hub Assembly.



*Quickly
Remove Surface
Rust, Sealers, Etc.
in Tight Spots!*

DynaZip-Eraser Decal Removal Tool

Includes RED-TRED®
Eraser Wheel and 3/4"
Hub Assembly.

3,200 RPM

Model 18258

*Erase with
NO PAINT DAMAGE!*



DynaZip Versatility Kits

Basic Kit: includes DynaZip tool, 3/4" and 1/2" coarse wire wheels, RED-TRED® Eraser Wheel, 3/4" and 1/2" Hub Assemblies.

Deluxe Kit: includes above, plus 3/4" medium & fine wire wheels.



Basic Kit

Model 18256

Deluxe Kit

Model 18257

AutobradeRed

Cut-Off Wheel Tools

- .5 hp air motor with 20,000 RPM.
- Accepts optional 3" dia. wheels with 3/8" center hole.

Long Neck

Shown with optional cut-off wheel.

3" Diameter
Model 18075



7° Offset

Shown with optional cut-off wheel.

3" Diameter
Model 18080



Disc Sander

- 20,000 RPM; gearless motor for less maintenance.
- 7° offset handle design for comfort.

Disc Sander

Each model includes locking-type pad.

2" Diameter **3" Diameter**
Model 18160 Model 18180



Autobrade **Red**

Die Grinders

- Compact, lightweight and easy to use die grinders.
- Various configurations to suit you best.

Mini-Straight-Line

Includes 1/4" collet.
Rear exhaust.

25,000 RPM, .2 hp
Model 18000



Mini-Right Angle

Includes 1/4" collet.
Rear exhaust.

20,000 RPM, .2 hp
Model 18010



Mini-Right Angle Die Grinder/Disc Sander Kit

Kit includes 18010 tool,
3" backup pad, assortment
of abrasives, 1/4"-20 shank,
Dynaswivel® and carry case.

20,000 RPM, .2 hp
Model 18015



7° Offset

Includes 1/4" collet.
Front exhaust.

20,000 RPM, .5 hp
Model 18020



Autobrade **Red**

Buffers

- 3" Buffers; .4 hp motor with 3/8"-24 male spindle.
- 5"-8" Buffer; .7 hp motor with 5/8"-11 male spindle.

3" Dia., Right Angle

Includes 3" hook-face backup pad & wool buff (3-1/2").

2,400 RPM **3,200 RPM**
Model 18055 Model 18056



3" Dia., Right Angle Buffer/Spot Sander Kit

Kit includes 18055 tool, 3" backup pad, wool, foam and terry cloth pads, finesse creme, glaze, Random Orbit Sanding Head, 1-1/4" sanding pad, sample abrasive discs, Dynaswivel®, wrenches and carry case.



2,400 RPM
Model 18058



Rotary Orbit
Cutting, Polishing
and Buffing



3/16" Dia. Orbit
General Sanding

5"-8" Dia., Right Angle

Shown with optional backup pad and polishing buff.

2,500 RPM, .7 hp
Model 18050



AutobradeRed

Electric Portable Vacuum Systems

- Cost-Effective solution for a cleaner shop!
- For use with Dynabrade central vacuum air tools.



Electric Portable Dry Vacuums

Includes two 20 ft. coaxial hose assemblies.

9.9 Gallon
Model 61300

17 Gallon
Model 61301

**Features 2 Year
Limited Warranty!**

17 Gallon Vacuum Combo Kit

Includes 61301 Vacuum, two Dynorbital-Spirit® Random Orbital Sanders with 3/16" diameter orbit and 6" diameter pads. Choose between PSA or hook-face sanding pads.

PSA Pads
Model 10010

Hook-Face Pads
Model 10011

Downdraft Sanding Tables

- Keep shop area free of dust while sanding, etc.
- No vacuum type tools needed; use any sander/grinder.
- Excellent quality & long-term value.



Standard Duty Models

Dual Filtration, and one heavy duty electric motor, 1.0 hp.

33" W x 41" L

Model 64201

33" W x 60" L

Model 64699

36" W x 72" L

Model 64700



Heavy Duty Model

Dual Filtration, and two heavy duty TEFC electric motors, 1.5 hp.

48" W x 96" L

Model 64657

Dynaswivel® Air Line Connectors

- Improve tool maneuverability, minimize operator fatigue.
- “Universal-joint” swivels 360° at two locations.

Composite Construction

1/4" NPT

Part No. 94300

Our Best Seller!



Flow-Control – 1/4" NPT

Built-in dial allows for air-flow control.

Aluminum

Part No. 95734

Composite

Part No. 94407



Heavy Duty Aluminum

1/4" NPT

Part No. 95460

3/8" NPT

Part No. 95461

1/2" NPT

Part No. 95462

3/4" NPT

Part No. 95490



DynaJet In-Line Blow Guns

- Mounts between coupler and air hose.
- 1/4" NPT. Lightweight design, aluminum construction.



Standard

Part No. 94466



Safety-Tip

Part No. 94467

Push-Button Composite Couplers & Plugs

- Easy push-button action to disconnect!
- Heavy duty construction, shock-proof & crush resistant.

Couplers (1/4" NPT)

Male

Part No. 94980

Female

Part No. 94960



94960

Plugs (1/4" NPT)

Male

Part No. 95675

Female

Part No. 95677



95675

Assemblies (1/4" NPT)

Includes one composite-style coupler and one plug.

Part Number	Plug Thread	Coupler Thread
94990	Male	Female
94991	Female	Female
94992	Male	Male
94993	Female	Male

Male to Female Assembly

Part No. 94990

Female to Female Assembly

Part No. 94991

Male to Male Assembly

Part No. 94992

Female to Male Assembly

Part No. 94993



Spring-Action Steel Couplers & Plugs

- Quick-connect, pull back sleeve for coupler disconnect.
- “Ported” design for maximum air flow!


Couplers

Part Number	Thread Size	Air Flow Range
95674	1/4" Female NPT	Up to 74 SCFM
95684	1/4" Male NPT	Up to 74 SCFM
98261	3/8" Female NPT	Up to 138 SCFM
98262	3/8" Male NPT	Up to 138 SCFM
98269	1/2" Female NPT	Up to 138 SCFM
98270	1/2" Male NPT	Up to 138 SCFM



Plugs

Part Number	Thread Size	Air Flow Range
95675	1/4" Male NPT	Up to 74 SCFM
95677	1/4" Female NPT	Up to 74 SCFM
98263	3/8" Male NPT	Up to 138 SCFM
98264	3/8" Female NPT	Up to 138 SCFM
98271	1/2" Male NPT	Up to 138 SCFM
98272	1/2" Female NPT	Up to 138 SCFM



Assemblies

Includes one coupler and one plug (shown above).

Part Number	Coupler Thread Size	Plug Thread Size
95676	1/4" Female NPT	1/4" Male NPT
95850	1/4" Female NPT	1/4" Female NPT
95685	1/4" Male NPT	1/4" Male NPT
95851	1/4" Male NPT	1/4" Female NPT
98265	3/8" Female NPT	3/8" Male NPT
98266	3/8" Female NPT	3/8" Female NPT
98267	3/8" Male NPT	3/8" Male NPT
98268	3/8" Male NPT	3/8" Female NPT
98273	1/2" Female NPT	1/2" Male NPT
98274	1/2" Female NPT	1/2" Female NPT
98275	1/2" Male NPT	1/2" Male NPT
98276	1/2" Male NPT	1/2" Female NPT

Safety Couplers & Plugs

- Unique “Two Step” safety disconnect system releases air pressure before tool is disconnected.

Couplers (1/4" NPT)

Male

Part No. 97567

Female

Part No. 97566



97566

Plugs (1/4" NPT)

Male

Part No. 95675

Female

Part No. 95677



95675

Assemblies (1/4" NPT)

Includes one safety coupler and one plug (shown below).

Part Number	Plug Thread	Coupler Thread
97572	Male	Female
97573	Female	Female
97574	Male	Male
97575	Female	Male

Male to Female Assembly

Part No. 97572



Female to Female Assembly

Part No. 97573



Male to Male Assembly

Part No. 97574



Female to Male Assembly

Part No. 97575



RED-TRED® & DynaZip Accessories

- RED-TRED® erases with **NO PAINT DAMAGE!**
- DynaZip Wire Wheels work on sealants, rust & paint.

RED-TRED® Eraser Disc

Maximum 3,500 RPM. Replacement parts available.
Includes parts shown plus 96507 Pin Wrench.



Complete Assembly
Part No. 92295

92298
Backing Plate



92297
Disc (4" dia.)



04127
Flange (5/8"-11)



RED-TRED® Eraser Decal Removal Wheel



Eraser Wheel
Part No. 92255



Eraser Wheel with Hub
Part No. 92257

DynaZip Accessories

Wire Wheels

Also fits competitive tools.



Part No.	Size	Grade	Use	Tip Type
92245	4" Dia. x 3/4" W	Coarse	Sealants	Bent
92246	4" Dia. x 3/4" W	Medium	Rust	Bent
92247	4" Dia. x 3/4" W	Fine	Paint Removal	Straight
92248	4" Dia. x 1/2" W	Coarse	Sealants	Bent

Non-Vacuum Random Orbital Sanding Pads

- Premium urethane, weight-mated to Dynabrade tools.
- Dynabrade's exclusive single-piece hub design!
- 13,000 RPM maximum, 5/16"-24 male thread.

Non-Vacuum

Vinyl-Face

Ideal for PSA-Type disc adhesion.



Diameter	Part No.	Thickness	Density
3"	56084	5/8"	Medium
	56086	5/8"	Soft
3-1/2"	56097	5/8"	Soft
	56098	5/8"	Medium
5"	56102	3/8"	Soft
	56106	3/8"	Medium
	56175	5/8"	Medium
	56185	5/8"	Soft
	56273	1/2"	Extra Soft
6"	56103	3/8"	Soft
	56107	3/8"	Medium
	56177	5/8"	Medium
	56187	5/8"	Soft
8"	56234	3/8"	Medium

Non-Vacuum

Hook-Face

Short nap for reattachable discs.

Long nap for non-woven nylon discs.



Diameter	Part No.	Thickness	Nap	Density
3"	56087	5/8"	Short	Medium
	56090	5/8"	Long	Medium
	56145	1/2"	Short	Medium
3-1/2"	54311	5/8"	Short	Soft
	54313	5/8"	Short	Hard
	54314	5/8"	Long	Medium
5"	54325	3/8"	Short	Medium
	56157	3/8"	Short	Soft
	56180	5/8"	Short	Medium
	56195	5/8"	Short	Soft
6"	54327	3/8"	Short	Medium
	56158	3/8"	Short	Soft
	56182	5/8"	Short	Medium
	56197	5/8"	Short	Soft
8"	56236	3/8"	Short	Medium

Vacuum Random Orbital Sanding Pads

- Premium urethane, weight-mated to Dynabrade tools.
- Dynabrade's exclusive single-piece hub design!
- 13,000 RPM maximum, 5/16"-24 male thread.

Vacuum

Vinyl-Face

Ideal for PSA-Type disc adhesion.



Diameter	Part No.	Holes	Thickness	Density
3"	56084	0	5/8"	Medium
	56086	0	5/8"	Soft
3-1/2"	56097	0	5/8"	Soft
	56098	0	5/8"	Medium
5"	56100	5	3/8"	Soft
	56104	5	3/8"	Medium
	56176	5	5/8"	Medium
	56186	5	5/8"	Soft
	56241	6	3/8"	Medium
	56274	5	1/2"	Extra Soft
6"	56101	6	3/8"	Soft
	56105	6	3/8"	Medium
	56178	6	5/8"	Medium
	56188	6	5/8"	Soft
8"	56235	5	3/8"	Medium

Vacuum

Hook-Face

Short nap for reattachable discs.

Long nap for non-woven nylon discs.



Diameter	Part No.	Holes	Thickness	Density
3"	56087	0	5/8"	Medium
	56090	0	5/8"	Medium
	56142	6	1/2"	Medium
3-1/2"	54311	0	5/8"	Soft
	54313	0	5/8"	Medium
	54314	0	5/8"	Medium
5"	54326	5	3/8"	Medium
	56155	5	3/8"	Soft
	56181	5	5/8"	Medium
	56196	5	5/8"	Soft
	56240	6	3/8"	Medium
	56320	44	3/8"	Medium
6"	54328	6	3/8"	Medium
	56156	6	3/8"	Soft
	56183	6	5/8"	Medium
	56198	6	5/8"	Soft
	56321	52	3/8"	Medium
8"	56322	48	3/8"	Medium

***NOTE:** Pads without holes can be used for vacuum sanding. Vacuum pick-up is around periphery of pad.

Channel Vacuum Random Orbital Sanding Pads

- Premium urethane, weight-mated to Dynabrade tools.
- Dynabrade's exclusive single-piece hub design!
- 13,000 RPM maximum, 5/16"-24 male thread.

Channel Vacuum

Vinyl-Face

Ideal for PSA-Type disc adhesion.



Diameter	Part No.	Holes	Thickness	Density
5"	56251	5	3/8"	Soft
	56252	5	3/8"	Medium
	56254	5	5/8"	Medium
	56256	5	5/8"	Soft
6"	56261	6	3/8"	Soft
	56262	6	3/8"	Medium
	56264	6	5/8"	Medium
	56266	6	5/8"	Soft

Channel Vacuum

Hook-Face

Short nap for reattachable discs.
Long nap for non-woven nylon discs.



Diameter	Part No.	Holes	Thickness	Nap	Density
5"	56250	5	3/8"	Short	Medium
	56253	5	3/8"	Short	Soft
	56255	5	5/8"	Short	Medium
	56257	5	5/8"	Short	Soft
6"	56260	6	3/8"	Short	Medium
	56263	6	3/8"	Short	Soft
	56265	6	5/8"	Short	Medium
	56267	6	5/8"	Short	Soft

**Ask for the
ORANGE!**



Rubber Random Orbital Sanding Pads

- Rubber pads for the economy-minded professional.
- Medium density, various configurations.
- 12,000 RPM maximum, 5/16"-24 male thread.



Diamond Pattern

Low-cost alternative to premium urethane pads. For use with PSA-type abrasives.



Post Pattern

Grooves in bottom of pad allow for enhanced vacuum pick-up. For use with PSA-type abrasives.



Hook-Face

Long nap for use with non-woven nylon discs.

Non-Vacuum

Diameter	Part No.	Face	Nap	Thickness
5"	50630	Diamond	—	1/2"
	50605	Hook	Long	1/2"
6"	50632	Diamond	—	1/2"
	50606	Hook	Long	1/2"



Vacuum

Diameter	Part No.	Face	Nap	Holes	Thickness
5"	50631	Diamond	—	5	1/2"
	50695	Post Pattern	—	5	1/2"
	50607	Hook	Long	5	1/2"
6"	50633	Diamond	—	6	1/2"
	50696	Post Pattern	—	6	1/2"
	50610	Hook	Long	6	1/2"




Mesh Abrasive Sanding Pads

- Premium urethane, weight-mated to Dynabrade tools.
- Eliminate “pilling”. For improved dust-free sanding.
- 13,000 RPM maximum, 5/16"-24 male thread.

Vacuum

Hook-Face

Short nap for reattachable discs.



Diameter	Part No.	Holes	Thickness	Nap	Density
5"	56320	44	3/8"	Short	Medium
8"	56321	52	3/8"	Short	Medium
8"	56322	48	3/8"	Short	Medium

Value Sanding Pads

- Value urethane with medium density.
- 13,000 RPM maximum, 5/16"-24 male thread

Non-Vacuum

Vinyl-Face

Ideal for PSA-Type disc adhesion.

Diameter	Part No.	Thickness
5"	56205	3/8"
6"	56206	3/8"



Vacuum

Vinyl-Face

Ideal for PSA-Type disc adhesion.

Diameter	Part No.	Holes	Thickness
5"	56207	6	3/8"
6"	56208	6	3/8"

Hook-Face Backup & Buffing Pads

- Choose from many options to suit your needs.
- For use with 3"–8" Dynabrade Buffing Tools.

Mini-Dynorbital® Disc Pads

Diameter	Part No.	Description	Thread
3"	50120	Foam Backing	1/4"-20 F
	50122	Foam Backing	3/8"-24 F
	50125	Rigid Backing	1/4"-20 F
	50126	Rigid Backing	3/8"-24 F



Sanding Disc Pads

Diameter	Part No.	Type	Nap	MOS RPM	Thread
4"–5"	50146	Rigid	Short	6,000	1/4"-20 F
	50147	Rigid	Short	6,000	3/8"-24 F
5"	50155	Rigid	Long	10,000	5/8"-11 F
	50156	Rigid	Long	10,000	3/8"-24 F
6"	50946	Foam	Short	3,200	5/8"-11 F
7-1/4"	50853	Foam	Short	3,200	5/8"-11 F



Buffing Pads

Diameter	Part No.	Description	Type	Color
3"	90027	Terry Cloth	Polishing	White
	90028	Synthetic Wool	Polishing	White
	90038	Foam Flat	Polishing	White
	90044	Foam Flat	Cutting	Yellow
	90080	Natural Sheepskin	Polishing	White
3-1/2"	90034	Natural Sheepskin	Polishing	Tan
4"	90024	Cotton Buff	Polishing	White
5"	90036	Natural Sheepskin	Polishing	Tan
	90040	Foam Flat	Polishing	White
	90045	Foam Flat	Cutting	Yellow
	90081	Natural Sheepskin	Polishing	White
6"	90046	Foam Flat	Cutting	Yellow
	90047	Foam Flat	Polishing	White
7"	90082	Natural Sheepskin	Polishing	White
8"	90041	Foam Flat	Polishing	Blue
	90083	Synthetic Wool	Cutting	White

Polishing Pads



Foam Flats





Contact Us

*For more information, prices or a demonstration,
contact your local Dynabrade Jobber or call / fax
one of our Customer Service numbers:*



U.S.A.

P: 1.800.828.7333

F: 716.631.2073



Canada

P: 1.800.344.1488

F: 716.631.2524



E-Mail

E: autoaft@dynabrade.com



Website

W: dynabradeauto.com



*Ask Your Distributor for Our
Complete Automotive Catalog!*

DISTRIBUTED BY

DYNABRADEAUTO.COM

DYNABRADE, INC.

8989 Sheridan Drive • Clarence, NY 14031-1419

P 716-631-0100 • **F** 716-631-2073