



Makita®

Engineered to Perform



The New Products Book

January 2017

18v Lithium-ion

18v LXT Brushless Combi Drill

DHP484

Max in Steel	13mm
Max in Wood	38mm
Max in Masonry	13mm
Chuck Capacity	1.5 – 13mm
Torque Settings	21 + Drill
Max Fastening Torque (S/H)	30/54Nm
No Load Speed	0- 2,000 / 500rpm
Blows per minute	0-30,000/7,500bpm
Net Weight	1.8kg

COMPACT LENGTH OF 182mm

Body only machines do not come with a carry case.



DHP484RTJ 2 x 5.0Ah Li-ion

DHP484Z Body only

STANDARD EQUIPMENT: Fast charger, battery cartridges, carry case.



18v LXT Brushless Drill Driver

DDF484

Max in Steel	13mm
Max in Wood	38mm
Chuck Capacity	1.5 – 13mm
Torque Settings	21 + Drill
Max Fastening Torque (S/H)	30/54Nm
No Load Speed	0- 2,000 / 500 rpm
Net Weight	1.8kg

COMPACT LENGTH OF 172mm

Body only machines do not come with a carry case.



DDF484RTJ 2 x 5.0Ah Li-ion

DDF484Z Body only

STANDARD EQUIPMENT: Fast charger, battery cartridges, carry case.



18v LXT Brushless Drill Driver

DDF083Z

Max in Steel	13mm
Max in Wood	36mm
Chuck Capacity	¼" Hex (6.35mm)
Torque Settings	20 + Drill
Max Tightening Torque (S/H)	23/40 Nm
No Load Speed	0- 1,700 / 0- 500 rpm
Net Weight	1.3kg

COMPACT LENGTH OF 124mm

Body only machines do not come with a carry case.



DDF083Z Body only

STANDARD EQUIPMENT: Screwdriver bit, Belt Clip



18v LXT Brushless Impact Wrench

DTW285

Driving Shank	1/2" Square Drive	No Load Speed	Hi 0-2,800
Standard Bolt	M10-M20		Med 2,100
High Tensile Bolt	M10-M16		Soft 1,600rpm
Impact Power Selection	Hi, Med, Soft	Max Fastening Torque	280Nm
Impacts per Minute	Hi 0-3,500	Nut Busting Torque	400Nm
	Med 2,600	Net Weight	1.7kg
	Soft 1,800ipm		

Body only machines do not come with a carry case.

BATTERY FUEL GAUGE

SUITABLE FOR SCAFFOLDING APPLICATIONS IN 'MED MODE'



BL
MOTOR
LITHIUM-ION



DTW285RMJ 2 x 4.0Ah Li-ion

DTW285Z Body only

STANDARD EQUIPMENT: Fast charger, battery cartridges, carry case.

Twin 18v LXT Brushless Chainsaw

DUC353Z

Bar Length	350mm
Chain Pitch	3/8"
Chain Gauge	0.043"
Chain Speed	0- 20 m/s
Oil Tank Capacity	200ml
Net Weight	5.2kg



AUTOMATIC CHAIN OILING
TOOL-LESS CHAIN CHANGE

BL
MOTOR

18v + 18v → 36v
LITHIUM-ION



DUC353Z Body only

STANDARD EQUIPMENT: Saw Chain, Guide Bar, Guide Bar Cover, Oil supply.

DAB Job Site Radio

DMR109

Frequency Range FM	87.5 – 108MHz
Frequency Range	Band III 5A – 13F
Speakers	2x 76mmØ (8Ω)
Practical Output	7.2V: 0.5W x 2
	10.8V: 1.2W x 2
	14.4V: 2.2W x 2
	18V: 3.5W x 2
Net Weight	4.6kg

NOT COMPATIBLE WITH
NI-CAD, NI-MH OR
G-SERIES BATTERIES



DMR109



DMR109W

DMR109

DMR109W White

STANDARD EQUIPMENT: AC power adapter

DAB
Digital Audio Broadcasting

LXI CXI LITHIUM-ION

10.8v CXT Lithium-ion

10.8v CXT BL Impact Driver

TD111D

Driving Shank	1/4" Hex
Standard Bolt	M5-M14
High Strength Bolt	M5-M12
Machine Screw	M4-M8
Coarse Thread Screw	22-90mm
No Load Speed	0-3,000/0-1,300 rpm
Impacts per Minute	0-3,900/1,600 ipm
Max Tightening Torque	135Nm
Net Weight	1.1kg

ASSIST MODE

Body only machines do not come with a carry case.



TD111DSAJ 2 x 2.0Ah Li-ion
TD111DZ Body Only

STANDARD EQUIPMENT: Fast charger, battery cartridges, carry case, screwdriver bit



10.8v CXT Stapler

ST113DZ

Staple Width	10mm
Staple Length	7, 10mm
Staple Size	0.5 x 0.7 mm
Magazine Capacity	150 pcs
Shots per battery charger	N/A
Net Weight	1.5kg

Body only machines do not come with a carry case.



ST113DZ Body Only

STANDARD EQUIPMENT: Safety goggles, Belt Clip



10.8v CXT Vacuum Cleaner

CL106FD

Max Air Flow	1.3 m³/min
Max Sealed Suction	3.1 kPa
Suction Power	19W
Dust Capacity	0.6L
Net Weight	1.1kg
Run Time (2.0Ah)	21 mins
Run Time (4.0Ah)	42 mins

Body only machines do not come with a carry case.



CL106FDZ Body Only
CL106FDZW Body Only (White)

STANDARD EQUIPMENT: T-Nozzle, Extension Pipe, Sash Nozzle.



10.8v CXT Lithium-ion / 3.6v Lithium-ion

10.8v CXT Heated Jacket

CJ102DZ

Size	M / L / XL / XXL
Colour	Black
Heat Zones	3
Heat Level Settings	3
Number of Pockets	3
Continuous run time (4.0Ah)	
Low	14 hours
Medium	7.5 hours
High	4 hours
Material	94% Polyester / 6% Spandex



CXT
LITHIUM-ION

CJ102DZM Medium

CJ102DZL Large

CJ102DZXL Extra Large

CJ102DZ2XL Extra Extra Large

STANDARD EQUIPMENT: Battery holder.

10.8v CXT Heated Vest

CV101DZ

Size	M / L / XL / XXL
Colour	Black
Heat Zones	2
Heat Level Settings	3
Number of Pockets	3
Continuous run time (4.0Ah)	
Low	14 hours
Medium	7.5 hours
High	4 hours



CXT
LITHIUM-ION

CV101DZM Medium

CV101DZL Large

CV101DZXL Extra Large

CV101DZ2XL Extra Extra Large

STANDARD EQUIPMENT: Battery holder.

3.6V Pencil Screwdriver

DF001DW

Li-ion battery	Built-in
Max. fastening torque	4 Nm
Charging	Micro USB port
No load speed	220 rpm
Driving shank	1/4" Hex
Wood screw	Ø3.8mm x 32mm
Overall length	287mm
Net weight	0.36kg
Charge time	Min. 3 Hours



LITHIUM-ION

DF001DW Built-in battery

STANDARD EQUIPMENT: Charger micro USB, carry case, bit set.



Part No.	Details
JOINT CUTTER BLADES (DSD180)	
B-49703	Plasterboard 55mmX18mmX0.55mm (x2)
B-49719	Wood 53mmX18mmX0.55mm (x2)



Dry Wall 55mmX18mmX0.55mm (x2)

VACUUM BRAZED DIAMOND HOLESAWS





The vacuum brazed diamond holesaw features a rim of high quality diamonds that are vacuum brazed to the leading edge. This material joining process creates a bond which is significantly stronger than alternative methods. The benefits this offers to the tradesman are; faster drilling, increased durability and better suitability across a wider range of applications. They are ideal for all types of standard thickness wall and floor tiles, and can also be used to drill through deeper natural stone paving slabs, brick and marble.

B-45995	16mm	
B-46006	19mm	
B-46012	25mm	
B-46028	30mm	
B-46034	32mm	
B-46040	35mm	
B-46056	38mm	
B-46062	45mm	
B-46078	50mm	
B-46084	53mm	
B-46090	57mm	
B-46109	64mm	
B-53914	68mm	
STRAIGHT SHANK AND PILOT DRILLS		
B-46115	Straight Shank and Center Drill	
B-46121	Center Drill 59mm/M6	
B-46137	Straight Shank 182mm/M12-M6	
FOR SDS-PLUS		
B-52691	Shank and Center Drill	
B-52700	Shank 182mm/M12-M6	

VACUUM BRAZED DIAMOND CUTTING DISCS

Continuous rim for cutting

Iron, stainless steel, nonferrous metal,
PVC, FRP, mortar, concrete.

“You'll never be in trouble cutting any hard materials with this blade.”

The thin vacuum brazed diamond wheel gives you up to 57 times more cuts than a standard abrasive cut off wheel. Specifically designed for cutting steel materials, this blade will also cut PVC (pipe/board) and concrete.

- Less sparks
- Reduced odour
- Steel body – to help prevent damage when dropped or knocked

D mm	Part No.	Blade ID	Segment Height	B mm	Ring mm	Features
115mm	B-53687			22.23		Segmented Rim
125mm	B-53693			22.23		Segmented Rim
180mm	B-53702			22.23		Segmented Rim
230mm	B-53718			22.23		Segmented Rim

NEBULA









Segmented rim for cutting

Concrete, soft brick, soft slate, concrete tiles

nebula

Laser welded segmented blade.

General purpose blade for use on construction materials. Suitable for masonry materials. Ideal for use on hard concrete and flint aggregate. Can be used either wet or dry. Suitable for petrol disc cutters.




D mm	Part No.	Blade ID	Segment Height	B mm	Ring mm	Features
115mm	B-53986		10mm	22.23		Segmented, Laser welded
125mm	B-53992		10mm	22.23		Segmented, Laser welded
230mm	B-54025		10mm	22.23		Segmented, Laser welded
300mm	B-54031		10mm	20		Segmented, Laser welded
300mm	B-54047		10mm	20		Segmented, Laser welded
350mm	B-54053		10mm	25.4		Segmented, Laser welded
400mm	B-54069		10mm	25.4		Segmented, Laser welded
450mm	B-54075		10mm	25.4		Segmented, Laser welded

DRC200



Part No.	Details	
SH00000231	Sensor Wall Tape	
SH00000065	Side Brush	
SH00000063	Power Brush	
SH00000064	Turn Brush Cover	
SH00000213	Filter	



DVC260



Part No.	Details	
143787-2	28mm Hose (For Cleaning)	
195547-8	Front Cuffs 22	
195546-0	Front Cuffs 24	
195545-2	Front Cuffs 38	
123584-2	Telescopic Pipe Assembly	
123677-5	Bending Pipe Assembly	
192236-6	Anchor Nozzle Set	
123486-2	Floor Nozzle	
166116-2	Hose Band	
123636-9	Filter Set Assembly (Hepa)	
197903-8	Filter Bag (X10)	
197899-3	Dust Bag Assembly (Reusable)	



SQUARE DRIVE SOCKET ADAPTOR



Part No.	Dmm	Lmm	
B-54667	3/8"	50mm 1/4"	1
B-54673	1/2"	50mm 1/4"	1



Michigan Drive, Tongwell, Milton Keynes, Buckinghamshire, MK15 8JD
01908 211678 www.makita.co.uk

VAT calculated at 20% subject to change.

Accessories shown are not necessarily supplied as standard equipment.
Prices and specification shown may change owing to our policy of constant improvement. Subject to availability. E&OE.