



2009

NEW

Check out our
NEW router
table line
on pages
4 through 11

Join our **NEW**
Bench Dog
Club. It's
FREE and
easy to get
started
see page 2
for details...

full line catalog





full line catalog 2008

Welcome to Bench Dog

— your source for top-quality tools.

We at Bench Dog Tools are pleased to present our 2009 catalog, featuring some of the finest woodworking tools available. Over the years, we have built a reputation for designing and producing some of the highest quality, most innovative tools for woodworkers, contractors, hobbyists and schools. We combine experience, advanced engineering, high-quality materials and careful craftsmanship to bring you our line, and to prove it, we back everything up with a limited lifetime warranty. We sincerely hope you will choose Bench Dog Tools, and we are confident you will be completely satisfied. Step up to Bench Dog for the best!

NEW



ProMax RT
Cast Iron Table
Pages 4-5

NEW



ProTop Phenolic
Table
Pages 6-7

NEW



ProTop Contractor
Page 8

NEW



ProMax Cast Iron
Extension Table
Page 9

NEW



ProFence32
Page 10

NEW



ProStand
ProCabinet
Page 11

NEW



ProPlate
Page 12



ProLift
Page 13



Router Table and Table Saw
Accessories Page 14-15



ProCut and PushLoc
Page 16-17



TrimLoc and CrownCut
Page 18-19

Join the *Bench Dog Club* and be the first to know
about new products and promotions!

Benefits of membership include:

- Bi-monthly news letter exclusive to Club Members
- Expert Tips & Tricks from our shop
- Advance notice of new products
- Learn about upcoming promotional offers



*There is no charge for membership and it's easy to join.
Just go to www.benchdog.com/club to sign up!*





FEATHER-LOC®

MULTI-PURPOSE FEATHERBOARD

Four models to choose from!

Patent Pending

LIFETIME
warranty

Feather-Loc is essential for holding your stock firmly against your power tool's fence and tabletop. Use one on the table saw to keep long stock against the rip fence. On router tables and shapers, use one before and after the cutter. Attach Feather-Locs to both the fence and the tabletop when routing long, thin stock on the router table. Not only will Feather-Loc protect your hands, it also helps prevent kickback, binding and bent blades. Its durable polymer retains its flex memory, ensuring a steady feed rate. Feather-Loc's rounded feather tips will not mar your workpiece. The exclusive built-in setup feather makes setting the tension fast, easy and repeatable. Next time you're machining tall, thin or narrow stock, think Feather-Loc. Safer cuts. Better cuts. Every time. See below for which model suits your requirements.

- Single, Tandem or Double (pair) models for every application!
- Fits ALL Bench Dog Tools router tables and fences.
- Fits most aftermarket router table fences with T-slots.
- Perfect for router tables, shapers, band saws and table saws.
- Promotes smooth, chatter-free cuts and safer operation.
- Large T-knobs for easy adjustment and a secure hold.
- Heel-end of Feather-Loc can also be used as a stop.
- Super-tough polymer is specially formulated to hold its shape.
- Single and Tandem models come with our exclusive miter slot adapter for standard 3/8" x 3/4" slots.
- Over 5-1/4" of adjustability.

featherboards



SINGLE FEATHER-LOC® MULTI-PURPOSE FEATHERBOARD

Stock No. 10-005

Perfect for table saws and other power tools without 1/4" T-tracks. Comes with miter slot adapter.



Always position Feather-Loc before the table saw blade, as shown. Your cut quality will dramatically improve by using Feather-Loc, especially on long and narrow stock.



UNIVERSAL FEATHER-LOC® MULTI-PURPOSE FEATHERBOARD

Stock No. 10-029

Feather-Loc with universal bracket allows attachment to a shop-made clamping board for positioning anywhere on the table. Also allows use of Feather-Loc on machines with non-standard miter slots.



Universal Adapter Stock No. 10-028

For those who already own Feather-Loc, the bracket is also sold separately with the necessary bolts. You supply the wood screws and clamping apparatus. Slots maintain all the adjustability of Feather-Loc.



TANDEM FEATHER-LOC® MULTI-PURPOSE FEATHERBOARD

Stock No. 40-012

Use for holding taller stock. Great for resawing. Works both with 1/4" T-tracks and with miter gauge slots. Comes with miter slot adapter.



Perfect for holding tall panels on the router table.

Holds boards on edge. Ideal for resawing on the band saw.

Also works great for holding taller stock on your table saw.



DOUBLE (PAIR) FEATHER-LOC® MULTI-PURPOSE FEATHERBOARD

Stock No. 40-011

Perfect for router tables and shapers with 1/4" T-tracks. Sold as a pair. Does NOT come with miter slot adapter (sold separately below).



A pair of Feather-Locs mounted to our ProMAX cast iron router table makes handling large panels easy. If this panel lifted during the cut, it would be ruined — not with Feather-Locs.



Miter Slot Adapter Stock No. 10-012

Optional adapter for use with Feather-Loc Double. Clamps into miter slot. Great for custom jigs and fixtures too.



Feather-Locs make great fence and table stops. Use for routing stopped dadoes and mortises. Guard removed for photo clarity only.



router tables



ProMaxRT™ Cast Iron Router Table

Stock No. 40-100

3 ways to buy:

- ProMaxRT only (40-100)
- ProMax RT and ProFence32 (40-301)
- ProMaxRT, ProFence32, and ProCabinet (40-300)



SPECIFICATIONS	
table width	32"
table depth	24"
top thickness	1-1/2"
surface material	cast iron
leveling	10 leveling screws in router table
miter track	(1) 3/8" x 3/4" t-bar compatible miter slot
fence length	32"
fence height	3-5/8"
fence subfences	MDF 3/4" thick
dust port	integral 2-1/2" fence port (actual size is 2-1/4"); 4" universal cabinet port
ship weight	97 lbs

Take it to the MAX with these great accessories!



Stock No. 40-188

Optional ProCaster locking casters work with either the ProStand or ProCabinet to mobilize and secure your table.



Door Pack
Stock No. 40-084

Keep out dust and debris with an accessory door for your ProCabinet's router cubby.



Drawer Pack
Stock No. 40-083

Convert shelving to a drawer bank for easier access and better visibility.

The biggest, flattest, and toughest table out there.

- The only full-sized cast-iron table on the market.
- Provides over 5 square feet of work surface.
- Solid one-piece top weighs nearly 100 pounds.
- Ultra-flat surface is machine-ground to within .008".
- Integrated Dual-Track with slots for miter gauges and a wide variety of accessories.
- 12-point plate leveling and locking system.
- Fits both the Baltic birch ProCabinet and the steel ProStand.

If you're after the ultimate table top — the pinnacle of size, stability, and durability — look no further than the **ProMax RT (40-100)**.

Weighing in at nearly 100 pounds, it's built from one solid piece of $1\frac{1}{2}$ " thick cast iron to absorb vibration better than any table on the market. The end result? A long working life of incredibly smooth operation. Plus, it's loaded with features: A standard miter slot and Bench Dog's new Universal T-track are both machined directly into the table's surface, making it simple to attach virtually any accessory. The integral 12-point plate-leveling system serves double-duty by bringing the plate flush with the table and also locking it firmly in place. Two easy-access fence slots allow for fast, tool-free attachment of the **ProFence32** (sold separately). And with no add-on parts to risk breaking, this is truly a tool that will last for generations. For the ultimate setup, pair the ProMaxRT with a rugged Bench Dog base like the ProMax Cabinet.



Model 40-300 pictured



Includes a standard miter slot plus a $\frac{1}{4}$ " accessory T-track for featherboards and more.



Dual Track includes a standard miter track, as well as a Universal T-track, which accepts $\frac{1}{4}$ " t-bolts, $\frac{5}{16}$ " t-bolts, and $\frac{1}{4}$ " hex bolts.



Standard features of the **ProCabinet™**



ProLift (40-150) allows you to raise the collet above the table for easy bit changes of any size. No other lift can match its range, speed and accuracy!



Pullout router bit trays provide easy access to your bits, keep them organized and ensure sharp, chip-free carbide.



4" universal dust port on the cabinet pulls away the bulk of chips and sawdust.



router tables



ProTop

Phenolic

3 ways to buy:

- **ProTop Phenolic only (40-101)**
- **ProTop Phenolic and ProFence32 (40-201)**
- **ProTop Phenolic, ProFence32, and ProCabinet (40-200)**

- **3/4" thick, solid phenolic construction for incredible strength and durability.**
- **New 31½" x 23¼" top provides over 5 square feet of work surface.**
- **Built-in dual track combines a standard miter track and Bench Dog's Universal T-Track to handle any accessory.**
- **Mounts easily on Bench Dog's Baltic birch ProCabinet or the steel ProStand.**



SPECIFICATIONS

table width	31-1/2"
table depth	23-1/4"
top thickness	3/4"
surface material	phenolic
leveling	8 leveling screws in router table
fence length	32"
fence height	3-5/8"
fence subfences	MDF 3/4" thick

Take it to the MAX with these great accessories!



Stock No. 40-188

Optional ProCaster locking casters work
with either the ProStand or ProCabinet to
mobilize and secure your table.




ProCabinet™
Stock No. 40-110


Rugged, strong, and full of
storage options! Built from
baltic Birch with bolt and
cross-dowel construction, it
offers pullout router bit trays
and has a built-in dust port!

Phenolic top for strength and low friction!

Looking for a premium table-top that won't bust your budget? Look no further than the **ProTop Phenolic Router Table**. With durable 3/4" thick phenolic construction and a feature-rich design, this woodworker's delight is the best value on the market. Workpieces glide effortlessly over its smooth, 23 $\frac{3}{4}$ " x 31 $\frac{1}{2}$ " surface, while integral accessory tracks handle everything from featherboards to miter guages. And with Bench Dog's innovative **10-point plate-leveling system** supporting the new 1/4" thick **ProPlate** (sold separately on page 12), you'll always work on a perfectly flush and flat plane. For the ultimate router table setup, pair the top with our **32" ProFence (40-132)** and choose from two deluxe stand options, the Baltic birch **ProCabinet (40-110)** or the heavy-duty steel **ProStand (40-133)**.



Eight levelers in the router table top are adjusted from below to keep the plate flush with the table surface while two locking bolts hold the plate in position, eliminating any shifting during use.




Heavy duty aluminum ProPlates are pre-drilled to fit the most popular routers on the market. See page 12 to select the plate you need.



Feather-Loc featherboards fit into the table's miter slot, allowing you to keep stock snug to the fence.



ProLift (40-150) allows you to raise the collet above the table for easy bit changes of any size. No other lift can match its range, speed and accuracy!



Dual Track includes a standard miter track, as well as a Universal T-track, which accepts 1/4" t-bolts, 5/16" t-bolts, and 1/4" hex bolts.



2 $\frac{1}{2}$ " dust port included with the ProFence32 pulls away the bulk of chips and sawdust.



router tables

ProTop™ Contractor

Stock No. 40-001

ProTop Contractor is the best job-site router table on the market. Whatever you do, don't let its compact size fool you. A unique forward offset router location and dual position fence give it as much usable table surface as most full-size router tables. Moreover, the 15" inside-cabinet height will accept any router, not to mention Bench Dog's **ProLift**. In fact, **ProTop Contractor** fits all relevant Bench Dog accessories! The enclosed birch plywood cabinet reduces dust and noise, and the rubber feet prevent table slippage. There is no routing task **ProTop Contractor** can't perform!

- Includes top, fence, miter track, pre-drilled router insert plate and cabinet.
- Precision-machined aluminum fence with easy-adjust sub-fences.
- Non-marring laminate top uses stress-skin construction for strength and flatness.
- Fence converts into a vertical jointer.
- Adjustable miter gauge track for a perfect no-slop fit.
- Accessory T-slots on table and fence — perfect for mounting featherboards, stops, fence risers, switches and more.
- Accepts ALL routers and Bench Dog ProLift.*

ProLift
page 13



ProPlates
page 12



Feather-Locs
page 3



Panel-Loc
page 14





SPECIFICATIONS

table width	24"
table depth	16"
height	22" (15" inside cabinet)
surface material	phenolic laminate 0.050" (white)
router plate	phenolic 8-1/4" x 11-3/4", 2" bit hole
leveling	8 leveling screws in steel rails
miter track	(1) 3/8" x 3/4" t-bar compatible
	miter gauge slot:
	(1) accessory t-slot
fence length	22"
fence height	3-5/8"
accessory t-slots	use 1/4" t-bolts or nuts (7/16" wrench size)
joiner settings	1/32" or 1/16"
fence subfences	MDF, 3/4" thick
dust port	integral 2-1/2", fits shop vac hose (actual size is 2-1/4")
bit guard	dual position
weight	40 lbs.
ship weight	45 lbs.

*Some routers may require drilling of mounting holes.

Still the finest portable router table you can buy!

limited
LIFETIME
warranty



Pre-drilled router insert plate fits these popular routers.
Makes mounting fast and easy!

*Mounting screws included for routers above. Routers not shown may require drilling.



router tables

ProMax™ Cast Iron Router Table

Stock No. 40-031

Incredible versatility meets
unbreakable durability!



NEW

ProMAX expands your table saw's versatility by adding an industrial grade router table in place of the extension wing. **ProMAX** is perfect for shops where space is tight and when increased table depth is a must. An added benefit is the additional miter slot to the left of your saw blade — perfect for crosscut sled use. The exclusive miter gauge accessory track adjusts to fit your miter gauge, and it also gives you a 1/4" T-slot for mounting accessories like our **Feather-Loc** featherboards. If additional workspace is required, we've got you covered. Our **NEW** dual fence slot configuration allows you to rotate the fence and work from the other side of the table with a larger surface at your disposal — great for large workpieces.

- Router table includes: cast iron top, 28" ProFence, miter gauge track and pre-drilled router insert plate.
- Fits all contractor-grade table saws and all right-tilt cabinet-grade table saws that have 27" deep by 1-1/2" thick cast iron tables.
Note: Will not work as a left-side extension on "cabinet-grade" saws with left-tilt motors. With t-square style fences, it can be mounted on the far right side instead. You must provide your own filler board and leg set.
- Pre-drilled router insert plate fits over 20 of the most popular router models (see Standard One routers on page 12 of this catalog).
- Perfect for the small workshop.
- Use your saw's rip fence to increase table capacity — perfect for making dadoes.
- Enhances the value of your saw. Installs easily.
- Adds a third miter gauge slot to your table saw — perfect for crosscut sleds.
- Make the ultimate stationary router table system!



SPECIFICATIONS

ProMAX cast iron router table

table width	27"
table depth	16"
thickness	1-1/2"
surface material	cast iron
router plate	phenolic 8-1/4" x 11-3/4", 2" bit hole
leveling	10 leveling screws in router table
miter track	(1) 3/8" x 3/4" t-bar compatible miter gauge slot; (1) accessory t-slot
fence length	28"
fence height	3-5/8"
accessory t-slots	use 1/4" t-bolts or nuts (7/16" wrench size)
jointer settings	1/32" or 1/16"
fence subfences	MDF, 3/4" thick
dust port	integral 2-1/2", fits shop vac hose (actual size is 2-1/4")
bit guard	dual position
clamping	thru-bolt and knob
weight	55 lbs.
ship weight	58 lbs.



Cast Iron End Cap
(Stock No. 40-044)



Add an end-cap to create a stand-alone tabletop!

Attach our 4" x 27" **Cast Iron End Cap** (40-044) and use the **ProMAX** (shown here with our ProCabinet base) as an independent router table. For the ultimate cast-iron setup, see the full-sized **ProMAX RT** on page 4.

limited
LIFETIME
warranty



router tables

**limited
LIFETIME
warranty**


ProFence32

Stock No. 40-132

- Heavy-duty extruded and anodized aluminum.
- Precision-machined flat, square and true.
- Easy, tool-free setup with large T-knobs.
- Heavy-duty bit guard for large or small bits.
- Universal T-tracks on the front and back.
- 2-1/2" dust port mounted in back of fence.
- Fits cast-iron ProMaxRT and ProTop router Phenolic tables.
- Easy adjust MDF subfences require no tools




Includes a 2½" O.D. dust port on the back of the fence



NEW

SPECIFICATIONS

fence length	32" (ProFence32)
fence height	3-1/2" (overall)
accessory t-slots	Universal (front and back)
fence subfences	MDF, 3/4" thick
bit guard	heavy-duty plastic
dust port	2-1/2" o.d. — fits shop-vac type hose



EZ-Load Universal T-tracks accept 1/4" and 5/16" t-bolts as well as 1/4" hex bolts — perfect for hold-downs, stops, and other accessories like the Feather-Loc featherboard.

ProRiser™ Profence Height Extender

Stock No. 40-013



Give your ProFence a boost in height and performance!

With **ProRiser**, you can extend the height of your fence to whatever dimension you like! Just slide the **ProRiser** brackets into the rear T-slot of your **ProFence** and add a piece of 3/4" thick stock. The stock can be very wide for maximum support, or it can be a specific width to allow surface moldings to slide through un-obstructed. Includes all necessary hardware; you just add the fence face.



- Maximum support for routing boards on edge and for raising panels vertically.
- Holds material perfectly square to the table — ideal for precise joinery.
- Works with ANY Bench Dog Tools router table.

For strength and accuracy,
trust the best!

A top-quality fence is the backbone of any router table system. And with its feature-loaded design, rugged strength and quality construction, **ProFence** is a strong backbone indeed. A heavy-duty one-piece aluminum frame is fully machined on the front and bottom surfaces, ensures that your **ProFence** is flat, true and square. As for the design, no other fence packs more features. The exclusive dual **EZ-Load** T-slots accept our **Feather-Loc** featherboards, **Panel-Loc** panel hold-down and **Power-Loc** safety power switch. The MDF sub-fences adjust without tools, perfect for zero clearance setup. **ProFence** also comes with a heavy-duty bit guard and a 2-1/2" diameter dust collection port.



ProCabinet™

Baltic Birch Base

Stock No. 40-110

With the size of today's table tops (our new cast-iron ProMaxRT weighs nearly 100 lbs.), a sturdy base is more important than ever. This is as solid as they come. Bolstered with bolt and cross-dowel construction, it has no trouble supporting even the biggest tops. With an integrated 4" dust port in the back of the cabinet, dust and debris stay out of your way. Combined with pullout router bit shelves, space for adding cabinet doors or drawers, and a wealth of additional storage options, the 24 $\frac{3}{4}$ " wide x 19 $\frac{1}{4}$ " deep x 33 $\frac{1}{2}$ " tall ProMax Baltic Birch Base packs everything you need into one professional system.



MAX it out with these great accessories



Door Pack
Stock No. 40-084



Drawer Pack
Stock No. 40-083

ProCaster™

ProStand™



Steel Stand Base

Stock No. 40-113

Looking for a simple base with the strength and stability to support our heaviest tops? The rugged steel ProStand features 1/8" thick legs and stretchers—50% thicker than some similarly-priced steel stands! Four leveling feet are included, but for simple mobility, add a four-pack of our ProCasters. Ball-bearing wheels ensure a smooth ride, while revolutionary kick-down levers lock the wheel and the swivel at the same time!



Stock No. 40-188

These smooth-rolling casters work perfectly to mobilize your ProStand or ProCabinet. Unique kick-down levers lock the wheel and swivel in one step!

Mix and match a base with a top for the table that fits you best!




ProMax-RT top and the ProTop Phenolic will work on either the ProStand or the ProMax Baltic birch cabinet



ProPlate™

Precision-machined aluminum plate with pre-drilled mounting holes to accept the routers pictured below.

- **8 $\frac{1}{4}$ " x 11 $\frac{3}{4}$ "**
- **Sized to fit all Bench Dog router tables.** 1 $\frac{1}{2}$ ", 2 $\frac{1}{2}$ " and blank inserts are available
- **Precision-machined on CNC mills and hardcoat anodized for extreme wear-resistance.**
- **Includes the necessary mounting hardware, a fulcrum pin and a 1 $\frac{1}{2}$ " insert to handle most routing applications.**



Locate your router below, then use the table to find the ProPlate you need.



Group Number	Stock No.	Description	Insert Opening
Standard 1	40-120	Standard 1 ProPlate	3 $\frac{1}{4}$ "
Standard 2	40-121	Standard 2 ProPlate	3 $\frac{1}{4}$ "
Standard Blank	40-122	Standard Blank ProPlate	3 $\frac{1}{4}$ "
Large 1	40-123	Large 1 ProPlate	3 $\frac{1}{16}$ "
Large 2	40-124	Large 2 ProPlate	3 $\frac{1}{16}$ "
Large Blank	40-125	Large Blank ProPlate	3 $\frac{1}{16}$ "

All plates are 8 $\frac{1}{4}$ " x 11 $\frac{3}{4}$ " overall. All plates have either Standard (3 $\frac{1}{4}$ ") or Large (3 $\frac{1}{16}$ ") insert openings. Blank plates do not have pre-tapped mounting holes and can be custom-drilled to accept any router not pictured above. If your router is not pictured, choose a blank plate with an appropriately sized insert opening.




ProLift™

Router Adjustment System
Stock No. 40-150

The best built. Period.

**AVAILABLE
OCTOBER 2008**



router lift

No other router lift has this kind of range, speed and accuracy! Speaking of accuracy, how's 0.001" adjustment resolution with no need for a fussy and expensive digital readout? ProLift is the only lift on the market designed for demanding, daily use — **no other lift matches our features**. In fact, ProLift is the only direct-drive lift built around the robust Porter-Cable model 7518 router. Integral fins keep your router running cool. The direct-drive mechanism eliminates the complication and slop associated with belts, chains and gears. Don't settle for wimpy lifts that clog up with dust, bind, get sloppy and move at a snail's pace. Isn't it time you changed the way you change your bits?


- Raise the collet above the table for easy bit changes of any size!
- No other router lift has faster linear motion.
- Precision-ground steel plate.
- Nickel-plated for long life and corrosion resistance.
- Fits ALL Bench Dog Tools router tables.
- Aluminum housing with built-in cooling fins.

limited
LIFETIME
warranty

U.S. Patent No. 6,792,984

SPECIFICATIONS

plate	solid steel, precision-ground
plate size	8-1/4" x 11-3/4"
housing	cast aluminum with cooling fins
housing diameter	4.2" (use adapters for smaller motors)
surface finish	machine ground steel
vertical travel	5.5" (varies slightly with installation)
Insert Rings	1-1/2" Opening
columns	15/16" polished steel
bushings	bronze
height adjuster	0-1/8 scale, .0025" increments
lead screw	8 tpi precision Acme threads
included tools	speed wrench, socket, fine adjuster
empty weight	22 lbs.
weight w/7518	34 lbs.
ship weight	29 lbs.



ProLift includes our custom-designed chrome-plated speed wrench, drive socket and fine-adjustment gauge. No other lift comes with a better height adjustment tool!



Bit adjustment from the top is fast and accurate to 0.001" with your naked eye. The fine adjustment tool will "zero-out" from any bit height.



Bit changes don't get faster, safer or easier than this! ProLift is the ONLY lift that allows the motor to pass the surface of your router top!



Includes heavy duty plastic insert rings with 1 1/2" and 2 1/4" openings for various sized bits, plus a blank insert for zero-clearance routing.



router table accessories

PanelLoc®

Panel Hold-Down and Hand Guard

Stock No. 40-025

Developed with
expert input from
Lonnie Bird!

Panel-Loc was developed in conjunction with acclaimed woodworker Lonnie Bird, pictured above in his woodshop. The unique design of **Panel-Loc** places downward pressure on your workpiece at just the right place — 2" away from the fence. This prevents the tipping that occurs with ordinary featherboards. **Panel-Loc** also provides excellent protection from accidental contact with the router bit, and its long surface area protects you from flying chips and dust. **Panel-Loc** includes a 20" length of our T-Loc accessory track for mounting to most available fences. Fits ALL Bench Dog Tools router tables.





Safer, better results when raising panels!

limited
LIFETIME
warranty



U.S. Patent No. 6,481,472



Mounting T-Loc to your fence makes installing Panel-Loc simple and tool-free.

- Protects your hands from large bits!
- Fits ALL Bench Dog Tools router tables and fences, as well as most other router table fences.
- Holds your panel down firmly for better cuts and completely eliminates unwanted lifting.
- Low-friction, UHMW hold-down strip allows your panel to move freely and is non-marring.
- For all horizontal raised panel bits.



TLoc™ Accessory Track

Stock No. 10-013

limited
LIFETIME
warranty




DualTrack

Stock No. 40-131

limited
LIFETIME
warranty

Building your own fence? Add versatility with T-Loc, the premium top-mounting accessory track. Made from heavy-duty aluminum, it features an extruded Universal T-track that accepts a wide range of featherboards, stops, and other accessories. Comes in 36" lengths, can be easily cut down to the perfect fit.



Easy to mount in either a horizontal or vertical orientation to maximize your fence's capability!

- Universal T-Track accepts 5/16" T-bolts, 1/4" T-bolts, and 1/4" hex bolts.
- Combines miter track and a T-T-rack for any application.
- 3/4" x 3/8" miter track for standard or "T" miter bars.
- Mounting hardware not included.
- 1/2" H x 1 1/8" W x 36" L

For adding accessory tracks to shop-made router tables, it doesn't get more convenient than Dual-Track. Like T-Lock (above), it contains a versatile Universal T-track for attaching accessories like our Feather-Loc featherboard and more! Plus, it has a standard miter slot for miter gauges.



BladeLoc®

10" Saw Blade Changing Tool

Stock No. 10-001

A must-have accessory
for your table saw!

Blade-Loc is a revolutionary blade-changing tool that provides safer changes for you and your table saw blades. Most people don't realize that using a piece of scrap wood can bend the blade, enough to leave scratch marks and tear-out in delicate panels. **Blade-Loc** evenly grips the blade around its perimeter and will not bend it! Moreover, **Blade-Loc** protects your hands. There is simply no better way to change your blades. Made from a specially formulated polymer, **Blade-Loc** is guaranteed to last a lifetime.

- Protect your hands from serious injury.
- No more chipped or bent blades.
- Fits all 10" table saws.
- Replaces the scrap wood and double-wrench methods of blade changing.



limited
LIFETIME
warranty



U.S. Patent No. 5,983,480

THREE SIMPLE STEPS! *Setup is fast and easy!*



Place BladeLoc over your blade and loosen the nut.



Remove your old blade from the table saw.



Place BladeLoc over your blade and tighten.



Available in multi-packs.
Stock No. 10-002 (4 pack)

Single FeatherLoc® Multi-Purpose Featherboard

Stock No. 10-005

Safer cuts.
Better cuts.

Feather-Loc is like having an extra hand to stabilize your stock and keep it against your rip fence. This prevents chatter, gouging and dangerous kickback. You'll get safer, cleaner cuts and less waste. **Feather-Loc's** durable polymer feather tips will not mar your workpiece. Large clamping knobs are easy on the hands and the exclusive miter slot adapter holds tight in any position. **Feather-Loc's** built in setup feather makes setting the proper tension fast, easy and repeatable. You can remove **Feather-Loc** from the saw without altering the tension setting. Includes miter slot adapter.

- Holds stock against the rip fence for better safety and accuracy.
- Produces smooth, chatter-free cuts with less gouging.
- Reduces kickback, binding and bent blades.
- Can be flipped to work on either side of the fence.
- Fits standard miter gauge slots (3/4" wide by 3/8" deep) found in most table saws, band saws, router tables and shapers.



Patent Pending

Feather-Loc is perfect for holding long boards against the rip fence, greatly improving the quality of any cut. Miter slot adapter fits in all standard miter gauge slots, found on table saws, band saws, shapers and router tables.



Available in 4 packs.
Stock No. 10-006




job site tools

ProCut™ Portable Saw Guide

Stock No. 10-019

Pro-Cut is the ultimate portable saw guide. It's inexpensive, easy-to-handle, and produces perfect 90° crosscuts. **Pro-Cut** also helps to reduce dangerous kickback. Built-in guides quickly square **Pro-Cut** to the workpiece, and two rubber strips prevent side-to-side movement. The best part is how quickly it aligns your saw to the cut line. Here's how it works: the first time you use **Pro-Cut**, your saw will trim away a small portion from the tool. This fits **Pro-Cut** to your circular saw. The next time you align **Pro-Cut** to your cut line or mark, your saw will automatically align too! You will be amazed at how much cleaner your crosscuts look. Fast, safe, accurate and clean!

- Turns your circular saw into a precision cutting tool — perfect 90° crosscuts, every time.
- Instantly aligns your saw to the cut line!
- Dramatically reduces dangerous kickback, binding and bent blades.
- Cuts lumber, siding, I-beams, trim, stair treads and more!
- Reduces tear-out and splintering.
- Prevents your saw from scratching the work.
- Use for marking, measuring and layout.



Marking and Measuring!



Fits all 8-1/4" (or smaller)
RIGHT blade circular saws.

limited
LIFETIME
warranty

Get perfect cross-cuts
with your circular saw!

FOR RIGHT BLADE SAWS



SIDING

Tired of lifting long, heavy, unwieldy pieces of stock up to your miter saw? Work more efficiently and reduce fatigue by cutting them wherever it's most convenient.



I-BEAMS

Cutting I-beams is easy because Pro-Cut bridges the web. Extra-wide I-beams may require a shim.



BEADBOARD

Cutting beadboard and other interior trim is now fast, easy and accurate. No need for a miter saw. Pro-Cut turns your everyday circular saw into a precision cutting machine.



SHELVING

Cut delicate veneers and melamine with little or no tear-out. Placing masking tape on the cut line will further help prevent chipout.



table saw accessories

Get your hands out of harm's way!

PushLoc™ Offset Push Stick

Stock No. 10-025

A push stick isn't much good if you can't find it! That's why we designed our revolutionary **Push-Loc** with a dedicated docking station that keeps **Push-Loc** upright and ready for use. No more fumbling with the push stick in the middle of a cut — just reach out and grab it! The docking station is also a handy pencil tray, and it even houses up to two tape measures. Another goal was to make our push stick safer, less likely to hinder visibility, and less likely to get caught on the blade guard. Furthermore, it had to work on router tables and jointers. **Push-Loc's** patented offset handle accomplishes all these goals. It gets your hands out of harm's way, improves line-of-sight visibility, and allows your hand to easily clear the blade guard. On router tables, the offset works by preventing your hand from scraping the table top.

- Ergonomic "no-slip" grip for comfort and safety.
- Special handle geometry keeps Push-Loc parallel to the fence throughout the entire cut.
- Rear tail hook holds tight, but is still compatible with thinner material.
- Rubber sole helps prevent slippage and won't mar your workpiece.

Special handle geometry keeps Push-Loc parallel to your table saw's rip fence throughout the entire cut.




Stop busting your knuckles on the blade guard! Push-Loc's offset handle clears the guard, and lets you see what you are doing. A must-have accessory for every table saw!



Push-Loc's offset handle keeps your hand from scraping the table top in router table applications. The docking station helps control all those small parts and tools, too!

limited
LIFETIME
warranty



Patent Pending




Push-Loc's exclusive offset handle keeps your right hand out of the way for better visibility. Safety is also improved, by keeping your hand further from the blade. With features like these, Push-Loc outperforms any other push stick on the market.

Docking station mounts almost anywhere!



Mounting the docking station to your fence puts Push-Loc right where you need it! Attach with screws or double-sided tape.



The docking station includes two mounting holes for attaching to a Bench Dog router table fence.



**Available in 5 packs.
Stock No. 10-026**



TrimLoc®

Casement Trim Install Tool

Stock No. 10-016



Installing door or window trim?
You need Trim-Loc!

LIFETIME
warranty

As seen in...
Fine Homebuilding
...March 2005



- Get consistent casement reveals for a professional look.
- Increase speed and efficiency.
- Measure inside-to-inside miters quickly and accurately.
- Reduce waste and costly splits.
- Use as a handy combination square.
- Ergonomic design, easy-to-use and durable.



Measuring wide openings by yourself is easy! Tack Trim-Loc in place with two 6d finish nails and slip your tape in the slot!

Trim-Loc is the only tool on the market used to measure, mark and install casement trim. With this handy, lightweight tool in your belt, trimwork will go like clockwork. Trim-Loc's built-in tape measure hook slots and preset reveal allow you to accurately measure all of your trim pieces at once, saving you hours of time. After you measure and record the trim lengths, use Trim-Loc to accurately transfer the measurements to your trim stock and mark cut lines. Finally, use Trim-Loc to hold the trim pieces in perfect alignment while you nail them in place. Trim-Loc holds the trim fast, preventing the nail gun from throwing it out of alignment. Use the starter nail guide to help prevent costly splits and wasted material.

For better convenience and efficiency, purchase two Trim-Locs: one for your tool belt and one for mounting to your bench — a must for carpentry crews and large trim jobs. Trim-Loc has many other uses, too. For example, use Trim-Loc's precise 45° and 90° guides to mark cut lines, square jambs and true power tools. Trim-Loc is a perfect companion for your miter saw because it's easy to hold and doesn't get in the way. Once you see how handy Trim-Loc is, we're sure it will become your tool belt favorite!

job site tools



MEASURE

Tape measure hook slots make measuring all those difficult inside-to-inside miters easy. Measure, mark, cut and install all the trim pieces at once. No more tedious trial and error!



MARK AND CUT

Trim-Loc will quickly become your tool of choice for marking 45° and 90° cuts and 3/16" reveals for trim. Also makes a handy square for checking your angles.



INSTALL

Positions and holds trim while you nail it. Get perfect alignment, tight-fitting miter joints and consistent reveals every time!

Measure, mark, position, nail — Trim-Loc makes it easy to get sharp results!



Measuring wide openings by yourself is easy!



Accurately mark 3/16" reveals around window and door jambs



Trim-Loc is the perfect tool for setting up and truing saw blades, jambs and trim.



How do you measure inside-to-inside miters? Simple. Fasten Trim-Loc to your bench for an easy-to-use jig.



Notch allows you to align Trim-Loc with outside of trim and extend your line to the baseboard.



Available in 5-packs
Stock No. 10-017

MADE IN
USA

benchdog.com

©Copyright Bench Dog Tools, Inc. 2008

Toll Free 800-786-8902

page 18



job site tools

CrownCut™

Crown/Cove Cutting Jig

Cut crown and cove the easy way!

Stock No. 10-027

Crown-Cut eliminates the complication of cutting crown and cove molding, giving you perfect miters, every time. What's the secret?


Crown-Cut holds the molding at its intended angle while you cut it.

No more compound cuts and tedious trial and error!

Before **Crown-Cut**, miscalculated compound cuts produced sloppy miters that screamed for caulk and paint.

Crown-Cut requires only a simple miter cut that any miter saw can do. For a professional-looking job, cut your crown and cove the easy way. Even if you're using the coping method for inside miters, **Crown-Cut** will prove just as useful for the initial cuts.

- **The safest and easiest way to cut crown molding.**
- **Eliminates trial and error.**
- **Produces perfect-fitting miters every time.**
- **No more complicated compound cuts!**
- **Fits all 10" and larger miter saws, both regular and sliding.**
- **Exclusive fence risers adjust to fit crown and cove molding up to 6" wide.**
- **Integral setup guide prevents costly miscuts!**
- **Completely portable. Does NOT need to be attached to your miter saw.**



Fence risers adjust to fit taller crown molding.

Setup guides are mounted to the tool for error-free operation.

Crown stop quickly adjusts to lock molding at the intended angle.

CAPACITY CHART

10" Miter Saw

Up to 3-1/2" molding*


*Some 10" miter saws are capable of cutting molding wider than 3-1/2"

12" Miter Saw

Up to 5-1/2" molding*

*Some 12" miter saws are capable of cutting molding up to 6"

limited
LIFETIME
warranty




Crown-Cut holds the molding at its intended angle, eliminating the need for complex compound cuts.

Setup is fast and easy!




Inside Miter



Cutting Inside 90° Corners

Miter saw setup is fast and easy. First, determine if you're cutting an inside or outside miter. Then, simply follow the setup guide located on the tool.

Outside Miter



Cutting Outside 90° Corners



Saw blade right, workpiece right



Saw blade left, workpiece left



Saw blade left, workpiece right



Saw blade right, workpiece left



Large, small, we have it all...

*Every one of our tables is right for somebody —
the trick is choosing the one that's right for you.
Whether you need a rock-solid permanent table, or
a light, portable job-site table, we have you covered.
See pages 4-11.*



Bench Dog Tools, Inc.
9775 85th Avenue North
Maple Grove, MN 55369



ProMax RT™ Cast iron Router Table **Stock No. 40-300**

ProMAX is the industry's only full-size cast iron router table. Built to the max, so it will last! See pages 4-5.



ProTop™ Contractor

Stock No. 40-001

ProTop Contractor is a
lightweight, portable table
with a small footprint and
big features. See page 8.